

CRETE TREAT Masonry Floor Sealer

Version Number: 1

Preparation date: 2008-09-16

1. PRODUCT AND COMPANY IDENTIFICATION

Product name:	CRETE TREAT Masonry Floor Sealer
MSDS #:	MS0600098
Product Code:	3748698
Recommended use:	Floor care.
Manufacturer, importer, supplier:	Unisource Worldwide, Inc. 6600 Governors Lake Parkway Norcross, GA 30071 Phone: 770-447-9000 MSDS Internet Address: www.unisourcelink.com
Emergency telephone number:	1-888-660-6737

2. HAZARDS IDENTIFICATION**EMERGENCY OVERVIEW**

• CAUTION

- MAY BE MILDLY IRRITATING TO EYES
- MAY BE MILDLY IRRITATING TO SKIN

Principle routes of exposure:	<ul style="list-style-type: none">• Eye contact• Skin contact• Inhalation
Eye contact:	<ul style="list-style-type: none">• May be mildly irritating to eyes
Skin contact:	<ul style="list-style-type: none">• May be mildly irritating to skin
Inhalation:	<ul style="list-style-type: none">• None
Ingestion:	<ul style="list-style-type: none">• None known

3. COMPOSITION/INFORMATION ON INGREDIENTS**Hazardous ingredients**

Ingredient(s)	CAS #	Weight %
Diethylene glycol monoethyl ether	111-90-0	1 - 5 %
Ethylene glycol 2-ethylhexyl ether	1559-35-9	1 - 5 %

Hazardous ingredients

Ingredient(s)	LD50 Oral - Rat (mg/kg)	LD50 Dermal - Rabbit	LC50 Inhalation - Rat
Diethylene glycol monoethyl ether	1920	=4200 µL/kg	5.24 g/m ³
Ethylene glycol 2-ethylhexyl ether	3080	=2120 µL/kg	Not available

4. FIRST AID MEASURES

Eye contact:	<ul style="list-style-type: none">• Flush immediately with plenty of water• If irritation develops, get medical attention
Skin contact:	<ul style="list-style-type: none">• Flush immediately with plenty of water• If irritation develops, get medical attention
Inhalation:	<ul style="list-style-type: none">• No specific first aid measures are required
Ingestion:	<ul style="list-style-type: none">• No specific first aid measures are required
Aggravated Medical Conditions:	<ul style="list-style-type: none">• None known

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media:	<ul style="list-style-type: none">• Not applicable
Specific hazards:	<ul style="list-style-type: none">• Not applicable
Unusual hazards:	<ul style="list-style-type: none">• None known

CRETE TREAT Masonry Floor Sealer

1 of 4

5. FIRE-FIGHTING MEASURES**Specific methods:**

- No special methods required

Special protective equipment for firefighters:

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

Extinguishing media which must not be used for safety reasons:

No information available

6. ACCIDENTAL RELEASE MEASURES**Personal precautions:**

- Use personal protective equipment

Environmental precautions and clean-up methods:

- No information available

7. HANDLING AND STORAGE**Handling:**

- Avoid contact with skin and eyes

FOR COMMERCIAL AND INDUSTRIAL USE ONLY.

Storage:

- Protect from freezing
- Keep tightly closed in a dry, cool and well-ventilated place
- KEEP OUT OF REACH OF CHILDREN

8. EXPOSURE CONTROLS / PERSONAL PROTECTION**Engineering measures to reduce exposure:**

- No special ventilation requirements
- General room ventilation is adequate

Personal Protective Equipment**Eye protection:**

- No special requirements under normal use conditions

Hand protection:

- No special requirements under normal use conditions

Skin and body protection:

- No special requirements under normal use conditions

Respiratory protection:

- No special requirements under normal use conditions

Hygiene measures:

- Handle in accordance with good industrial hygiene and safety practice

Personal protective equipment

None / Aucune / Ninguno

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Liquid	Appearance:	Emulsion
Specific gravity:	1.026	pH:	8.8
Dilution pH:	No information available.	Elemental Phosphorus:	0.07 %P
Density:	8.55 lbs/gal	Bulk density:	No information available
Vapor density:	No information available	Evaporation Rate	No information available
Solubility:	Dispersible	VOC:	0% *
Viscosity:	No information available		
Solubility in other solvents:			No information available
Partition coefficient (n-octanol/water):			No information available
Color:			Off-White
Odor:			Ammonia
Boiling point/range:			Not determined
Melting point/range:			Not determined
Flash point:			>200°F >93.3°C
Decomposition temperature:			Not determined
Autoignition temperature:			No information available

9. PHYSICAL AND CHEMICAL PROPERTIES

* - Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

10. STABILITY AND REACTIVITY

Stability:	• The product is stable
Polymerization:	• Hazardous polymerization does not occur
Hazardous decomposition products:	• None reasonably foreseeable.

11. TOXICOLOGICAL INFORMATION

Acute toxicity:	Oral LD50 estimated to be greater than 5000 mg/kg. Dermal LD50 estimated to be > 2000 mg/kg
Component Information:	• See Section 3
Chronic toxicity:	• None known
Specific effects	
Carcinogenic effects:	• None known
Mutagenic effects:	• None known
Reproductive toxicity:	• None known
Target organ effects:	• None known

12. ECOLOGICAL INFORMATION

Environmental Information:	• No data available
----------------------------	---------------------

13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products:	• Dispose of according to all federal, state and local applicable regulations
--	---

14. TRANSPORT INFORMATION

DOT/TDG:	• Please refer to the Bill of Lading/receiving documents for up to date shipping information
----------	--

15. REGULATORY INFORMATION

International Inventories	
All components of this product are listed on the following inventories: U.S.A. (TSCA).	
U.S. Regulations	
California Proposition 65: This product is not subject to the reporting requirements under California's Proposition 65	
SARA 311/312 Hazard Categories	
Immediate:	-
Delayed:	-
Fire:	-
Reactivity:	-
Sudden Release of Pressure:	-

Canada	
WHMIS hazard class:	Not for sale in Canada.

STATE RIGHT TO KNOW

Ingredient(s)	CAS #	NJRTK:	MARTK:	PARTK:	RIRTK:
Diethylene glycol monoethyl ether	111-90-0	-	-	-	-
Water	7732-18-5	-	-	-	-
Styrene acrylic polymer	TS*	-	-	-	-

CRETE TREAT Masonry Floor Sealer

3 of 4

Modified polypropylene	25722-45-6	-	-	-	-
Acrylic polymers	TS*	-	-	-	-
Ethylene glycol 2-ethylhexyl ether	1559-35-9	-	-	-	-

CERCLA/ SARA

Ingredient(s)	CAA HAP	CAA ODS	CWA Priority Pollutants
Diethylene glycol monoethyl ether	X		

16. OTHER INFORMATION

HMIS	Health	1	Fire Hazard	0	Reactivity	0
NFPA	Health:	1	Flammability:	0	Instability:	0

Reason for revision: Not applicable

Prepared by: NAPRAC

Additional advice: None

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.