Material Safety Data Sheet

QUIK FILL 910

EC SLAB [°]

1. Product and company identification				
Trade name of product : QUIK FILL 910				
Product use				
Product dilution	information : Up to 1:8 in water			
Supplier's information: Ecolab Inc. Institutional Division 370 N. Wabasha Street St. Paul, MN 55102 1-800-352-5326Code: 903576-03				
Date of issue : 04-August-2011 EMERGENCY HEALTH INFORMATION: 1-800-328-0026 Outside United States and Canada CALL 1-651-222-5352 (in USA)				
2. Hazards identification				
-	Product AS SOLD	Product AT USE DILUTION		
Physical state	: Liquid.	Liquid.		
Emergency overview	: DANGER !	CAUTION !		
	CAUSES DIGESTIVE TRACT, EYE AND SKIN BURNS. CAUSES RESPIRATORY TRACT IRRITATION.	MAY CAUSE EYE AND SKIN IRRITATION.		
	Do not ingest. Do not get in eyes, on skin or on clothing. Avoid breathing vapors, spray or mists. Keep container closed. Use only with adequate ventilation. Wash thoroughly after handling.	Avoid contact with eyes, skin and clothing. Wash thoroughly after handling.		
Potential acute I	nealth effects			
	Product AS SOLD	Product AT USE DILUTION		
Eyes	: Corrosive to eyes.	Moderately irritating to eyes.		
Skin	: Corrosive to the skin.	Moderately irritating to the skin.		
Inhalation	: Severely irritating to the respiratory system.	No known significant effects or critical hazards.		
Ingestion	: Causes burns to mouth, throat and stomach.	No known significant effects or critical hazards.		

See toxicological information (section 11)

3. Composition/information on ingredients

Product AS SOLD		
Name	<u>CAS number</u>	<u>% by weight</u>
BUTOXYDIGLYCOL	112-34-5	12
CITRIC ACID	77-92-9	5 - 20
alcohols, c10-14, ethoxylated	66455-15-0	5 - 20
methanesulphonic acid	75-75-2	1 - 5
Product AT USE DILUTION		
Name	<u>CAS number</u>	<u>% by weight</u>
BUTOXYDIGLYCOL	112-34-5	1
CITRIC ACID	77-92-9	1 - 5

Composition/information on ingredients 3.

First aid measures 4.

		Product AS SOLD	Product AT USE DILUTION
Eye contact	:	running water. Remove contact lenses and continue flushing with plenty of water for at least 15 minutes.	In case of contact, immediately flush eyes with plenty of water. Remove contact lenses and flush again. Get medical attention if irritation persists.
Skin contact	:	of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical	In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if irritation persists. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Inhalation	:	If inhaled, remove to fresh air. If exposed person is not breathing, give artificial respiration or oxygen applied by trained personnel. Get medical attention.	No special measures required. Treat symptomatically.
Ingestion	:	If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.	Get medical attention if symptoms occur.

Fire-fighting measures 5.

Product AS SOLD	
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide sulfur oxides metal oxide/oxides
Fire-fighting media and instructions	: Use an extinguishing agent suitable for the surrounding fire.
Special protective equipment for fire-fighters	 Dike area of fire to prevent runoff. In a fire or if heated, a pressure increase will occur and the container may burst. Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6. Accidental release measures

Personal precautions	 Product AS SOLD Initiate company's spill response procedures immediately. Keep people out of area. Put on appropriate personal protective equipment (see section 8). Do not touch or walk through spilled material. 	Product AT USE DILUTION Use personal protective equipment as required.
Environmental precautions	: Avoid contact of spilled material and runoff with soil and surface waterways.	Avoid contact of large amounts of spilled material and runoff with soil and surface waterways.
Methods for cleaning up	: Follow company's spill procedures. Keep people away from spill. Put on appropriate personal protective equipment (see section 8). Absorb/neutralize liquid material. Use a tool to scoop up solid or absorbed material and put into appropriate labeled container. Use a water rinse for final clean-up.	Use a water rinse for final clean-up.

Product AS SOLD Product AS SOLD Handling : Do not ingest. Do not get in eyes, on skin, or on clothing. Wash thoroughly after handling. Do not mix with bleach or other chlorinated products - will cause chlorine gas. Product AT USE DILUTION

Storage : Keep out of reach of children. Store in a closed container. Keep container tightly closed. Do not store below the following temperature: 0°C

Keep out of reach of children. Store in a closed container.

8. Exposure controls/personal protection

	Product AS SOLD	Product AT USE DILUTION
Engineering measures	: Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Personal protecti	<u>on</u>	
Eyes	: Use chemical splash goggles. For continued or severe exposure wear a face shield over the goggles.	Eye protection should be used when splashing may occur.
Hands	: Use chemical-resistant, impervious gloves.	For prolonged or repeated handling, use the following type of gloves: Impervious gloves.
Skin	: Use synthetic apron, other protective equipment as necessary to prevent skin contact.	No protective equipment is needed under normal use conditions.
Respiratory	: Wear appropriate respirator when ventilation is inadequate and occupational exposure limits are exceeded.	No special protection is required.

Consult local authorities for acceptable exposure limits.

9. Physical and chemical properties Product AT USE DILUTION Product AS SOLD Physical state Liquid. : Liquid. Flash point > 100°C : > 100°C Product does not support combustion. Color : Green Green [Light] Odor : Sweetish Sweetish : 0.04 to 0.54 [Conc. (% w/w): 100%] pН 2 to 4 [Conc. (% w/w): 100%]

Relative density : 1.053 to 1.073

10. Stability and reactivity

Product AS SOLD	
Stability	 The product is stable. Under normal conditions of storage and use, hazardous polymerization will not occur.
Reactivity	 Highly reactive or incompatible with the following materials: alkalis. Reactive or incompatible with the following materials: metals. Incompatible with chlorinated solvents. Do not mix with bleach or other chlorinated products - will cause chlorine gas.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Stability and reactivity 10.

Hazardous polymerization : Under normal conditions of storage and use, hazardous polymerization will not occur.

Toxicological information 11.

Potential acute health effects

	Product AS SOLD	Product AT USE DILUTION
Eyes	: Corrosive to eyes.	Moderately irritating to eyes.
Skin	: Corrosive to the skin.	Moderately irritating to the skin.
Inhalation	: Severely irritating to the respiratory system.	No known significant effects or critical hazards.
Ingestion	: Causes burns to mouth, throat and stomach.	No known significant effects or critical hazards.
Product AS SO	LD	

Other adverse effects

Target organs

: Contains material which may cause damage to the following organs: blood, kidneys, liver.

Ecological information 12.

Ecotoxicity

: Not reported

Disposal considerations 13.

Product AS SOLD

Waste disposal : Avoid disposal. Attempt to use product completely in accordance with intended use. Disposal should be in accordance with applicable regional, national and local laws and regulations.

Product AT USE DILUTION

Diluted product can be flushed to sanitary sewer. Discard empty container in trash.

RCRA

: Unused product is D002 (Corrosive) classification

14. Transport information

Certain shipping modes or package sizes may have exceptions from the transport regulations. The classification provided may not reflect those exceptions and may not apply to all shipping modes or package sizes.

Product AS SOLD	
DOT Classification	UN3265
DOT Proper shipping name	Corrosive liquid, acidic, organic, n.o.s. (methanesulphonic acid)
Class	8
Packing group	III
For transport in bulk or using IMD	G regulations, see shipping documents for specific transportation

For transport in bulk or using IMDG regulations, see shipping documents for specific transportation information.

Product AT USE DILUTION Not intended for transport.

15. **Regulatory information**

Product AS SOLD

HCS : Corrosive material Classification Target organ effects

Product AT USE DILUTION

Irritating material Target organ effects


Product AS SOLD

U.S. Federal regulations

TSCA 8(b) inventory

: All components are listed or exempted.

40			0
15. Regulatory in	oformation		
SARA 302/304/311/312 e	extremely hazardous substances: No listed substances	ubstance	
SARA 302/304 emergen	cy planning and notification: No listed substa	ance	
<u>SARA 313</u>	Product name	<u>CAS number</u>	Concentration
Form R - Reporting requirements	: 2-(2-butoxyethoxy)ethanol	112-34-5	12.415
<u>California Prop. 65</u>	: No listed substance		



Responsible name

QUIK FILL 910

: 04-August-2011 : Regulatory Affairs

1-800-352-5326

✓ Indicates information that has changed from previously issued version.

Notice to reader

The above information is believed to be correct with respect to the formula used to manufacture the product in the country of origin. As data, standards, and regulations change, and conditions of use and handling are beyond our control, NO WARRANTY, EXPRESS OR IMPLIED, IS MADE AS TO THE COMPLETENESS OR CONTINUING ACCURACY OF THIS INFORMATION.

4 August 2011