MSDS

Material Safety Data Sheet 4056

Conforms to ANSI Z-400.1-1993

Chemtel 24 Hour Emergency Response (800) 255-3924

Las Vegas, NV 89188

(800) 293-4698

1 Chemical Product and Company Ide	ntification					
Product: Oven & Grill Cleaner	Grill Cleaner Classification: Specialty E2			E20		
2 Composition/Information on Hazardous Ingredients						
Material	CAS#	%	OSHA(PEL)	TLV(ppm)	Other	
2- Butoxyethanol*	111-76-2	<5	25 ppm	25 ppm	OSHA-50	
Sodium Metasilicate	1344-09-8	<2	N/A	N/A	N/A	
Sodium Hydroxide	1310-73-2	<7	N/A	2 mg/ m ³	N/A	

3 Hazards Identification	on
Emergency Overview: DANGER	Irritant. Causes skin irritation and eye damage. Avoid contact with skin and eyes.
Contact with Eyes:	This product is destructive to eye tissues. Will cause burns that result in damage to the eyes and even blindness if the solution remains in contact with the eye for a prolonged period.
Contact with Skin:	Repeated or prolonged contact with skin may cause irritation, drying and/or dermatitis.
Skin Absorption:	A single prolonged exposure may result in absorption of toxic amounts.
Ingestion Symptoms:	Swallowing will irritate throat, esophagus and digestive tract. Product may cause burns to mucous membranes of the mouth, throat, esophagus and stomach.
Inhalation Symptoms:	Airborne concentrations of mist/vapor may cause damage to the upper respiratory tract and even lung tissue. If the product is heated, vapors are acutely toxic.
Chronic Effects:	Respiratory tract damage may result in increased succeptability to respiratory illness. Excessive inhalation exposure may result in liver and kidney injury.
	ermine whether exposure is to concentrated or dilute product. The information in this document is eal with exposure to concentrated product. Generally, exposure to diluted product will result in substantially less risk of injury than described herein.
4 First Aid Measures	
Eyes: If eyes are	contacted, flush with water for 15 minutes. If irritation persists seek medical attention.

Skin: If skin is contacted, wash affected area with soap and water. If irritation persists, seek medical attention.

Inhalation: If discomfort is experienced after prolonged exposure to mists/vapors, remove to fresh air. If breathing is difficult, give oxygen and seek medical attention.

Ingestion: If ingested, do NOT induce vomiting. Give moderate amounts of water to wash out mouth area and dilute remaining residue. Seek medical attention.

1/5/2010	0001	4056	
----------	------	------	--

Oven & Grill Cleaner Page 1 of 3

5 Fire Fighting Measures

Flash Point(F° TCC): >210°F

Flammable Limits: LEL No Data

UEL No Data

Auto Ignition Temperature: No Data

Extinguishing Media: Water Spray, Foam, Carbon Dioxide, Dry Chemical

Special Fire Fighting Procedures:

Firefighters should wear a positive pressure NIOSH approved self-contained breathing apparatus.

Unusual Fire and Explosion Hazards:

Containers exposed to heat from fires should be cooled with water fog to prevent container rupture.

6 Accidental Release Measures

Large Spills (55 gallons or more):

Wear rubber boots, gloves and appropriate protective clothing. Shut off source of leak if safe to do so. Dike and contain spill.

Small Spills:

Mop up spill and rinse area.

7 Handling and Storage

Handling: Keep out of reach of children. Follow appropriate hygiene practices.

Storage: Store in a cool, dry place.

8 Exposure Controls/Personal Protection

Ventilation and Engineering Controls:

Local exhaust

Respiratory Protection:

None

Protective Gloves:

Rubber Gloves

Eye Protection:

Chemical Splash Goggles

Other Protective Equipment:

1/5/2010 0001 4056	Oven & Grill Cleaner Page 2 of 3

9 Physical and Ch	emical Pro	perties			
Boiling Point(F°):	>212°F	Solubility in Water:	Soluble	Odor:	Butyl
Specific Gravity:	1.09	Volatiles(% by Wt.):	89	pH:	13 - 14
Appearance:	Yellow	Vapor Density:	>1	VOC:	<100 g/L
Evaporation Rate:	<1	Vapor Pressure:	<17 mm Hg	Freezing Point(F°):	<32°F
		< means less than	> means greater th		
		are typical values based on mat d not be construed as a guarante			
10 Stability and Re	eactivity				
Stability: Stable		Conditions to Avoid: Heat			
Materials to Avoid	: Strong Ox	idizers			
Hazardous Decon	nposition P	roducts:			
Oxides of carbon a	and nitroger	1			
Hazardous Polyme	rization.				
Will Not Occur					
11 Toxicological Ir	nformation				
No Toxicology Infor	mation is av	ailable.			
12 Ecological Info	rmation				
No data available.					
13 Disposal Consi	derations				
Waste Disposal M	ethod:				
Dispose of waste	in accorda	nce with federal, state and local r	egulations		
14 Transport Infor	mation				
HAZMAT: Yes	Haz	ard Code: 1122	ID Number: UN17	60 Hazard Class	s: 8
Hazardous Divisi	i on: Corros	ive liquid, n.o.s.		Packaging Group:	I
Hazardous Conter	nts: Sodiur	n hydroxide, Sodium silicate			
15 Regulatory Info	ormation				
Proposition 65: N	ot Listed.				
* This product is s	subject to th	ne reporting requirements of S	ARA Title III.		
EPA: No					
16 Other Informati	on				
HMIS/NFPA Hazard	d Rating:	Health 2 Flammabili	ty 0 React	ivity 0	
	egarding the	n is based on the data available to accuracy of this data or the resu Brady Industries, HQ			
MSDS Approval D)ate: 1/5/202	10			
1/5/2010 00	01 4056]		Oven & Grill Clear	ner Page 3 of 3