Material Safety Data Sheet 1
Conforms to ANSI Z-400.1-1993

1146

13300 East Nelson Avenue City of Industry, CA 91746

Chemtel 24 Hour Emergency Response (800) 255-3924

(800) 446-1888

1	Chemical	Product	and Com	pany Ident	ification

Product: Just Right Heavy Duty Degreas@tassification: Heavy Duty Cleaner/Degreaser E00

2 Composition/Information on Hazardous Ingredients

Material	CAS#	%	OSHA(PEL)	TLV(ppm)	Other
2- Butoxyethanol*	111-76-2	<4	25 ppm	25 ppm	N/A
Sodium Hydroxide	1310-73-2	<3	N/A	2 mg/m3	N/A

3 Hazards Identification

Emergency Overview: \Irritant. Causes skin and eye irritation. Avoid contact with skin and eyes.

Contact with Eyes: Liquid or vapor contact may be irritating. Contact lenses will contribute to the severity of an eye

injury.

Contact with Skin: Contact with concentrate solution will result in dry skin. Prolonged or repeated contact may cause

irritation.

Skin Absorption: No data.

Ingestion Symptoms: Oral toxicity is low. Amounts ingested incidental to industrial handling are not likely to cause injury.

Ingestion of gross amounts may cause injury.

Inhalation Symptoms: Airborne concentrations of mists/vapors may cause irritation to the upper respiratory tract. May

cause headache and nausea.

Chronic Effects: Repeated excessive exposures may cause lung, liver and kidney effects.

It is important to determine whether exposure is to concentrated or dilute product. The information in this document is intended to deal with exposure to concentrated product. Generally, exposure to diluted product will result in substantially less risk of injury than described herein.

4 First Aid Measures

Eyes: If eyes are contacted, flush with water for 15 minutes. If irritation persists seek medical attention.

Skin: If skin is contacted, wash affected area with soap and water. If irritation persists, seek medical attention.

Inhalation: If discomfort is experienced after prolonged exposure to mists/vapors, remove to fresh air. If breathing is difficult,

give oxygen and seek medical attention.

Ingestion: If ingested, do NOT induce vomiting. Give moderate amounts of water to wash out mouth area and dilute

remaining residue. Seek medical attention.

5 Fire Fighting Measures

Flash Point(F° TCC): >200°F Flammable Limits: LEL No Data UEL No Data

Auto Ignition Temperature: No Data

Extinguishing Media: Water Spray, Foam, Carbon Dioxide, Dry Chemical

Special Fire Fighting Procedures:

Firefighters should wear a positive pressure NIOSH approved self-contained breathing apparatus.

Unusual Fire and Explosion Hazards:

Containers exposed to heat from fires should be cooled with water fog to prevent container rupture.

6 Accidental Release Measures

Large Spills (55 gallons or more):

Wear rubber boots, gloves and appropriate protective clothing. Shut off source of leak if safe to do so. Dike and contain spill.

Small Spills:

Mop up spill and rinse area.

7 Handling and Storage

Handling: Keep out of reach of children. Follow appropriate hygiene practices.

Storage: Store in a cool, dry place.

8 Exposure Controls/Personal Protection

Ventilation and Engineering Controls:

Local exhaust

Respiratory Protection:

None

Protective Gloves:

Rubber Gloves

Eye Protection:

Chemical Splash Goggles

Other Protective Equipment:

Corros ive

2/22/2007 0001 1146

9 Physical and Chemical Properties										
Boiling Point(F°):	>212°F	Solubility in Water:	Soluble	Odor	Pleasant					
Specific Gravity:	1.04	Volatiles(% by Wt.):	90	•	: 13 ± 0.5					
Appearance:	Red/Yellow or Blue	Vapor Density:	>1		<50 g/L					
Evaporation Rate:	<1	Vapor Pressure:	<17 mm Hg	Freezing Point(F°):	<40°F					
< means less than > means greater than These physical data are typical values based on material tested but may vary from sample to sample. Typical values should not be construed as a guaranteed analysis of any specific lot or as specific items.										
10 Stability and Reactivity										
Stability: Stable	Condition	ons to Avoid: Heat								
Materials to Avoid:	Strong Oxidizers									
Hazardous Deco	mposition Products	S :								
Oxides of carbon	-									
Hazardous Polyme Will Not Occur	rization:									
11 Toxicological Inf	formation									
No Toxicology Inform										
12 Ecological Infor										
No data available.										
13 Disposal Consid	erations									
Waste Disposal Me										
-		deral, state and local re	egulations							
14 Transport Inforn	nation									
HAZMAT: Yes	Hazard Code	: 1921 I	D Number: UN	N1760 Hazard Clas	s: 8					
Hazardous Division	n: Corrosive Liquid	n.o.s.		Packaging Group:	III					
Hazardous Content	s: Sodium Hydroxid	e/Sodium Silicate								
15 Regulatory Infor	mation									
Proposition 65: No	t Listed.									
* This product is su	bject to the reportin	g requirements of SA	RA Title III.							
EPA: No										
16 Other Information	n									
HMIS/NFPA Hazard Rating: Health 1 Flammability 0 Reactivity 0										
The information contained herein is based on the data available to us. It is believed to be correct. No warranty, expressed or implied, is made regarding the accuracy of this data or the results to be obtained from the use thereof. For further information consult Maintex, Inc.										
MSDS Approval Da	te: 1/30/2007									
2/22/2007 000	1 1146		Jus	t Right Heavy Duty Degrea	ser Page 3 of 3					
				· · · · · · · · · · · · · · · · · · ·						