

MATERIAL SAFETY DATA SHEET

REVISION DATE: 07/10/2013

REVISION NUMBER:

PREPARED BY:

EH&S DEPARTMENT

DATE PRINTED: 07/10/2013 CHEMICAL PRODUCT

PRODUCT NAME:

TA POWER WASH

PRODUCT CODE:

119258

NFPA/HMIS HAZARD CODES(minimal=0; slight=1; moderate=2; serious=3; severe=4)

Health:

1/1

Fire:

0/0

Reactivity:

1/1

Special/Protective Equipment:

Acid/D

NAME OF THE MANUFACTURER:

Rochester Midland Corporation

155 Paragon Drive

Emergency Phone: INFOTRAC: 1-800-535-5053

Rochester, New York 14624

OUTSIDE US: 1-352-323-3500

USA

HAZARDS IDENTIFICATION

EFFECTS FROM ACUTE EXPOSURE:

INGESTION:

May be harmful if swallowed. Causes irritation of the stomach and intestines, resulting in

nausea and/or vomiting.

SKIN CONTACT:

May cause moderate skin irritation.

INHALATION: **EYE CONTACT:**

None in normal use. Inhalation of spray mist may be irritating. Causes moderate eye irritation.

CHRONIC EFFECTS:

None known.

EFFECTS/CARCINOGENICITY:

None listed under EPA, IARC, and ACGIH.

ROUTES OF ENTRY:

Routes of entry for solids and liquids include eye and skin contact, ingestion and inhalation.

COMPOSITION/INFORMATION ON INGREDIENTS

| PRODUCT COMPOSITION CAS# | % | ACGIH TĹV | OSHA PELS |
|-----------------------------------|---------|----------------|----------------|
| inhibited organic sall MIXTURE | 60 - 60 | Not applicable | Not applicable |

FIRST AID MEASURES

INGESTION:

INHALATION:

Do not induce vomiting. Slowly dilute with 1-2 glasses of water or milk and seek medical

attention. Never give anything by mouth to an unconscious person.

SKIN:

Flush with water for at least 15 minutes while removing all contaminated clothing and shoes.

Get medical attention if irritation persists.

If inhaled, remove to fresh air. If not breathing give artificial respiration, preferably mouth-to-

EYES:

mouth. If breathing is difficult give oxygen, Get medical attention.

In case of contact, or suspected contact, immediately flush eyes with plenty of water for at least

15 minutes and get medical attention immediately after flushing.

NOTES TO PHYSICIAN:

None.

FIRE AND EXPLOSION HAZARD DATA

FLASH POINT:

TA POWER WASH

FIRE AND EXPLOSION HAZARD DATA

(F): None to boiling (C): None

to boiling None

METHOD:

FLAMMABLE LIMITS IN AIR LOWER (%): UPPER (%):

No data No data

SENSITIVITY TO MECHANICAL IMPACT(Y/N): SENSITIVITY TO STATIC DISCHARGE:

SUITABLE EXTINGUISHING MEDIA: FIRE FIGHTING PROCEDURES:

NO

Sensitivity to static discharge is not expected.

Dry chemical. Water. Carbon dioxide.

Fire-fighters should wear self-contained breathing apparatus and full protective clothing when fighting chemical fires. Cool exposed

containers with water spray.

ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES:

SMALL SPILLS: LARGE SPILLS:

Absorb with a non-reactive clay.

Dike to contain. Pick up with absorbant material. Put in suitable container for disposal. Keep

out of drains, sewers, streams, or other bodies of water.

PERSONAL PRECAUTIONS:

ENVIRONMENTAL PRECAUTIONS: METHODS FOR CLEANING UP:

Not applicable Not applicable Not applicable

HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN

IN HANDLING AND STORAGE: OTHER PRECAUTIONS:

Caution: Store in a cool, dry area. Do not store in metal containers. Keep out of reach of children.

SPECIFIC USE(S):

Not applicable.

EXPOSURE CONTROLS/PERSONAL PROTECTION

PROTECTIVE EQUIPMENT:



EXPOSURE CONTROLS:

None known.

RESPIRATORY PROTECTION:

Avoid breathing vapor or mist. Use approved NIOSH respiratory protection if TLV/PEL

exceeded or if over exposure is likely.

PROTECTIVE GLOVES: EYE PROTECTION:

Nitrile, neoprene, or other appropriate gloves are recommended to minimize hand skin contact, Goggles and face shield are recommended to minimize eye contact,

OTHER PERSONAL PROTECTION

EQUIPMENT:

Appropriate protective clothing as needed to prevent skin contact. It is the responsibility of the end user of this product to determine level of PPE required that is consistent with safe use of

this product.

VENTILATION:

General mechanical and/or local exhaust as needed to meet exposure limits if mist in air.

PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR:

Yellow liquid.

BOILING POINT (F):

212°

(C) 100°

VAPOR PRESSURE: VAPOR DENSITY (AIR=1): SOLUBILITY IN WATER: SPECIFIC GRAVITY:

Not determined Not determined Not determined 1.16 - 1.185 0

VOC Content (%):

Page 2 of 4

TA POWER WASH

PHYSICAL AND CHEMICAL PROPERTIES

EVAPORATION RATE:

Not determined

PH:

10. STABILITY AND REACTIVITY

STABILITY DATA:

Up to 110° - 150° F

POLYMERIZATION:

None anticipated.

HAZARDOUS DECOMPOSITION:

When heated to high temperatures, the following may be produced: Oxides of Carbon. Oxides of Nitrogen. Chlorine gas. Hydrogen gas may be released by contact with certain metals. Contact with hypochlorites such as bleach, sulfides, or cyanides will liberate toxic gas. Contact

with alkaline materials such as ammonia will generate heat.

INCOMPATIBILITY (MATERIALS TO

AVOID):

Avoid contact with; Oxidizing materials. Hazardous if product comes in contact with: Chlorates. Nitrites. Avoid contact with aluminum, zinc, other soft metals or galvanized metals. Reaction will generate hydrogen gas. This gas is flammable and/or explosive in presence of ignition

воигсе.

CONDITIONS/HAZARDS TO AVOID:

Heating above 110° F results in exothermic decomposition with rapid release of CO2 gas.

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY:

Not Established

EFFECTS OF CHRONIC EXPOSURE: Not established.

OTHER TOXIC EFFECTS:

Not established.

12. ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL

No data at this time

INFORMATION:

CHEMICAL FATE INFORMATION:

No data at this time.

MOBILITY:

Not applicable, Not applicable

PERSISTENCE/DEGRADABILITY:

Not applicable

BIOACCUMULATIVE POTENTIAL: OTHER ADVERSE EFFECTS:

Not applicable

13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHODS:

Dispose in accordance with Federal, State and Local regulations.

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/Receiving documents for up to date shipping information.

15. REGULATORY INFORMATION

| PRODUCT COMPOSITION | | | | | |
|---------------------------------------|---------|---|-------------|-------------|-------------|
| | % | TSCA: | EINECS: | Canada DSL: | CA PROP 66: |
| CAS# | | | <u> </u> | | 1 02.10.00. |
| Inhibited organic salt | 50 - 60 | Not Listed | Not Listed | Not Listed | |
| MIXTURE | i | *************************************** | 1401 230100 | NOI LISTED | Not Listed |
| · · · · · · · · · · · · · · · · · · · | ~~~~~~~ | <u> </u> | | | l l |

| | PRODUCT COMPOSITION CAS# | % | CERCLA; | SARA 302: | \$ARA 313: |
|---|--------------------------------|---------|------------|------------|------------|
|] | Inhibited organic salt MIXTURE | 50 - 60 | Not Listed | Not Listed | Not Listed |
| | | | | | [|

None of the components of this material are included in the Massachusetts Substance List nor are present at or above reportable levels

None of the components of this material are included in the New Jersey Substance List nor are present at or above reportable levels. None of the components of this material are included in the Pennsylvania Substance List nor are present at or above reportable levels.

TA POWER WASH

16. OTHER INFORMATION

This information was compiled from current, reliable sources and is believed to be correct. As data, and/or regulations change, and conditions of use and handling are beyond our control, no warranty, express or implied, is made as to completeness or continuing accuracy of this information.

*** END OF MSDS ***