

MSDS

Material Safety Data Sheet **1452**

Conforms to ANSI Z-400, 1-1993

Chemtel 24 Hour Emergency Response (800) 255-3924

MAINTEX

13300 East Nelson Avenue

City of Industry, CA 91746

(800) 446-1888

1. Chemical Product and Company Identification

Product: HydroAction

Classification: Acid Bowl Cleaner

C20

2. Composition/Information on Hazardous Ingredients

Material	CAS#	%	OSHA (PEL)	TVL (ppm)	Other
Hydrochloric Acid	7647-01-0	<10	N/A	7mg/m3	N/A

3. Hazards Identification

Emergency Overview: Harmful or fatal if swallowed. Causes skin irritation and eye damage. Avoid contact with skin and eyes.

Contact With Eyes: This product is destructive to eye tissues. Will cause burns that result in damage to the eyes and even blindness if the solution remains in contact with the eye for a prolonged period.

Contact With Skin: Prolonged or repeated contact may cause irritation, drying of skin and possible tissue damage.

Skin Absorption: No data.

Ingestion Symptoms: Swallowing will irritate throat, esophagus and digestive tract. Product may cause burns to mucous membranes of the mouth, throat, esophagus and stomach.

Inhalation Symptoms: Airborne concentrations of mist/vapor may cause damage to the upper respiratory tract and even lung tissue. If the product is heated, vapors are acutely toxic.

Chronic Effects: Respiratory tract damage may result in increased susceptibility to respiratory illness. Excessive inhalation exposure may result in liver and kidney injury.

It is important to determine whether exposure is to concentrated or dilute product. The information in this document is intended to deal with exposure to concentrated product. Generally, exposure to diluted product will result in substantially less risk of injury than described herein.

4. First Aid Measures

Eyes: If eyes are contacted, flush with water for 15 minutes. If irritation persists seek medical attention.

Skin: If skin is contacted, wash affected area with soap and water. If irritation persists, seek medical attention.

Inhalation: If discomfort is experienced after prolonged exposure to mists/vapors, remove to fresh air. If breathing is difficult, give oxygen and seek medical

attention.

Ingestion: If ingested, do NOT induce vomiting. Give moderate amounts of water to wash out mouth area and dilute remaining residue. Seek medical attention.

5. Fire Fighting Measures

Flash Point (F° TCC): >212°F **Flammable Limits:** **LEL** No Data **UEL** No Data

Auto-Ignition Temperature: No Data

Extinguishing Media: Water Spray, Foam, Carbon Dioxide, Dry Chemical

Special Fire Fighting Procedures:

Firefighters should wear a positive pressure NIOSH approved self-contained breathing apparatus.

Unusual Fire and Explosion Hazards:

Containers exposed to heat from fires should be cooled with water fog to prevent container rupture.

6. Accidental Release Measures

Large Spills (55 gallons or more): Wear rubber boots, gloves and appropriate protective clothing. Shut off source of leak if safe to do so. Dike and contain spill.

Small Spills: Mop up spill and rinse area.

7. Handling and Storage

Handling: Keep out of reach of children. Follow appropriate hygiene practices.

Storage: Store in original polyethylene container in a cool dry area, away from bleach and other chemicals.

8. Exposure Controls/Personal Protection

Ventilation and Engineering Controls: Local exhaust

Respiratory Protection: If used according to directions respirator not required.

Protective Gloves: Rubber Gloves

Eye Protection: Chemical Splash Goggles

9. Physical and Chemical Properties

Boiling Point (F°):
>212°F

Solubility In Water:
Complete

Odor: Pungent

Specific Gravity: 1.08

Volatiles (% by Wt.): 85

pH: <1

Appearance: Pink

Vapor Density: >1

VOC: N/A

Evaporation Rate: <1

Vapor Pressure: <17 mm Hg

Freezing Point (F°):
<32°F

Key: < means less than; > means greater than

These physical data are typical values based on material testing but may vary from sample to sample.

Typical values should not be constructed as a guaranteed analysis of any specific lot or specific item.

10. Stability and Reactivity

Stability: Stable

Conditions to Avoid: Heat

Materials to Avoid: Strong Oxidizers

Hazardous Decomposition Products: Carbon oxides

Hazardous Polymerization: Will Not Occur

11. Toxicological Information

No Toxicology Information is available.

12. Ecological Information

No Ecological Information is available.

13. Disposal Considerations

Waste Disposal Method: Dispose of waste in accordance with federal, state and local regulations.

14. Transport Information

HAZMAT: Yes **Hazard Code:** 1452 **ID Number:** UN1760 **Hazard Class:** 8

Hazardous Division: Corrosive liquid, n.o.s.

Packaging Group: III

Hazardous Contents: Hydrochloric acid

15. Regulatory Information

Proposition 65: Not Listed.

*** This product is subject to the reporting requirements of SARA Title III.**

EPA: No

16. Other Information

HMIS/NFPA Hazard Rating: **Health** 2 **Flammability** 0 **Reactivity** 1

The information contained herein is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of these data or the results to be obtained from the use thereof. Maintex, Inc. assumes no responsibility for injury to the vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Additionally, Maintex, Inc. assumes no responsibility for injury to vendee or third persons proximately caused by abnormal use of the material even if reasonable safety procedures are followed. For more information, contact Maintex, Inc.

MSDS Approval Date: 1/30/2007

For your safety, please ensure that you print and store all pages of this document together.