MSDS

1

Material Safety Data Sheet 4054

Conforms to ANSI Z-400.1-1993

Chemtel 24 Hour Emergency Response (800) 255-3924

Chemical Product and Company Identification

Las Vegas, NV 89118

(800) 293-4698

| Product: | Liquid Enzyme | Cla | ssificatior | n: Specialty | | D50 | |
|--|--|--------------------------|---------------|------------------------|----------------------|------------------|--|
| 2 Composition/Information on Hazardous Ingredients | | | | | | | |
| Material None | | CAS# | % | OSHA(PEL) | TLV(ppm) | Other | |
| 3 Hazaro | ds Identification | | | | |] | |
| | cy Overview: Irritant. May cause CAUTION | skin and eye irritation. | Avoid cor | tact with skin and o | eyes. | | |
| Conta | act with Eyes: Mild irritant. | | | | | | |
| Cont | act with Skin: Contact with conce | ntrate may be an irrita | nt for sens | itive skin. | | | |
| Ski | n Absorption: No data. | | | | | | |
| Ingestio | on Symptoms: Irritation, nausea, v | omiting and diarrhea. | | | | | |
| Inhalatio | on Symptoms: N/A | | | | | | |
| Ch | ronic Effects: No data. | | | | | | |
| It is ir | nportant to determine whether expo intended to deal with exposure to in substa | | Generally | exposure to dilute | | | |
| 4 First A | Aid Measures | | | | | | |
| Eye | es: If eyes are contacted, flush with | n water for 15 minutes. | If irritation | i persists seek med | lical attention. | | |
| Ski | n: If skin is contacted, wash affect | ted area with soap and | l water. If i | rritation persists, se | eek medical attent | ion. | |
| Inhalatio | n: If discomfort is experienced after give oxygen and seek medical | | to mists/v | apors, remove to fr | esh air. If breathir | ng is difficult, | |
| | | | | | | | |

Ingestion: If ingested, do NOT induce vomiting. Give moderate amounts of water to wash out mouth area and dilute remaining residue. Seek medical attention.

| 1/5/2010 0001 4054 | Liquid Enzyme Page 1 of 3 |
|---------------------------|---------------------------|
|---------------------------|---------------------------|

5 Fire Fighting Measures

Flash Point(F° TCC): >200°F

Flammable Limits: LEL No Data

UEL No Data

Auto Ignition Temperature: No Data

Extinguishing Media: Water Spray, Foam, Carbon Dioxide, Dry Chemical

Special Fire Fighting Procedures:

Firefighters should wear a positive pressure NIOSH approved self-contained breathing apparatus.

Unusual Fire and Explosion Hazards:

Containers exposed to heat from fires should be cooled with water fog to prevent container rupture.

6 Accidental Release Measures

Large Spills (55 gallons or more):

Wear rubber boots, gloves and appropriate protective clothing. Shut off source of leak if safe to do so. Dike and contain spill.

Small Spills:

Mop up spill and rinse area.

7 Handling and Storage

Handling: Keep out of reach of children. Follow appropriate hygiene practices.

Storage: Store in a cool, dry place.

8 Exposure Controls/Personal Protection

Ventilation and Engineering Controls:

Local exhaust

Respiratory Protection:

None

Protective Gloves:

Rubber Gloves

Eye Protection:

Chemical Splash Goggles

Other Protective Equipment:

| 1/5/2010 0001 | 4054 | Liquid Enzyme Page 2 of 3 |
|----------------------|------|---------------------------|
| 1/0/2010 | 1001 | |

| 9 Physical and Chemical Properties | | | | | | | | | | |
|---|--|----------------------|----------------|---------------------|----------------|--|--|--|--|--|
| Boiling Point(F°): | >212°F | Solubility in Water: | Soluble | Odor: | Cinnamon | | | | | |
| Specific Gravity: | 1.02 | Volatiles(% by Wt.): | 95 | pH: | 7.5 - 8.5 | | | | | |
| Appearance: | White | Vapor Density: | >1 | VOC: | <10 g/L | | | | | |
| Evaporation Rate: | <1 | Vapor Pressure: | <17 mm Hg | Freezing Point(F°): | >32°F | | | | | |
| <pre>< means less than > means greater than These physical data are typical values based on material tested but may vary from sample to sample. Typical values should not be construed as a guaranteed analysis of any specific lot or as specific items.</pre> | | | | | | | | | | |
| 10 Stability and Ro | eactivity | | | | | | | | | |
| Stability: Stable | Stability: Stable Conditions to Avoid: Heat | | | | | | | | | |
| Materials to Avoid | I: Strong Oxid | izers, Acids | | | | | | | | |
| Hazardous Decor | nposition Pro | ducts: | | | | | | | | |
| Carbon, sulfur and | d nitrogen oxic | es | | | | | | | | |
| Hazardous Polyme | vization | | | | | | | | | |
| Will Not Occur | -1201011. | | | | | | | | | |
| 11 Toxicological I | nformation | | | | | | | | | |
| No Toxicology Infor | mation is avai | able. | | | | | | | | |
| 12 Ecological Info | rmation | | | | | | | | | |
| No data available. | | | | | | | | | | |
| 13 Disposal Consi | iderations | | | | | | | | | |
| • | Waste Disposal Method: Dispose of waste in accordance with federal, state and local regulations | | | | | | | | | |
| 14 Transport Infor | mation | | | | | | | | | |
| HAZMAT: No | Hazar | d Code: N/A | ID Number: N/A | Hazard Class | s: N/A | | | | | |
| Hazardous Divis | ion: None | | | Packaging Group: N | /A | | | | | |
| Hazardous Conte | nts: None | | | | | | | | | |
| 15 Regulatory Info | ormation | | | | | | | | | |
| Proposition 65: N | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| EPA: No | | | | | | | | | | |
| 16 Other Informati | ion | | | | | | | | | |
| HMIS/NFPA Hazard Rating: Health 0 Flammability 0 Reactivity 0 | | | | | | | | | | |
| The information contained herein is based on the data available to us. It is believed to be correct. No warranty, expressed or implied, is made regarding the accuracy of this data or the results to be obtained from the use thereof. For further information consult distributor, Brady Industries, HQ | | | | | | | | | | |
| MSDS Approval E | Date: 1/5/2010 | | | | | | | | | |
| 1/5/2010 00 | 01 4054 | | | Liquid Enzyı | me Page 3 of 3 | | | | | |
| | | | | | | | | | | |