MSDS

Material Safety Data Sheet Conforms to ANSI Z-400.1-1993

13300 East Nelson Avenue City of Industry, CA 91746

Chemtel 24 Hour Emergency Response (800) 255-3924

(800) 446-1888

Chemical Product and Company Identification

Product: Mainsite 50/1 Classification: Concentrated Glass Cleaner F42

2 Composition/Information on Hazardous Ingredients

Material	CAS#	%	OSHA(PEL)	TLV(ppm)	Other
Isopropanol	67-63-0	<40	N/A	400 ppm	N/A
2-Butoxyethanol	111-76-2	<5	25ppm	25ppm	

3 Hazards Identification

Emergency Overview: May cause skin and eye irritation. Avoid skin and eye contact.

Contact with Eyes: Mild irritant.

Contact with Skin: Prolonged or repeated contact may cause irritation and drying of skin.

Skin Absorption: No data.

Ingestion Symptoms: Irritation, nausea, vomiting and diarrhea.

Inhalation Symptoms: Mild nasal and respiratory irritation with prolonged or repeated contact.

Chronic Effects: No data.

It is important to determine whether exposure is to concentrated or dilute product. The information in this document is intended to deal with exposure to concentrated product. Generally, exposure to diluted product will result in substantially less risk of injury than described herein.

4 First Aid Measures

Eyes: If eyes are contacted, flush with water for 15 minutes. If irritation persists seek medical attention.

Skin: If skin is contacted, wash affected area with soap and water. If irritation persists, seek medical attention.

Inhalation: If discomfort is experienced after prolonged exposure to mists/vapors, remove to fresh air. If breathing is difficult,

give oxygen and seek medical attention.

Ingestion: If ingested, do NOT induce vomiting. Give moderate amounts of water to wash out mouth area and dilute

remaining residue. Seek medical attention.

	5/6/2008 0001	Mainsite 50/1 Page 1 of 3
--	---------------	---------------------------

5 Fire Fighting Measures

Flash Point(F° TCC): >200°F Flammable Limits: LEL No Data UEL No Data

Auto Ignition Temperature: No Data

Extinguishing Media: Water Spray, Foam, Carbon Dioxide, Dry Chemical

Special Fire Fighting Procedures:

Firefighters should wear a positive pressure NIOSH approved self-contained breathing apparatus.

Unusual Fire and Explosion Hazards:

Containers exposed to heat from fires should be cooled with water fog to prevent container rupture.

6 Accidental Release Measures

Large Spills (55 gallons or more):

Eliminate all ignition sources and evacuate non-essential personnel. Wear protective clothing and rubber boots. Shut of source of leak if safe to do so. Dike and contain. Pump, vaccuum or scoop into salvage drum or container for disposal.

Small Spills:

Mop up spill and rinse area.

7 Handling and Storage

Handling: Keep out of reach of children. Follow appropriate hygiene practices.

Storage: Store in a cool, dry place.

8 Exposure Controls/Personal Protection

Ventilation and Engineering Controls:

Local exhaust

Respiratory Protection:

If used according to directions respirator not required.

Protective Gloves:

Rubber Gloves

Eye Protection:

Chemical Splash Goggles

Other Protective Equipment:

FLAMMABLE

5/6/2008	0001	Mainsite 50/1 Page 2 of 3

9 Physical and Che	emical Prope	erties			
Boiling Point(F°):	>212°F	Solubility in Water:	Complete	Odor:	Slight Ammonia
Specific Gravity:	0.93	Volatiles(% by Wt.):	100	pH:	9.5 - 10
Appearance:	Blue	Vapor Density:	>1	VOC:	<450 g/L
Evaporation Rate:	<1	Vapor Pressure:	<17 mm Hg	Freezing Point(F°):	<32°F
	lues should	< means less than are typical values based on mat not be construed as a guarante		ary from sample to san	
Stability: Stable	-	Conditions to Avoid: Open F	lame		
Materials to Avoid		·			
Hazardous Deco Carbon dioxide/m	•	Products:			
Hazardous Polyme Will Not Occur	erization:				
11 Toxicological In	formation				
No Toxicology Inforr	nation is avai	lable.			
12 Ecological Infor	mation				
No data available.					
13 Disposal Consid	derations				
Waste Disposal Me Dispose of waste		ce with federal, state and local r	egulations		
14 Transport Inform	nation				
HAZMAT: Yes	Hazaı	rd Code: 1793	ID Number: 1993	Hazard Class	: 3
Hazardous Divisio	n: Flammat	ole liquid, n.o.s.		Packaging Group:	II
Hazardous Conten	ts: Isopropy	l alcohol			
15 Regulatory Info	rmation				
Proposition 65: No	ot Listed.				
EPA: No					
16 Other Information	on				
HMIS/NFPA Hazard	Rating:	Health 1 Flammab	oility 2 Read	tivity 0	
	egarding the	is based on the data available t accuracy of this data or the res			
MSDS Approval Da	ate: 1/30/200)7			