



Spartan Chemical Company, Inc. Material Safety Data Sheet

SECTION 1: PRODUCT INFORMATION

Product Name or Number (as it appears on label):

GREEN SOLUTIONS NEUTRAL DISINFECTANT CLEANER

Product Number: 3502 2-Liter Cartridge 103: 3513

Product/Technical Information: 1-(800)-537-8990

Medical Emergency: 1-(888)-314-6171 (24 hours)

Chemical Leak/Spil Emergency: CHEMTREC 1-(800) 424-9300 (24 hours)

Product Division:

Janitorial

Spartan Chemical Company, Inc.

1110 Spartan Drive Maumee OH 43537

Shipping Description: Disinfectants, liquid, n.o.s.

HMIS Ratings: NFPA Ratings: Health: 3 - Serious Fire: 0 - Minimal Reactivity: 0 - Minimal

Fire: 0 - Minimal Reactivity: 0 - Minimal Pers. Prot. Equip.: See Section VIII

Health: 3 - Serious

SECTION II: HAZARDOUS INGREDIENTS

(Listed when present at 1% or greater, carcinogens at 0.1% or greater) All component chemicals are listed or exempted from listing

nical substances maintained by the U.S. Environmental Protection Agency.

on the "TSCA inventory" of chemica		1	Table Z-1-A			
Chemical Name(s)	%Wt	CAS Registry No.	TWA mg/m³	STEL mg/m³	CEILING mg/m³	NTP, IARC or OSHA Carcinogen
Dialkyl dimethyl ammonium	1-5	68424-95-3	Not Established	Not Established	Not Established	No
	-	30.21.00.0		-		-
chloride	1-5	68439-46-3	Not Established	Not Established	Not Established	No
Alcohol ethoxylate	1-5	68424-85-1	Not Established	Not Established	Not Established	No
Alkyl dimethyl benzyl ammonium	1-5	00424-00-1	1401 ESCADIISTICS	-		l -
chloride	-	04.47.5	1900	Not Established	Not Established	No
Ethanol	1-5	64-17-5			Not Established	No.
Tetrasodium ethylene	1-5	64-02-8	Not Established	Not Established	NOT CREADISHED	I 190
diaminetetraacetate	-	-	·		<u> </u>	

SECTION III: PHYSICAL DATA Boiling Point: 212 °F	Vapor Pressure: Not determined
Vapor Density (AIR = 1): Not determined	Solubility in Water: Complete
pH: 6-7	Specific Gravity (H,O=1): 1.0
Evaporation Rate (but.ace.=1): <1	Percent Solid by Weight: 5-10
Physical State: Liquid	

Appearance & Odor: Clear to slightly yellow liquid, low odor

SECTION IV: FIRE & EXPLOSIVE HAZARD DATA

Flash Point: > 212°F	Method Used: ASTM-D56
Flammable Limits: Not Established	Flame Extension: N/A
Extinguishing Media: Product does not support combustion	. Use extinguishing media appropriate for surrounding fire.
Special Fire Fighting Procedures: Wear NIOSH approved self-containe	d breathing apparatus and protective clothing. Cool fire-exposed
containers with water spray.	
Unusual Fire & Explosive Hazards: Combustion products are toxic.	

Effects of Overexposure-	Not established	Filliary Notice of En	ry: Inhalation, Skin Contact, Eyes
		AGE AND SKIN BURNS:	Symptoms may include pain, redness skin.
	HARMFUL IF SWALLOWED. Sympt	oms may include nausea, vor	niting, pain and diarrnea.
	INHALATION OF SPRAY MIST MAY	CAUSE RESPIRATORY IF	ANTIATION, Dicouning spire, mast may
	cause coughing and difficulty breathin Do not get in eyes, skin or clothing	Do not taste or swallow.	Avoid inhalation of spray mist. Wash
		andling	
Conditions Aggravated by Use:	Use of this product may aggravate pr	eexisting skin; eye and respii	atory disorders including daming and
	dermatitis.		<u> </u>
mergency & First Aid Procedures : Eyes:	Hold eye open and rinse slowly and opresent; after the first 5 minutes; the	jently with water for 15-20 mi n continue rinsing eye. Call a	nutes. Remove contact lenses; If a poison control center or doctor for
	treatment advice.		u of water for 15-20 minutes. Call a
Skin:	Take off contaminated clothing. Rins poison control center or doctor for tre	ie skin immedialely with pletti atment advice. Wash contar	ninated clothing before reuse.
ngestion:	a n	immediately for treatment ac	lvice. Have person sip a diass of water.
n.gps.r	if able to swallow. Do not induce vor not give anything by mouth to an unc	niting unless told to do so by	the poison control center or doctor. Do
Inhalation	t	pareon to fresh air. If nerson	is not breathing; call 911 or an
(mainton)	 ambulance then give artificial respira 	tion; preferably by moutn-to-r	mouth; if possible. Call a poison control
	center or doctor for further treatment	source.	<u></u>
NOTE TO PHYSICIAN: Probable mu	cosal damage may contraindicate the	use or gastric lavage.	
ECTION VI: REACTIVITY DATA			
Stability	Stable	<u> </u>	als: Strong oxidizers
Hazardous Decomposition Products	CO CO	Hazardous Polymerizat	ion: Will Not Occur
	EDURES		
Over the her Token in Cong	: Small spills of one gallon or less ma permitted by local sewer regulations). Dike and contain large spir	ter to sanitary sewer system (If Is with inert material and transfer liquid
Material is Released or Spilled	: Small spills of one gallon or less ma permitted by local sewer regulations to containers for recovery or dispose). Dike and contain large spirit. Triple rinse (or equivalent)	then offer for recycling or
Steps to be Taken in Case Material is Released or Spilled	: Small spills of one gallon or less ma permitted by local sewer regulations to containers for recovery or dispose). Dike and contain large spil il. : Triple rinse (or equivalent) ose of in a sanitary landfill, or	s with more material and transfer indees
Steps to be Taken in Case Material is Released or Spilled Waste Disposal Method	Small spills of one gallon or less ma permitted by local sewer regulations to containers for recovery or dispose Same as above. Container disposal reconditioning, or puncture and disp local authorities, burn. If burned, sta). Dike and contain large spil il. : Triple rinse (or equivalent) ose of in a sanitary landfill, or	then offer for recycling or
Steps to be Taken in Case Material is Released or Spilled Waste Disposal Method	Small spills of one gallon or less mat permitted by local sewer regulations to containers for recovery or dispose: Same as above. Container disposal reconditioning, or puncture and displaced authorities, burn. If burned, statement of the permetter of t	Triple rinse (or equivalent) se of in a sanitary landfill, or y out of smoke.	then offer for recycling or incinerate, or if allowed by state and However, if respiratory irritation occurs,
Steps to be Taken in Case Material is Released or Spilled Waste Disposal Method SECTION VIII: SPECIAL PROTECTION Respiratory Protection	Small spills of one gallon or less mat permitted by local sewer regulations to containers for recovery or disposal reconditioning, or puncture and displacal authorities, burn. If burned, statement of a NIOSH approved respirator considered.	Triple rinse (or equivalent) Triple rinse (or equivalent) use of in a sanitary landfill, or use of smoke. The sanitary landfill, or use of smoke. The sanitary landfill, or use of smoke.	then offer for recycling or incinerate, or if allowed by state and However, if respiratory irritation occurs, as and chemicals in Section II should be
Steps to be Taken in Case Material is Released or Spilled Waste Disposal Method SECTION VIII: SPECIAL PROTECTION Respiratory Protection	 Small spills of one gallon or less mat permitted by local sewer regulations to containers for recovery or disposations. Same as above. Container disposations reconditioning, or puncture and displocal authorities, burn. If burned, station in the properties of the provided of the provided of the permitted of the provided of the permitted of the permitted	Triple rinse (or equivalent) use of in a sanitary landfill, or yout of smoke. eneral ventilation is provided, suitable for the use-condition and exhaust ventilation may include the suitable for the use-condition.	then offer for recycling or incinerate, or if allowed by state and However, if respiratory irritation occurs, as and chemicals in Section II should be
Steps to be Taken in Case Material is Released or Spilled Waste Disposal Method SECTION VIII: SPECIAL PROTECTION Respiratory Protection Ventilation Protective Gioves(Specify Type)	Small spills of one gallon or less mat permitted by local sewer regulations to containers for recovery or disposal reconditioning, or puncture and displacat authorities, burn. If burned, stated in the second	Triple rinse (or equivalent) use of in a sanitary landfill, or yout of smoke. eneral ventilation is provided, suitable for the use-condition used exhaust ventilation may have recommended.	then offer for recycling or incinerate, or if allowed by state and However, if respiratory irritation occurs, as and chemicals in Section II should be
Steps to be Taken in Case Material is Released or Spilled Waste Disposal Method ECTION VIII: SPECIAL PROTECTION Respiratory Protection Ventilation Protective Gloves(Specify Type)	Small spills of one gallon or less mat permitted by local sewer regulations to containers for recovery or disposal reconditioning, or puncture and displacal authorities, burn. If burned, station in the second secon	eneral ventilation is provided. suitable for the use-condition cal exhaust ventilation may be are recommended. prevent eye contact.	then offer for recycling or incinerate, or if allowed by state and However, if respiratory irritation occurs, as and chemicals in Section II should be necessary for some operations.
Steps to be Taken in Case Material is Released or Spilled Waste Disposal Method SECTION VIII: SPECIAL PROTECTION Respiratory Protection Ventilation Protective Gloves(Specify Type)	Small spills of one gallon or less mat permitted by local sewer regulations to containers for recovery or disposal reconditioning, or puncture and displacal authorities, burn. If burned, station in the second secon	in the and contain rarge spirit. Triple rinse (or equivalent) use of in a sanitary landfill, or any out of smoke. Triple rinse (or equivalent) use of in a sanitary landfill, or any out of smoke. The eneral ventilation is provided. It is sanitary landfill in any landf	then offer for recycling or incinerate, or if allowed by state and However, if respiratory irritation occurs, as and chemicals in Section II should be necessary for some operations.
Steps to be Taken in Case Material is Released or Spilled Waste Disposal Method ECTION VIII: SPECIAL PROTECTION Respiratory Protection Ventilation Protective Gloves(Specify Type) Eye Protection(Specify Type) Other Protective Equipment	 Small spills of one gallon or less mat permitted by local sewer regulations to containers for recovery or disposations. Same as above. Container disposations reconditioning, or puncture and displocal authorities, burn. If burned, stationary of the provided in the provided in	in the and contain rarge spirit. Triple rinse (or equivalent) use of in a sanitary landfill, or any out of smoke. Triple rinse (or equivalent) use of in a sanitary landfill, or any out of smoke. The eneral ventilation is provided. It is sanitary landfill in any landf	then offer for recycling or incinerate, or if allowed by state and However, if respiratory irritation occurs, as and chemicals in Section II should be necessary for some operations.
Steps to be Taken in Case Material is Released or Spilled Waste Disposal Method SECTION VIII: SPECIAL PROTECTION Respiratory Protection Ventilation Protective Gioves(Specify Type) Eye Protection(Specify Type) Other Protective Equipment SECTION IX: SPECIAL PRECAUTION	 Small spills of one gallon or less mat permitted by local sewer regulations to containers for recovery or disposate reconditioning, or puncture and displocal authorities, burn. If burned, state of a NIOSH approved respirator considered. Provide good general ventilation. L. Rubber or other water-proof gloves. Splash goggles are recommended to See 29 CFR 1910.132-13. 	in the and contain rarge spirit. Triple rinse (or equivalent) use of in a sanitary landfill, or any out of smoke. Triple rinse (or equivalent) use of in a sanitary landfill, or any out of smoke. The eneral ventilation is provided. It is sanitary landfill in any landf	then offer for recycling or incinerate, or if allowed by state and However, if respiratory irritation occurs, as and chemicals in Section II should be
Steps to be Taken in Case Material is Released or Spilled Waste Disposal Method BECTION VIII: SPECIAL PROTECTION Respiratory Protection Ventilation Protective Gioves(Specify Type) Eye Protection(Specify Type) Other Protective Equipment SECTION IX: SPECIAL PRECAUTION Precautions; Handling & Storing	 Small spills of one gallon or less mat permitted by local sewer regulations to containers for recovery or disposations. Same as above. Container disposations reconditioning, or puncture and displocal authorities, burn. If burned, stationary of the provided of	in the and contain rarge spirit. Triple rinse (or equivalent) use of in a sanitary landfill, or any out of smoke. Triple rinse (or equivalent) use of in a sanitary landfill, or any out of smoke. The eneral ventilation is provided. It is sanitary landfill in any landf	then offer for recycling or incinerate, or if allowed by state and However, if respiratory irritation occurs, as and chemicals in Section II should be necessary for some operations.
Steps to be Taken in Case Material is Released or Spilled Waste Disposal Method SECTION VIII: SPECIAL PROTECTION Respiratory Protection Ventilation Protective Gioves(Specify Type) Eye Protection(Specify Type) Other Protective Equipment SECTION IX: SPECIAL PRECAUTION	 Small spills of one gallon or less mat permitted by local sewer regulations to containers for recovery or disposations. Same as above. Container disposations reconditioning, or puncture and displocal authorities, burn. If burned, stationary of the provided of	in the and contain rarge spirit. Triple rinse (or equivalent) use of in a sanitary landfill, or any out of smoke. Triple rinse (or equivalent) use of in a sanitary landfill, or any out of smoke. The eneral ventilation is provided. It is sanitary landfill in any landf	then offer for recycling or incinerate, or if allowed by state and However, if respiratory irritation occurs, as and chemicals in Section II should be necessary for some operations.
Steps to be Taken in Case Material is Released or Spilled Waste Disposal Method BECTION VIII: SPECIAL PROTECTION Respiratory Protection Ventilation Protective Gioves(Specify Type) Eye Protection(Specify Type) Other Protective Equipment SECTION IX: SPECIAL PRECAUTION Precautions; Handling & Storing	 Small spills of one gallon or less mat permitted by local sewer regulations to containers for recovery or disposate reconditioning, or puncture and displocal authorities, burn. If burned, state of a NIOSH approved respirator considered. Provide good general ventilation. L. Rubber or other water-proof gloves. Splash goggles are recommended to Eye wash stations and washing fact handled. See 29 CFR 1910.132-13. Keep from freezing. Keep out of reach of children. Name: Ronald T. Cook 	Title:	then offer for recycling or incinerate, or if allowed by state and However, if respiratory irritation occurs, as and chemicals in Section II should be necessary for some operations. Sible in areas where undiluted product is Manager, Regulatory Affairs
Steps to be Taken in Case Material is Released or Spilled Waste Disposal Method BECTION VIII: SPECIAL PROTECTION Respiratory Protection Ventilation Protective Gloves(Specify Type) Eye Protection(Specify Type) Other Protective Equipment SECTION IX: SPECIAL PRECAUTION Precautions; Handling & Storing Other Precautions	 Small spills of one gallon or less mat permitted by local sewer regulations to containers for recovery or disposations. Same as above. Container disposations reconditioning, or puncture and displocal authorities, burn. If burned, stationary of the provided of	Triple rinse (or equivalent) ose of in a sanitary landfill, or ay out of smoke. Triple rinse (or equivalent) ose of in a sanitary landfill, or ay out of smoke. The eneral ventilation is provided. It is suitable for the use-condition on the condition of the energy of the control of the commended. It is should be readily access for further guidance.	then offer for recycling or incinerate, or if allowed by state and However, if respiratory imitation occurs as and chemicals in Section II should be necessary for some operations.

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained herein. Actual conditions of use and handling are beyond sellers control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State and Local laws and regulations.