claire

2000160-755

MATERIAL SAFETY DATA SHEET

11.25 lb.

1. Product and Company Identification

Product number

031 Product name

Mr Jinx All Purpose Gleaner

Effective date

06-Jan-2009 Claire Manufacturing

Company information

500 Vista Ave.

Addison, JL 60101 United States

Company phone

General Assistance 630-543-7600

Emergency telephone US

800-424-9300 703-527-3887

Emergency telephone outside US Version #

06

Supersedes date

29-Feb-2008

2. Hazards Identification

Emergency overview

CONTENTS UNDER PRESSURE, Aerosol, Pressurized container may explode when

exposed to heat or flame.

Prolonged exposure may cause chronic effects.

Potential health effects

Routes of exposure

Ingestion. Skin contact.

Eyes

Health injuries are not known or expected under normal use.

Skin

This product may be harmful if it is absorbed through the skin. Prolonged or repeated contact can result in defatting and drying of the skin which may result in skin irritation and

dermatitis (rash).

Inhalation Ingestion

Intentional misuse by concentrating and inhaling the product can be harmful or fatal.

Exposure by ingestion of an aerosol is unlikely. Components of the product may be

absorbed into the body by ingestion.

Target organs

2-Butoxy ethanol may be absorbed through the skin in toxic amounts if contact is repeated and prolonged and may cause blood damage. These effects have not been

Observed in humans.

Chronic effects

Blood, Central nervous system. Unconsciousness. May cause central nervous system disorder (e.g., narcosis involving a

loss of coordination, weakness, fatigue, mental confusion, and blurred vision) and/or damage.

3. Composition / Information on Ingredients

Components	CAS#	Percent
2-Butoxyethanol	111-76-2	3-5
n-Butane	106-97-8	1-3
Non-hazardous and other components below reportable levels		> 90

4. First Aid Measures

First aid procedures

Eye contact

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation

develops or persists.

Skin contact

Immediately take off all contaminated clothing. Wash off with warm water and soap. Get

medical attention if irritation develops or persists.

Inhalation

If symptoms develop move victim to fresh air. If symptoms persist, get medical attention.

Ingestion

Rinse mouth. If ingestion of a large amount does occur, call a poison control center

immediately.

5. Fire Fighting Measures

Flammable properties

.

Containers may explode when heated. Vapor or gas may spread to distant ignition sources and flash back. Runoff to sewer may cause fire or explosion hazard.

Extinguishing media

vendermiß wedit

Suitable extinguishing media

Protection of firefighters
Protective equipment and
precautions for firefighters

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

In the event of fire and/or explosion do not breathe fumes. Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask. Containers should be cooled with water to prevent vapor pressure build up. For massive fire, use unmanned hose holders or monitor nozzles; if this is impossible, withdraw from area and let fire burn.

6. Accidental Release Measures

Methods for containment

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Stop the flow of material, if this is without risk. Prevent entry into waterways, sewers, basements or confined areas.

Methods for cleaning up

Should not be released into the environment. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean contaminated surface thoroughly.

7. Handling and Storage

Handling

Pressurized container: Do not pierce or burn, even after use. Do not handle or store near an open flame, heat or other sources of Ignition. Do not use if spray button is missing or defective. Use only with adequate ventilation. Do not get this material in contact with eyes. Do not get this material in contact with skin. Avoid prolonged exposure.

Storage

Contents under pressure. Do not puncture, incinerate or crush. The pressure in sealed containers can increase under the influence of heat. Keep away from heat, sparks, and flame. Avoid exposure to long periods of sunlight. Store in cool place. Keep the container dry. Keep out of the reach of children. Do not store, incinerate, or heat this material above 120 degrees Fahrenheit.

STEI

O+:11--

8. Exposure Controls / Personal Protection

Exposure limits

Components

_	_	_			
Α	С	G	ı	ŀ	ł

		1 7 7 7 7	O.L.C	Ceiling
2-Butoxyethanol	111-76-2	20 ppm	Not established	Not established
r-Butane	106-97-8	1000 ppm	Not established	Not established
OSHA				
Components	CAS#	TWA	STEL	Ceiling
2-Butoxyethanol	111-76-2	50 ppm	Not established	Not established

TWA

Personal protective equipment

Eye / face protection

Skin protection

Respiratory protection

Wear chemical goggles.

Wear appropriate chemical resistant clothing. Protective gloves.

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. If permissible levels are exceeded use NIOSH mechanical filter / organic vapor cartridge or an air-supplied respirator.

9. Physical & Chemical Properties

Appearance Boiling point

Compressed liquefied gas. 212 °F (100 °C) estimated

Pale yellow

CAS#

trade_name

Color

Product #: 031 Mr Jinx Alf Purpose Cleaner

M\$Q\$ US

2/5

Flammability (HQC)

3.4153 kJ/g estimated

Flash back

Flash point

-156 °F (-104.4 °C) estimated

Form Odor

Aerosol, Pleasant.

pΗ Physical state

11.8 - 12,8

Pressure

Liquid.

60 - 70 psig @70F

Solubility

Partially

Specific gravity

0.978 estimated

10. Chemical Stability & Reactivity Information

Chemical stability

Risk of ignition.

Conditions to avoid

Heat, flames and sparks.

Incompatible materials

None known.

Hazardous decomposition products

No hazardous decomposition products are known.

11. Toxicological information

Acute effects Sensitization

Acute LD50: 4536 mg/kg estimated, Rat, Dermal Not expected to be hazardous by OSHA criteria.

Reproductive effects Teratogenicity

Not expected to be hazardous by OSHA criteria. Not expected to be hazardous by OSHA criteria.

12. Ecological Information

Ecotoxicity

Components of this product have been identified as having potential environmental

concerns.

LC50 1190 mg/L estimated, Fish, 96.00 Hours, EC50 44525 mg/L estimated, Daphnia, 48.00 Hours, IC50 88.19 mg/L estimated, Algae, 72.00 Hours,

13. Disposal Considerations

Waste codes

D001: Waste Flammable material with a flash point <140 F

D002; Wasta Corrosive material [pH <=2 or =>12.5, or corrosive to steel]

Disposal instructions

Contents under pressure. Dispose of this material and its container at hazardous or special waste collection point. Do not incinerate sealed containers. Do not allow this material to drain into sewers/water supplies. If discarded, this product is considered a RCRA ignitable waste, D001. Dispose in accordance with all applicable regulations.

14. Transport Information

Department of Transportation (DOT) Requirements

Basic shipping requirements:

Proper shipping name

Consumer commodity

Hazard class

ORM-D

Subsidiary hazard class Additional information:

None

Packaging exceptions

156, 306

Packaging non bulk

156, 308

Packaging bulk

None

IMDG

Basic shipping requirements:

Proper shipping name

AEROSOLS

Hazard class

2.1 1950

UN number

Additional information:

Packaging exceptions

LTD QTY

Labels required

5F

Transport Category

None

Basic shipping requirements:

Proper shipping name

Aerosols, flammable

Hazard class UN number

2.1 1950

Additional information:

Packaging exceptions

LTD QTY

Labels required

2.1



15. Regulatory Information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

U.S. - CERCLA/SARA - Section 313 - Emission Reporting

2-Butoxyethanol

chemical

111-76-2

1.0 % de minimis concentration (applies to R-(OCH2CH2)n-OR*, where n * 1,2, or 3, R=alkyl C7 or less, or R = phenyl or alkyl substituted phenyl, R' = H or alkyl C7 or less, or OR' consisting of carboxylic acid ester, sulfate, phosphate, nitrate, or sulfonate, Chemical Category N230)

Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200 hazardous

CERCLA (Superfund) reportable quantity

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Immediate Hazard - Yes Delayed Razard - No. Fire Hazard - Yes Pressure Hazard - Yes Reactivity Hazard - No

Section 302 extremely

hazardous substance

Section 311 hazardous chemical Yes

Inventory status

Country(s) or region inventory name China

Europe Europe

Japan

State regulations

n-Butane

Inventory of Existing Chemical Substances in China (IECSC) European Inventory of New and Existing Chemicals (EINECS)

European List of Notified Chemical Substances (ELINCS) inventory of Existing and New Chemical Substances (ENCS)

Korea United States & Puerto Rico

Existing Chemicals List (ECL)

No Yes

On inventory (yes/no)*

No Toxic Substances Control Act (TSCA) Inventory Yes A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

U.S. - Pennsylvania - RTK (Right to Know) List

2-Butoxyethanol

111-76-2 106-97-8

Present Present

trade_name Product #: 031 Mr Jinx All Purpose Cleaner

MSOS US

No

Yes

16. Other Information

Further information

HMIS® ratings

HMIS® is a registered trade and service mark of the NPCA.

Health; 1

Flammability: 1 Physical hazard: 0 Personal protection:

Disctalmer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

MSDS sections updated

This document has undergone significant changes and should be reviewed in its entirety



MR. JINX **ALL PURPOSE CLEANER**



Heavy-duty formula uses a high-foaming spray for cleaning and clinging to vertical and

horizontal surfaces. With a blend of ammonia and butyl, this fast-acting cleaner attacks and loosens dirt, greases, oils and much more from hard surfaces. A nonabrasive product that cleans up marks on both floors and washable painted surfaces. Works well for general housekeeping needs and heavy soils in commercial / industrial markets. Take this product to your cleaning needs and let it clean.

AREAS OF USE

For a fast, deep clean in all areas of your building. To remove, dirty hand prints, dust, lipstick, crayon, grease, oil, smoke film and light carbon residue from surfaces and areas such as:

- Walls
- Doors
- Floors
- Refrigerators
- Cabinets
- Sinks
- Vinyl surfaces
- Washable painted surfaces

- Bath tubs
- Showers
- Toilet bowls
- Stoves
- Window sills
- Plastic surfaces

claire

- C-030 / C-031
 - Available in 16 and 20 oz.
 - Spray and wipe surface clean
 - Non-abrasive
 - Breaks up grease and grime
 - Heavy duty multi-purpose cleaner
 - Wide range of cleaning applications
 - Clinging foam

PRODUCT SPECIFICATIONS

Can Size: Net Weight:

Color:

Odor:

Counter tops

pH: Propellant:

Spray Pattern: Flammability:

16 or 20 oz. Aerosol

15 or 19 oz. White, foam

Yellowish liquid Floral, ammonia

12.0

Hydrocarbon Solid Cone

Non-Flammable as per CPSC Flame Extension

Test as described in 16

CFR 1500.45.

Claire Manufacturing Company

1005 S. Westgate · Addison, IL 60101 Phone (630) 543-7600 or 1-800 CLAIRE-1 Fax (630) 543-4310 or 1-800-543-4310 www.clairemfg.com