

210D
McGean-Rohco, Inc.
2910 Harvard Avenue
Cleveland, Ohio 44105-3010 USA
Phone: 216-441-4900 Fax: 216-441-1377
www.mcgean.com



MATERIAL SAFETY DATA SHEET

20094

© 2008 McGean-Rohco, Inc.

PAGE 1 OF 4

PRODUCT NAME: CEE-BEE SUPER BEE 210D

MSDS No.: 20094

REVISION: NA

PREPARED BY: DIR ENV AFFAIRS

ISSUE DATE: 09/09/96

EFFECTIVE DATE: 02/07/08

SECTION A. MATERIAL IDENTIFICATION.

MANUFACTURER: McGEAN-ROHCO, INC.

CHEMTREC:

TELEPHONE #: 800-424-9300

OR 703-527-3887

38521 SCHOOLCRAFT AVE.

LIVONIA MI 48150

TELEPHONE: 216-441-4900

SECTION B. INGREDIENTS AND HAZARDS.

INGREDIENT: CONTAINS NOTHING CONSIDERED HAZARDOUS BY STATE OR FEDERAL REGULATIONS.

CAS NUMBER:

EXPOSURE LIMIT: TWA:

SUSPECT CARCINOGEN: NO

SECTION C. PHYSICAL DATA.

APPEARANCE: CLEAR LIQUID

ODOR: PLEASANT

SPECIFIC GRAVITY: 1.01

pH: 10-11

EVAPORATION RATE: <BUTYL ACETATE

VOC=11 gm/liter

BOILING POINT: 211F

FREEZING POINT: 31F

VAPOR PRESSURE: AS WATER

VAPOR DENSITY: AS WATER

% VOLATILE BY VOLUME: >90%

SOLUBILITY IN WATER: 100%

SECTION D. FIRE AND EXPLOSION HAZARD DATA.

FLASH POINT: NONE

TEST METHOD: NA

LIMITS: LEL: NA

UEL: NA

HAZARD SYMBOL CODES

	NFPA	HMIS
HEALTH:	0	0
FLAMMABILITY:	0	0
REACTIVITY:	0	0
SPECIAL:		

EXTINGUISHING MEDIA: NOT FLAMMABLE

SPECIAL FIRE FIGHTING NONE
PROCEDURES:

McGean-Rohco, Inc.
2910 Harvard Avenue
Cleveland, Ohio 44105-3010 USA
Phone: 216-441-4900 Fax: 216-441-1377
www.mcgean.com

MATERIAL SAFETY DATA SHEET

20094



© 2008 McGean-Rohco, Inc.

PAGE 2 OF 4

UNUSUAL FIRE OR NONE
EXPLOSION HAZARDS:

SECTION E. REACTIVITY DATA

MATERIAL IS STABLE.
HAZARDOUS POLYMERIZATION WILL NOT OCCUR.

CONDITIONS TO
AVOID:

INCOMPATIBILITY NONE KNOWN
MATERIALS TO AVOID:

HAZARDOUS DECOMPOSITION NONE KNOWN
PRODUCTS:

SECTION F. HEALTH HAZARD DATA

SUMMARY OF RISKS: SARA-NA

MEDICAL CONDITIONS NONE KNOWN
WHICH MAY BE
AGGRAVATED BY CONTACT:

TARGET ORGANS: SKIN, EYES

PRIMARY ENTRY ROUTES: THROUGH CONTACT

ACUTE EFFECTS: WHILE THERE IS NO DATA TO SHOW ANY HARMFUL EFFECTS
IT IS POSSIBLE THAT IRRITATION OF SKIN OR EYES OF
OF PARTICULARLY SENSITIVE INDIVIDUALS COULD OCCUR.

CHRONIC EFFECTS: NONE KNOWN

SIGNS & SYMPTOMS OF OVEREXPOSURE:
EYE CONTACT: POSSIBLE IRRITATION.

SKIN CONTACT: POSSIBLE SLIGHT IRRITATION ON EXTENDED CONTACT.

INHALATION: NONE EXPECTED.

INGESTION: POSSIBLE NAUSEA.

EMERGENCY & FIRST AID PROCEDURES:

McGean-Rohco, Inc.
2910 Harvard Avenue
Cleveland, Ohio 44105-3010 USA
Phone: 216-441-4900 Fax: 216-441-1377
www.mcgean.com



MATERIAL SAFETY DATA SHEET

20094

© 2008 McGean-Rohco, Inc.

PAGE 3 OF 4

EYE CONTACT: FLUSH WITH WATER FOR AT LEAST 15 MINUTES. IF ANY IRRITATION PERSISTS, SEE A PHYSICIAN.

SKIN CONTACT: WASH WITH SOAP AND WATER.

INHALATION: SHOULD NOT BE A PROBLEM.

INGESTION: IF CONSCIOUS, GIVE SEVERAL GLASSES OF WATER AND INDUCE VOMITING. GET MEDICAL ATTENTION.

SECTION G. SPILL, LEAK AND DISPOSAL PROCEDURES.

SPILL/LEAK MOP UP. FLUSH AREA WITH WATER.
PROCEDURES:

WASTE NEUTRALIZE TO WITHIN POTW pH DISCHARGE LIMITS AND SEWER.
MANAGEMENT FOLLOW ALL LOCAL, STATE, AND FEDERAL REGULATIONS.
& DISPOSAL
PROCEDURES:

RCRA # (IF DISPOSED AS RECEIVED): NONE

SECTION H. SPECIAL PROTECTION INFORMATION

PERSONAL PROTECTIVE EQUIPMENT:

GOGGLES: CHEMICAL GOGGLES.
GLOVES: RUBBER.
RESPIRATOR: NOT REQUIRED.

OTHER: SUFFICIENT TO PREVENT SKIN CONTACT.

WORKPLACE CONSIDERATIONS:

VENTILATION: NORMAL.
SAFETY STATIONS: EYE WASH.
OTHER: SAFETY SHOWER.

SECTION I. SPECIAL PRECAUTIONS

McGean-Rohco, Inc.
2910 Harvard Avenue
Cleveland, Ohio 44105-3010 USA
Phone: 216-441-4900 Fax: 216-441-1377
www.mcgean.com



MATERIAL SAFETY DATA SHEET

20094

© 2008 McGean-Rohco, Inc.

PAGE 4 OF 4

SPECIAL HANDLING STORE AT 32-100 DEGREES F.
& STORAGE PROCEDURES:

D.O.T. CLASS
IMCO CLASS:

NONE
NONE

UN REGISTER: NONE
UN REGISTER: NONE

EXPLANATION OF SYMBOLS

NA = NOT APPLICABLE

UK = UNKNOWN

THIS MATERIAL SAFETY DATA SHEET IS OFFERED SOLELY FOR YOUR INFORMATION, CONSIDERATION, AND INVESTIGATION. WHILE THE INFORMATION AND RECOMMENDATIONS SET FORTH HEREIN ARE BELIEVED TO BE ACCURATE AS OF THE DATE HEREOF, MCGEAN-ROHCO, INC. MAKES NO WARRANTY WITH RESPECT THERETO AND DISCLAIMS ALL LIABILITY FROM RELIANCE THEREON.

THIS MATERIAL SAFETY DATA SHEET HAS BEEN PREPARED TO COMPLY WITH TITLE 29 CODE OF FEDERAL REGULATIONS, PART 1910.1200, OSHA HAZARD COMMUNICATION STANDARD, AND TO FULFILL THE ANNUAL CHEMICAL NOTIFICATION REQUIREMENTS OF SARA TITLE III, SECTION 313.

SUPER BEE 210D CLEANER

by Cee-Bee®



d a t a s h e e t

SUPER BEE 210D is a general purpose cleaner specifically designed for cleaning aircraft exterior and interior surfaces. Super Bee 210D is the same as Super Bee 210 except pre-diluted for use.

BENEFITS

- Excellent cleaner.
- Free-rinsing.
- Good hard water tolerance.
- Ready-to-use cleaner to minimize labor and time costs
- Safe on aluminum, high strength steel, magnesium and other materials of aircraft construction including good quality paint and acrylic plastic.
- Non-flammable.

CONFORMS TO

- **BOEING D6-17487 REVISION "N"**
- **BOEING D6-7127 REVISION "K"**
- **DOUGLAS CSD #1**
- **DOUGLAS DPM 5216**
- **GRUMMAN-STANDARD GC141PJ**
- **FOKKER AIRCRAFT**
- **AMS 1526A**
- **AMS 1530B**
- **ARP 1795 (Method A)**

**NOTE: To place an order, call or FAX Customer Service at
800-327-0466 / FAX 216-441-1377
Super Bee 210D Product Code # 20093 (Quarts) #20094 (Drums)**



2910 Harvard Avenue • Cleveland, OH 44105-3010 • Ph. 216 441-4900 • Fax 216 441-1377
www.mcgean.com



NOTES PRIOR TO HANDLING

Before using any McGean product, all safety and operating instructions should be read and understood. If you have any questions, please contact your McGean representative before proceeding.

USE PROCEDURES

Interior Cleaning: Use as received.

1. Wet clean cloth with cleaning solution or spray cleaner on surface.
2. Wipe off with clean dry cloth.

Exterior Cleaning: Use as received.

1. Apply cleaner with mops, brushes, or non-atomizing spray equipment.
2. Allow cleaner to dwell 5-15 minutes (depending on degree of contamination) until the soils are penetrated, then agitate the surface with a brush or mop.
3. Rinse thoroughly with water.

Steam Cleaning: Mix 10 to 40% by volume with water.

1. Mix in holding tank and operate equipment in accordance with manufacturer's instructions.
2. Rinse thoroughly with water.

PROPERTIES

- A water-thin, pale blue liquid with a pleasant odor.
- Non-flammable.

SAFETY & HANDLING

- Skin or eye contact can cause irritation.
- In case of accidental contact, flush area with water
- Do not take internally.