

Spartan Chemical Company, Inc. Material Safety Data Sheet

SECTION I: PRODUCT INFORMATION

Spartan Chemical Company, Inc.

Product Name or Number (as it appears on label):

IC-115

Product Number: 2115

1110 Spartan Drive Maumee OH 43537 Product Division: Janitorial

Product/Technical Information: 1-(800)-537-8990

Medical Emergency: 1-(888)-314-6171 (24 hours)

Chemical Leak/Spill Emergency: CHEMTREC 1-(800) 424-9300 (24 hours)

Shipping Description: Corrosive liquids, n.o.s., 8, UN 1760, III, (contains potassium hydroxide)

NFPA Ratings:	HMIS Ratings:
Health: 3 - Serious	Health: 3 - Serious
Fire: 0 - Minimal	Fire: 0 - Minimal
Reactivity: 0 - Minimal	Reactivity: 0 - Minimal
	Pers. Prot. Equip.: See Section VIII

SECTION II: HAZARDOUS INGREDIENTS

(Listed when present at 1% or greater, carcinogens at 0.1% or greater) All component chemicals are listed or exempted from listing on the "TSCA Inventory" of chemical substances maintained by the U.S. Environmental Protection Agency.

			Table Z-1-A			
Chemical Name(s)	%Wt	CAS Registry No.	TWA mg/m³	STEL mg/m³	CEILING mg/m³	NTP, IARC or OSHA Carcinogen
Isopropyl alcohol	1-5	67-63-0	980	1225	Not Established	No
Alcohol ethoxylate	1-5	68439-46-3	Not Established	Not Established	Not Established	No
Potassium hydroxide	1-5	1310-58-3	Not Established	Not Established	2 (NIOSH)	No

SECTION III: PHYSICAL DATA

 Boiling Point: 212 °F	Vapor Pressure:	Unknown
Vapor Density (AIR = 1): Unknown	Solubility in Water:	Complete
pH: 13.0-13.5	Specific Gravity (H ₂ O=1):	1.00
Evaporation Rate (but.ace.=1): <1	Percent Solid by Weight:	5-10
Physical State: Liquid		
Appearance & Odor: Yellow-green liquid, citrus floral odor		

SECTION IV: FIRE & EXPLOSIVE HAZARD DATA

Flash Point: >	212°F	Method Used: ASTM-D56
Flammable Limits: N	lot Established	Flame Extension: N/A
Extinguishing Media: P	Product does not support combustion	. Use extinguishing media appropriate for surrounding fire.
Special Fire Fighting Procedures: y		d breathing apparatus and protective clothing. Cool fire-exposed
Unusual Fire & Explosive Hazards: C	Combustion products are toxic.	<u> </u>

SECTION V: HEALTH HAZARD DATA

Threshold Limit Value:	Not Established	Primary Routes of Entry: Inhalation, Skin Contact, Eyes & Oral	
Effects of Overexposure-	CORROSIVE:	-	
Conditions to Avoid:	Causes eye and skin burns: Sy	mptoms include chemical burns, pain, redness, swelling of the	
	conjunctiva and tissue destruction.		
	Harmful contact may not cause imme	•	
	Harmful if swallowed: Causes damage to esophagus and mucous membranes with symptoms of pain		
	nausea, vomiting and diarrhea.		
	Inhalation of product mist may cause respiratory irritation or damage: Symptoms may include nasal		
	discomfort and coughing.	ing De not breathe product mist. De not awallow. Week	
	•	ing. Do not breathe product mist. Do not swallow. Wash	
	thoroughly after handling.		
Conditions Aggravated by Use:	Use of this product may aggravate pr	reexisting skin; eye and respiratory disorders including asthma and	
	dermatitis.		
Emergency & First Aid Procedures:			
Eyes:	Flush eyes with plenty of water for at	least 15 minutes. Remove contact lenses. Get medical attention.	
Skin:	Remove contaminated clothing and s	shoes. Flush skin with water for at least 15 minutes. Get medical	
	attention if irritation persists. Wash c	ontaminated clothing before reuse. Destroy contaminated shoes.	
Ingestion:	Call a poison control center or doctor	immediately for treatment advice. Do not induce vomiting. Drink	
	one or two glasses of water to dilute	product. Do not give anything by mouth to an unconscious person.	
Inhalation:	Move person to fresh air. Get medic	cal attention if irritation persists.	

SECTION VI: REACTIVITY DATA

Stability: Sta	able	Incompatible Materials:	Strong acids and oxidizing agents
Hazardous Decomposition Products: Car	arbon dioxide, carbon monoxide	Hazardous Polymerization:	Will Not Occur

SECTION VII: SPILL OR LEAK PROCEDURES

Steps to be Taken in Case
Material is Released or Spilled:

Material is Released or Spilled: Small spills of one gallon or less may be flushed with plenty of water to sanitary sewer system (If permitted by local sewer regulations). Dike and contain large spills with inert material and transfer liquid to containers for disposal. Keep spill out of storm sewers and waterways.

Waste Disposal Method: Dispose of in compliance with all federal, state and local laws and regulations.

SECTION VIII: SPECIAL PROTECTION INFORMATION

Respiratory Protection:	Not normally required when good general ventilation is provided. However if exposure limits are exceeded (see Section II) or if respiratory irritation occurs, the use of a NIOSH approved respirator suitable for the use-conditions and chemicals listed in Section II should be considered.
Ventilation:	Provide good general ventilation. Local exhaust ventilation may be necessary for some operations.
Protective Gloves(Specify Type):	Rubber or other impervious gloves.
Eye Protection(Specify Type):	Splash goggles are recommended to prevent eye contact.
Other Protective Equipment:	Eye wash stations and washing facilities should be readily accessible in areas where product is handled See 29 CFR 1910.132-138 for further guidance.

SECTION IX: SPECIAL PRECAUTIONS

Precautions; Handling & Storing: Do not freeze. Do not store above 120°F.

Other Precautions: Keep out of reach of children

© SCC 06/08/2011 Name: Ronald T. Cook Title: Manager, Regulatory Affairs

IC-115 Effective Date: 06/08/2011 Supercedes: 03/25/2008

Ref: 29 CFR 1910.1200 (OSHA) Changes: General Review

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained herein. Actual conditions of use and handling are beyond sellers control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State and Local laws and regulations.