

Spartan Chemical Company, Inc. Material Safety Data Sheet

SECTION I: PRODUCT INFORMATION

Product Name or Number (as it appears on label):

ORANGE TOUGH 40 Product Number: 2240 Product Division: Janitorial

Spartan Chemical Company , Inc. 1110 Spartan Drive Maumee OH 43537 Product/Technical Information: 1-(800)-537-8990

Medical Emergency: 1-(888)-314-6171 (24 hours)

Chemical Leak/Spill Emergency: CHEMTREC 1-(800) 424-9300 (24 hours)

Shipping Description: Non Hazardous Products

| NFPA Ratings: | HMIS Ratings: |
|-------------------------|--------------------------------------|
| Health: 2 - Moderate | Health: 2 - Moderate |
| Fire: 2 - Moderate | Fire: 2 - Moderate |
| Reactivity: 0 - Minimal | Reactivity: 0 - Minimal |
| | Pers. Prot. Equip.: See Section VIII |

SECTION II: HAZARDOUS INGREDIENTS

(Listed when present at 1% or greater, carcinogens at 0.1% or greater) All component chemicals are listed or exempted from listing on the "TSCA Inventory" of chemical substances maintained by the U.S. Environmental Protection Agency.

| | | | | Table Z-1-A | | |
|--------------------------|-------|------------------------|-----------------|-----------------|------------------|------------------------------------|
| Chemical Name(s) | %Wt | CAS Registry No. | TWA mg/m³ | STEL mg/m³ | CEILING mg/m³ | NTP, IARC or OSHA Carcinogen |
| d-limonene | 35-40 | 5989-27-5 | Not Established | Not Established | Not Established | No |
| Nonyl phenol ethoxylate | 10-15 | 127087-87-0 | Not Established | Not Established | Not Established | No. |
| Triethanolamine | 05-10 | 27323-41-7 | Not Established | Not Established | Not Established | No |
| dodecyibenzenesulfonate | | 40 | · - | · - | | - |
| Triethanolamine | 05-10 | 102-71-6 | 5 (ACGIH) | Not Established | Not Established | No |
| Hexylene glycol | 01-05 | 107-41-5 | Not Established | Not Established | 121 (NIOSH) | No |
| Dicarboxylic fatty acid, | 01-05 | 66375-37-9 | Not Established | Not Established | Not Established | No |
| dipotassium salt | - | | - | | - | · - |
| Tetrasodium ethylene | 01-05 | 64-02-8 | Not Established | Not Established | Not Established | ·No |
| diaminetetraacetate | _ | l - | _ | | - | |

SECTION III: PHYSICAL DATA

| Boiling Point >212 °F | Vapor Pressure: Unknown |
|--|-----------------------------------|
| Vapor Density (AIR = 1): Unknown | Solubility in Water. Emulsifiable |
| pH: 9.0 | Specific Gravity (H,O=1): 0.96 |
| Evaporation Rate (but.ace.=1): <1 | Percent Solid by Weight 20-25 |
| Physical State: Liquid | |
| Appearance & Oder of the Market Comments of the form | |

Appearance & Odor: Clear, orange liquid. Orange citrus fragrance.

| | 124°F | Method Used: ASTM-D56 | |
|--|---|--|--|
| Flammable Limits: | Unknown | Flame Extension: N/A | |
| Extinguishing Media: | Foam, dry chemical, carbon dioxide, | water fog or spray | |
| | | d breathing apparatus and protective clothing. Cool fire-exposed | |
| Unusual Fire & Explosive Hazards: | | away from heat, sparks or flame. Combustion products are toxic. | |
| | | | |
| ECTION V: HEALTH HAZARD DAT | Α | | |
| Threshold Limit Value | Not Established | Primary Routes of Entry: Inhalation, Skin Contact, Eyes and Oral | |
| Effects of Overexposure- Conditions to Avoid: | Causes skin irritation: Symptoms r | ay include pain, redness and swelling of the conjunctiva. may include redness, pain and swelling. | |
| | Harmful if swallowed: Symptoms m | nay include pain, nausea, vomiting and diarrhea. | |
| | discomfort and coughing. Contains of | may cause respiratory irritation: Symptoms may include nasal d-limonene, hexylene glycol and triethanolamine which may cause act. Repeated overexposure to triethanolamine may cause liver and | |
| | kidney damage. | Tropodica overexposure to the annional line may cause liver all | |
| • | Avoid contact with eyes, skin and | clothing. Avoid breathing product vapors or mists. Do not | |
| | swallow. Use with adequate ventil | ation. Wash thoroughly after handling. | |
| Conditions Aggravated by Use: | Use of this product may aggravate product dermatitis. | reexisting skin; eye and respiratory disorders including asthma and | |
| Emergency & First Aid Procedures : | | | |
| | | minutes. Remove contact lenses. Get medical attention. | |
| Skin: | Remove contaminated clothing. Flus irritation persists. Wash contaminate | sh skin with water for at least 15 minutes. Get medical attention if ad clothing before reuse. | |
| Ingestion: | Do not induce vomiting. Drink one or two glasses of water to dilute product. Get medical attention. Do not give anything by mouth to an unconscious person. | | |
| inhalation | Move person to fresh air. Get medic | | |
| Stability: | | Incompatible Materials: Strong oxidants | |
| Hazardous Decomposition Products: | CO, CO ₂ | Hazardous Polymerization: Will Not Occur | |
| | | | |
| ECTION VII: SPILL OR LEAK PRO | CEDURES | | |
| | CEDURES | | |
| Steps to be Taken in Case | Dike and contain spill with inert mate | rial(sand, earth, commercial absorbent, etc.) and transfer to t of storm sewers and waterways. | |
| Steps to be Taken in Case Material is Released or Spilled | Dike and contain spill with inert mate containers for disposal. Keep spill ou | t of storm sewers and waterways. | |
| Steps to be Taken in Case Material is Released or Spilled | Dike and contain spill with inert mate containers for disposal. Keep spill ou | | |
| Steps to be Taken in Case Material is Released or Spilled Waste Disposal Method: ECTION VIII: SPECIAL PROTECTION | Dike and contain spill with inert mate containers for disposal. Keep spill ou Dispose of in compliance with all fed ON INFORMATION | t of storm sewers and waterways. eral state and local laws and regulations. | |
| Steps to be Taken in Case Material is Released or Spilled Waste Disposal Method: ECTION VIII: SPECIAL PROTECTI | Dike and contain spill with inert mate containers for disposal. Keep spill ou Dispose of in compliance with all fed ON INFORMATION Not normally required when good ge (see Section II) or if respiratory irritates | t of storm sewers and waterways. eral state and local laws and regulations. neral ventilation is provided However if exposure limits are exceeding occurs, the use of a NIOSH approved respirator suitable for the | |
| Steps to be Taken in Case Material is Released or Spilled Waste Disposal Method: ECTION VIII: SPECIAL PROTECTI Respiratory Protection: | Dike and contain spill with inert mate containers for disposal. Keep spill ou Dispose of in compliance with all fed ON INFORMATION Not normally required when good ge (see Section II) or if respiratory irritat use-conditions and chemicals listed | t of storm sewers and waterways. eral state and local laws and regulations. neral ventilation is provided However if exposure limits are exceeded ion occurs, the use of a NIOSH approved respirator suitable for the in Section II should be considered. | |
| Steps to be Taken in Case Material is Released or Spilled Waste Disposal Method: ECTION VIII: SPECIAL PROTECTI Respiratory Protection: Ventilation: | Dike and contain spill with inert mate containers for disposal. Keep spill ou Dispose of in compliance with all fed ON INFORMATION Not normally required when good ge (see Section II) or if respiratory irritat use-conditions and chemicals listed Provide good general ventilation. Lo | t of storm sewers and waterways. eral state and local laws and regulations. neral ventilation is provided However if exposure limits are exceeding occurs, the use of a NIOSH approved respirator suitable for the | |
| Steps to be Taken in Case Material is Released or Spilled Waste Disposal Method: ECTION VIII: SPECIAL PROTECTI Respiratory Protection: Ventilation: Protective Gloves(Specify Type): | Dike and contain spill with inert mate containers for disposal. Keep spill ou Dispose of in compliance with all fed ON INFORMATION Not normally required when good ge (see Section II) or if respiratory irritat use-conditions and chemicals listed Provide good general ventilation. Lo Rubber or other impervious gloves. | It of storm sewers and waterways. eral, state and local laws and regulations. neral ventilation is provided. However if exposure limits are exceeding occurs, the use of a NIOSH approved respirator suitable for the in Section II should be considered. cal exhaust ventilation may be necessary for some operations. | |
| Steps to be Taken in Case Material is Released or Spilled Waste Disposal Method: ECTION VIII: SPECIAL PROTECTI Respiratory Protection: Ventilation: | Dike and contain spill with inert mate containers for disposal. Keep spill ou Dispose of in compliance with all fed ON INFORMATION Not normally required when good ge (see Section II) or if respiratory irritat use-conditions and chemicals listed in Provide good general ventilation. Lo Rubber or other impervious gloves. Spiash goggles are recommended to | it of storm sewers and waterways. eral state and local laws and regulations. neral ventilation is provided. However if exposure limits are exceeded ion occurs, the use of a NIOSH approved respirator suitable for the in Section II should be considered. cal exhaust ventilation may be necessary for some operations. | |
| Steps to be Taken in Case Material is Released or Spilled Waste Disposal Method: ECTION VIII: SPECIAL PROTECTI Respiratory Protection: Ventilation: Protective Gloves(Specify Type): Eye Protection(Specify Type): Other Protective Equipment: | Dike and contain spill with inert mate containers for disposal. Keep spill ou Dispose of in compliance with all fed ON INFORMATION Not normally required when good ge (see Section II) or if respiratory irritat use-conditions and chemicals listed in Provide good general ventilation. Lo Rubber or other impervious gloves. Spiash goggles are recommended to See 29 CFR 1910.132-138 for further | it of storm sewers and waterways. eral state and local laws and regulations. neral ventilation is provided. However if exposure limits are exceeded ion occurs, the use of a NIOSH approved respirator suitable for the in Section II should be considered. cal exhaust ventilation may be necessary for some operations. | |
| Steps to be Taken in Case Material is Released or Spilled Waste Disposal Method: ECTION VIII: SPECIAL PROTECTI Respiratory Protection: Ventilation: Protective Gloves(Specify Type): Eye Protection(Specify Type): Other Protective Equipment | Dike and contain spill with inert mate containers for disposal. Keep spill ou Dispose of in compliance with all fed ON INFORMATION Not normally required when good ge (see Section II) or if respiratory irritat use-conditions and chemicals listed Provide good general ventilation. Lo Rubber or other impervious gloves. Spiash goggles are recommended to See 29 CFR 1910.132-138 for further ons. | eral state and local laws and regulations. neral ventilation is provided. However if exposure limits are exceeded ion occurs, the use of a NIOSH approved respirator suitable for the in Section II should be considered. cal exhaust ventilation may be necessary for some operations. prevent eye contact. riguidance. | |
| Steps to be Taken in Case Material is Released or Spilled Waste Disposal Method: ECTION VIII: SPECIAL PROTECTI Respiratory Protection: Ventilation: Protective Gloves(Specify Type): Eye Protection(Specify Type): Other Protective Equipment: ECTION IX: SPECIAL PRECAUTION Precautions; Handling & Storing: | Dike and contain spill with inert mate containers for disposal. Keep spill ou Dispose of in compliance with all fed ON INFORMATION Not normally required when good ge (see Section II) or if respiratory irritat use-conditions and chemicals listed in Provide good general ventilation. Lo Rubber or other impervious gloves. Splash goggles are recommended to See 29 CFR 1910.132-138 for further the Complex of the container tightly closed. Store in a container tightly closed. Store in a container tightly closed. | eral state and local laws and regulations. neral ventilation is provided. However if exposure limits are exceeding occurs, the use of a NIOSH approved respirator suitable for the in Section II should be considered. cal exhaust ventilation may be necessary for some operations. | |
| Steps to be Taken in Case Material is Released or Spilled Waste Disposal Method: EECTION VIII: SPECIAL PROTECTI Respiratory Protection: Ventilation: Protective Gloves(Specify Type): Eye Protection(Specify Type): Other Protective Equipment: SECTION IX: SPECIAL PRECAUTION Precautions; Handling & Storing: | Dike and contain spill with inert mate containers for disposal. Keep spill ou Dispose of in compliance with all fed ON INFORMATION Not normally required when good ge (see Section II) or if respiratory irritat use-conditions and chemicals listed in Provide good general ventilation. Lo Rubber or other impervious gloves. Spiash goggles are recommended to See 29 CFR 1910.132-138 for further the Combustible liquid and vapors. Flash | eral state and local laws and regulations neral ventilation is provided. However if exposure limits are exceeded ion occurs, the use of a NIOSH approved respirator suitable for the in Section II should be considered. cal exhaust ventilation may be necessary for some operations. prevent eye contact. r guidance. | |
| Steps to be Taken in Case Material is Released or Spilled Waste Disposal Method: BECTION VIII: SPECIAL PROTECTI Respiratory Protection: Ventilation: Protective Gloves(Specify Type): Eye Protection(Specify Type): Other Protective Equipment: BECTION IX: SPECIAL PRECAUTION Precautions; Handling & Storing: Other Precautions: | Dike and contain spill with inert mate containers for disposal. Keep spill out Dispose of in compliance with all fed ON INFORMATION Not normally required when good ge (see Section II) or if respiratory irrited use-conditions and chemicals listed in Provide good general ventilation. Lo Rubber or other impervious gloves. Spiash goggles are recommended to See 29 CFR 1910.132-138 for further the container tightly closed. Store in a container tightly closed. Store in a container tightly closed. | neral ventilation is provided. However if exposure limits are exceeded ion occurs, the use of a NIOSH approved respirator suitable for the in Section II should be considered call exhaust ventilation may be necessary for some operations or prevent eye contact. To guidance. Point 124°F. Keep away from heat, sparks, or open flame. Keep col, dry area. Do not store above 120°F. | |
| Steps to be Taken in Case Material is Released or Spilled Waste Disposal Method: EECTION VIII: SPECIAL PROTECTI Respiratory Protection: Ventilation: Protective Gloves(Specify Type): Eye Protection(Specify Type): Other Protective Equipment: SECTION IX: SPECIAL PRECAUTION Precautions; Handling & Storing: | Dike and contain spill with inert mate containers for disposal. Keep spill ou Dispose of in compliance with all fed ON INFORMATION Not normally required when good ge (see Section II) or if respiratory irritat use-conditions and chemicals listed in Provide good general ventilation. Lo Rubber or other impervious gloves. Spiash goggles are recommended to See 29 CFR 1910.132-138 for further the container tightly closed. Store in a container tightly closed. | neral ventilation is provided. However if exposure limits are exceeded ion occurs, the use of a NIOSH approved respirator suitable for the in Section II should be considered. cal exhaust ventilation may be necessary for some operations. prevent eye contact. r guidance. Point 124°F. Keep away from heat, sparks, or open flame. Keep col, dry area. Do not store above 120°F. Title: Manager, Regulatory Affairs | |
| Steps to be Taken in Case Material is Released or Spilled Waste Disposal Method: ECTION VIII: SPECIAL PROTECTI Respiratory Protection: Ventilation: Protective Gloves(Specify Type): Eye Protection(Specify Type): Other Protective Equipment: ECTION IX: SPECIAL PRECAUTIO Precautions; Handling & Storing: Other Precautions: | Dike and contain spill with inert mate containers for disposal. Keep spill out Dispose of in compliance with all fed ON INFORMATION Not normally required when good ge (see Section II) or if respiratory irritat use-conditions and chemicals listed in Provide good general ventilation. Lo Rubber or other impervious gloves. Splash goggles are recommended to See 29 CFR 1910.132-138 for further the container tightly closed. Store in a container tightly closed. Store in a container tightly closed. | neral ventilation is provided. However if exposure limits are exceed ion occurs, the use of a NIOSH approved respirator suitable for the in Section II should be considered cal exhaust ventilation may be necessary for some operations. To prevent eye contact. To guidance. Point 124°F. Keep away from heat, sparks, or open flame. Keep tool, dry area. Do not store above 120°F. | |

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained herein. Actual conditions of use and handling are beyond sellers control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal State and Local laws and regulations.