



# Spartan Chemical Company, Inc.

## Material Safety Data Sheet

### SECTION I: PRODUCT INFORMATION

Product Name or Number (as it appears on label):

**DEFOAMER**

Product Number: 3024; 3042

Spartan Chemical Company, Inc.

1110 Spartan Drive

Maumee OH 43537

Product Division:

Janitorial

Product/Technical  
Information: 1-(800)-537-8990

Medical Emergency: 1-(888)-314-6171 (24 hours)

Chemical Leak/Spill  
Emergency: CHEMTREC 1-(800) 424-9300 (24 hours)

Shipping Description: Cleaning compounds, liquid, n.o.s.	
<b>NFPA Ratings:</b>	
<b>Health:</b>	1 - Slight
<b>Fire:</b>	0 - Minimal
<b>Reactivity:</b>	0 - Minimal
<b>HMIS Ratings:</b>	
<b>Health:</b>	1 - Slight
<b>Fire:</b>	0 - Minimal
<b>Reactivity:</b>	0 - Minimal
<b>Pers. Prot. Equip.:</b>	See Section VIII

### SECTION II: HAZARDOUS INGREDIENTS

(Listed when present at 1% or greater, carcinogens at 0.1% or greater) All component chemicals are listed or exempted from listing on the "TSCA Inventory" of chemical substances maintained by the U.S. Environmental Protection Agency.

Chemical Name(s)	% W	CAS Registry No.	Table Z-1 - A			NTP, IARC or OSHA Carcinogen
			TWA mg/m <sup>3</sup>	STEL mg/m <sup>3</sup>	CEILING mg/m <sup>3</sup>	
Polydimethylsiloxane emulsion	1-5	Proprietary	Not Established	Not Established	Not Established	No

### SECTION III: PHYSICAL DATA

Boiling Point:	212 °F	Vapor Pressure:	Not determined
Vapor Density (AIR = 1):	Unknown	Solubility in Water:	Emulsifiable
pH:	9.0-10.0	Specific Gravity (H <sub>2</sub> O=1):	1.00
Evaporation Rate (but. ace.=1):	<1	Percent Solid by Weight:	1-5
Physical State:	Liquid		
Appearance & Odor:	Milky white liquid, bland odor		

▼ **SECTION IV: FIRE & EXPLOSIVE HAZARD DATA**

Flash Point:	> 212°F	Method Used:	ASTM-D56
Flammable Limits:	Not Established	Flame Extension:	N/A
Extinguishing Media:	Product does not support combustion. Use extinguishing media appropriate for surrounding fire.		
Special Fire Fighting Procedures:	Wear NIOSH approved self-contained breathing apparatus and protective clothing. Cool fire-exposed containers with water spray.		
Unusual Fire & Explosive Hazards:	Combustion products are toxic.		

▼ **SECTION V: HEALTH HAZARD DATA**

Threshold Limit Value:	Not Established	Primary Routes of Entry:	Inhalation, Skin Contact, Eyes and Oral
Effects of Overexposure-Conditions to Avoid:	May cause mild eye and skin irritation. May be harmful if swallowed. Inhalation of product mist may cause respiratory irritation. Avoid contact with eyes. Avoid prolonged or repeated contact with skin. Do not swallow. Avoid breathing product mist. Wash thoroughly after handling.		
Conditions Aggravated by Use:	Use of this product may aggravate preexisting skin; eye and respiratory disorders including asthma and dermatitis.		

**Emergency & First Aid Procedures:**

Eyes:	Flush eyes with plenty of water for at least 15 minutes. Remove contact lenses. Get medical attention.
Skin:	Wash skin thoroughly with soap and water. Get medical attention if irritation persists. Wash contaminated clothing before reuse.
Ingestion:	Do not induce vomiting. Drink one or two glasses of water to dilute product. Get medical attention. Do not give anything by mouth to an unconscious person.
Inhalation:	In case of respiratory irritation; move person to fresh air. Get medical attention if irritation persists.

▼ **SECTION VI: REACTIVITY DATA**

Stability:	Stable	Incompatible Materials:	Strong oxidizers
Hazardous Decomposition Products:	CO, CO2	Hazardous Polymerization:	Will Not Occur

▼ **SECTION VII: SPILL OR LEAK PROCEDURES**

Steps to be Taken in Case Material is Released or Spilled:	Small spills of one gallon or less may be flushed with plenty of water to sanitary sewer system (If permitted by local sewer regulations). Dike and contain large spills with inert material and transfer liquid to containers for disposal. Keep spill out of storm sewers and waterways.
Waste Disposal Method:	Dispose of in compliance with all federal, state and local laws and regulations.

▼ **SECTION VIII: SPECIAL PROTECTION INFORMATION**

Respiratory Protection:	None required
Ventilation:	Provide good general ventilation. Local exhaust ventilation may be necessary for some operations.
Protective Gloves(Specify Type):	Not required. Impervious gloves may be worn if desired.
Eye Protection(Specify Type):	Not required. Splash goggles may be worn if desired.
Other Protective Equipment:	See 29 CFR 1910.132-138 for further guidance.

▼ **SECTION IX: SPECIAL PRECAUTIONS**

Precautions; Handling & Storing:	Keep from freezing.
Other Precautions:	Keep out of reach of children.

© SCC 07/07/2005  
DEFOAMER

Name: Ronald T. Cook  
Effective 07/07/2005  
Date:

Title: Manager, Regulatory Affairs  
Supersedes: 09/23/1999

Ref: 29 CFR 1910.1200 (OSHA) Changes: Update Sections I, II, III, IV, V, VII, VIII, IX

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained herein. Actual conditions of use and handling are beyond sellers control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State and Local laws and regulations.