

**Taski VISION MATTE Low Gloss Floor Finish**

Version Number: 1

Preparation date: 2009-06-29

**1. PRODUCT AND COMPANY IDENTIFICATION**

**Product name:** Taski VISION MATTE Low Gloss Floor Finish  
**MSDS #:** MS0700056  
**Product Code:** 3045546  
**Recommended use:** Industrial/Institutional. Floor care.

**Manufacturer, importer, supplier:**  
 US Headquarters Canadian Headquarters  
 JohnsonDiversey, Inc. JohnsonDiversey - Canada, Inc.  
 8310 16th St. 2401 Bristol Circle  
 Sturtevant, Wisconsin 53177-1964 Oakville, Ontario L6H 6P1  
 Phone: 1-888-352-2249 Phone: 1-800-668-3131  
 MSDS Internet Address:  
 www.johnsondiversey.com

**Emergency telephone number:**  
 1-800-851-7145 (U.S.); 1-651-917-6133 (Int'l)

**2. HAZARDS IDENTIFICATION**

**EMERGENCY OVERVIEW**

CAUTION. MAY BE MILDLY IRRITATING TO EYES. MAY BE MILDLY IRRITATING TO SKIN.

**Principle routes of exposure:**

- Eye contact
- Skin contact
- Inhalation

**Skin contact:** May be mildly irritating to skin.  
**Eye contact:** May be mildly irritating to eyes.  
**Inhalation:** None  
**Ingestion:** None known.

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

**Hazardous Ingredients**

Ingredient(s)	CAS #	Weight %
Diethylene glycol monoethyl ether	111-90-0	1.0 - 5.0%

**4. FIRST AID MEASURES**

**Eye contact:** Flush immediately with plenty of water. If irritation develops, get medical attention.  
**Skin contact:** Flush immediately with plenty of water. If irritation develops, get medical attention.  
**Inhalation:** No specific first aid measures are required.  
**Ingestion:** No specific first aid measures are required.  
**Aggravated Medical Conditions:** None known.

**5. FIRE FIGHTING MEASURES**

**Suitable extinguishing media:** The product is not flammable. Extinguish fire using agent suitable for surrounding fire.  
**Specific hazards:** Not applicable  
**Unusual hazards:** None known  
**Flash point:** >200°F >93.4°C

### 5. FIRE FIGHTING MEASURES

**Specific methods:**

No special methods required

**Special protective equipment for firefighters:**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

**Extinguishing media which must not be used for safety reasons:**

No information available

<b>NFPA</b>	<b>Health:</b>	<b>1</b>	<b>Flammability:</b>	<b>0</b>	<b>Instability:</b>	<b>0</b>
<b>HMIS</b>	<b>Health</b>	<b>1</b>	<b>Fire Hazard</b>	<b>0</b>	<b>Reactivity</b>	<b>0</b>

### 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions:**

Use personal protective equipment

**Environmental precautions**

Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal. Use a water rinse for final clean-up.

**and clean-up methods:**

### 7. HANDLING AND STORAGE

**Handling:**

Avoid contact with skin and eyes.

FOR COMMERCIAL AND INDUSTRIAL USE ONLY.

**Storage:**

Protect from freezing. Keep tightly closed in a dry, cool and well-ventilated place. KEEP OUT OF REACH OF CHILDREN.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Engineering measures to reduce exposure:**

No special ventilation requirements. General room ventilation is adequate.

**Personal Protective Equipment****Eye protection:**

No special requirements under normal use conditions.

**Hand protection:**

No special requirements under normal use conditions.

**Skin and body protection:**

No special requirements under normal use conditions.

**Respiratory protection:**

No special requirements under normal use conditions.

**Hygiene measures:**

Handle in accordance with good industrial hygiene and safety practice.

None / Aucune / Ninguno

### 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance:</b>	Liquid	<b>Color:</b>	Opaque White
<b>Odor:</b>	Ammonia	<b>Specific gravity:</b>	1.02
<b>pH:</b>	8.55	<b>Dilution pH:</b>	8.55 @ RTU
<b>Density:</b>	8.51 lbs/gal 1.02 Kg/L	<b>Bulk density:</b>	No information available
<b>Vapor density:</b>	No information available	<b>Evaporation Rate</b>	No information available
<b>Solubility:</b>	Dispersible	<b>Viscosity:</b>	No information available
<b>VOC:</b>		0% *	
<b>Solubility in other solvents:</b>		No information available	
<b>Partition coefficient (n-octanol/water):</b>		No information available	
<b>Boiling point/range:</b>		Not determined	
<b>Melting point/range:</b>		Not determined	
<b>Decomposition temperature:</b>		Not determined	

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Autoignition temperature: No information available  
 Flash point: >200°F >93.4°C  
 Elemental Phosphorus: 0.12% by wt

\* - Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

## 10. STABILITY AND REACTIVITY

Stability: The product is stable  
 Polymerization: Hazardous polymerization does not occur  
 Hazardous decomposition products: None reasonably foreseeable.

## 11. TOXICOLOGICAL INFORMATION

Acute toxicity: Oral LD50 estimated to be greater than 5000 mg/kg Dermal LD50 estimated to be > 2000 mg/kg

### Component Information:

#### Hazardous Ingredients

Ingredient(s)	LD50 Oral - Rat (mg/kg)	LD50 Dermal - Rabbit	LC50 Inhalation - Rat
Diethylene glycol monoethyl ether	5500	≈4200 µL/kg	5.24 g/m³

Chronic toxicity: None known

### Specific effects

Carcinogenic effects: None known  
 Mutagenic effects: None known  
 Reproductive toxicity: None known  
 Target organ effects: None known

## 12. ECOLOGICAL INFORMATION

### Environmental Information:

No data available

## 13. DISPOSAL CONSIDERATIONS

### Waste from residues / unused products:

Dispose of according to all federal, state and local applicable regulations

## 14. TRANSPORT INFORMATION

DOT/TDG: Please refer to the Bill of Lading/receiving documents for up to date shipping information

## 15. REGULATORY INFORMATION

### International Inventories

All components of this product are listed on the following inventories: U.S.A (TSCA), Canada (DSL/NDL).

### U.S. Regulations

California Proposition 65: This product is not subject to the reporting requirements under California's Proposition 65

### STATE RIGHT TO KNOW

Ingredient(s)	CAS #	MARTK:	NJRTK:	PARTK:	RTRTK:
Water	7732-18-5	-	-	-	-
Acrylic polymers	Proprietary	-	-	-	-
Diethylene glycol monoethyl ether	111-90-0	-	X	-	-

## 15. REGULATORY INFORMATION

Tributoxyethyl phosphate	78-51-3	-	-	-	-
Dipropylene glycol n-butyl ether	29911-28-2	-	-	-	-
Acrylic polymers	Proprietary	-	-	-	-
Acrylic polymers	Proprietary	-	X	-	-

## CERCLA/ SARA

Ingredient(s)	CAS #	Weight %	CERCLA/SARA RQ (lbs)	Section 302 TPQ (lbs)	Section 313
Diethylene glycol monoethyl ether	111-90-0	1.0 - 5.0%			X

Ingredient(s)	CAA HAP	CAA ODS	CWA Priority Pollutants
Diethylene glycol monoethyl ether	X		

## SARA 311/312 Hazard Categories

Immediate: -  
 Delayed: -  
 Fire: -  
 Reactivity: -  
 Sudden Release of Pressure: -

Canada

WHMIS hazard class: Non-controlled.

## 16. OTHER INFORMATION

Reason for revision: Not applicable  
 Prepared by: NAPRAC  
 Additional advice: None

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

End of Safety Data Sheet