



Spartan Chemical Company, Inc. **Material Safety Data Sheet**

▼SECTION I: PRODUCT INFORMATION

Product Name or Number (as it appears on label):

Product Division: Janitorial

XTRACTION II Product Number: 3096

Product/Technical 1-(800)-537-8990 Information:

Spartan Chemical Company, Inc. 1110 Spartan Drive

Medical Emergency:1-(888)-314-6171 (24 hours)

Maumee OH 43537

Chemical Leak/Spil CHEMTREC 1-(800) 424-9300 (24 hours)
Emergency:

Shipping Descri	ption: Cleaning compounds, li	quid, n.o.s.	
NFPA Ratings:		HMIS Ratings:	
Health: 2	- Moderate	Health:	*2 - Moderate; Chronic Hazard
Fire: 0	- Minimal	Fire:	0 - Minimal
Reactivity: 0	- Minimal	Reactivity:	0 - Minimal
		Pers. Prot. Equip.:	See Section VIII

✓ SECTION II: HAZARDOUS INGREDIENTS

(Listed when present at 1% or greater, carcinogens at 0.1% or greater) All component chemicals are listed or exempted from listing on the "TSCA Inventory" of chemical substances maintained by the U.S. Environmental Protection Agency.

nating on the Toest inventory			Table Z- 1 - A			NTP, IARC
Chemical Name(s)	% W	CAS Registry No.	TWA mg/m ³	STEL mg/m ³	CELING mg/m ³	or OSHA Carcinogen
Alcohol ethoxylate	1-5	68439-46-3	Not Established	Not Established	Not Established	No
Sodium carbonate	1-5	497-19-8	Not Established	Not Established	Not Established	No
*2-Butoxyethanol	1-5	111-76-2	240 [skin] 96	Not Established	Not Established	No
Sodium alkylnaphthalenesulfonate	1-5	Proprietary	Not Established	Not Established	Not Established	No
Tetrasodium EDTA	1-5	64-02-8	Not Established	Not Established	Not Established	No

Comment: *This substance is subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 (SARA) and of 40 CFR 372.

▼SECTION III: PHYSICAL DATA

Boiling Point:	212 °F	Vapor Pressure:	Not determined
Vapor Density (AIR = 1):	Unknown	Solubility in Water:	Complete
pH:	11.3-11.8	Specific Gravity (H ₂ O=1):	1
Evaporation Rate (but.ace.=1):		Percent Solid by Weight:	10-15
Physical State:	Liquid		
Appearance & Odo	Appearance & Odor: Light green liquid, floral fragrance		

SECTION IV: FIRE & EXPLOSIVE HAZARD DATA

Flash Point:	> 212°F	Method Used:	ASTM-D56
Flammable Limits:	Not Established	Flame Extension:	N/A
	Product does not support comb surrounding fire.	oustion. Use extinguishing m	nedia appropriate for
	Wear NIOSH approved self-co fire-exposed containers with w		and protective clothing. Cool
Unusual Fire & Explosive Hazards:	Combustion products are toxic		

▼SECTION V: HEALTH HAZARD DATA

Threshold Limit Value: 1	Not Established		Inhalation, Skin Contact, Eyes; Oral
Conditions to Avoid:	Causes skin irritation: Sympothrough the skin. May be harmful if swallowed diarrhea. Inhalation of product mist me coughing and difficulty breath Contains 2-butoxyethanol with symptoms such as heat to 2-butoxyethanol may cause animal data.	toms may include pain and include all: Symptoms may include all ay cause respiratory irritating. Thich may cause central redache; dizziness; nausealse blood cell; liver and ki	redness. Harmful if absorbed bdominal pain, nausea and ation: Symptoms may include nervous system depression a and drowsiness. Exposure
Conditions Aggravated by Use:	Use of this product may aggra including asthma and dermatit	vate preexisting skin; eye ar is.	nd respiratory disorders

Emergency & First Aid Procedures:

mergency & First Aid Procedures:		
*	Flush eyes with water for at least 15 minutes. Remove contact lenses. Get medical attention.	
	Remove contaminated clothing. Flush skin with water for at least 15 minutes. Get medical attention if irritation persists. Wash contaminated clothing before reuse.	
Ingestion:	Do not induce vomiting unless advised to do so by a doctor or poison control center. Drink one or two glasses of water to dilute product. Get medical attention. Do not give anything by mouth to an unconscious person.	
	In case of respiratory irritation or dizziness; move person to fresh air. Get medical attention if irritation persists.	

SECTION VI: REACTIVITY DATA

Stability: Stable	Incompatible Materials: Strong oxidizing agents
Hazardous Decomposition None	Hazardous Will Not Occur
Products:	Polymerization:

SECTION VII: SPILL OR LEAK PROCEDURES

Material is Released or Spilled:	Small spills of one gallon or less may be flushed with plenty of water to sanitary sewer system (If permitted by local sewer regulations). Dike and contain large spills with inert material and transfer liquid to containers for recovery or disposal.
Waste Disposal Method:	Assure conformance with federal, state and local regulations.

SECTION VIII: SPECIAL PROTECTION INFORMATION

Respiratory Protection:	Not normally required when good ventilation is provided.
III	Provide good general ventilation. Local exhaust ventilation may be necessary for some operations.
11	Impervious rubber or other waterproof gloves are recommended when handing undiluted product.
Eye Protection(Specify Type):	Splash goggles are recommended when handling undiluted product.
Other Protective Equipment:	See 29 CFR 1910.132-138 for further guidance.

▼SECTION IX: SPECIAL PRECAUTIONS

Precautions; Handling & Storing:	Keep from freezing.
Other Precautions:	Keep out of reach of children.

© SCC 11/01/2007 XTRACTION II

Name: Effective Ronald T. Cook 11/01/2007

Title:

Manager, Regulatory Affairs

Supercedes: 07/07/2005

Date:

Ref: 29 CFR 1910.1200 (OSHA) Changes: Revised formula

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained herein. Actual conditions of use and handling are beyond sellers control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State and Local laws and regulations.