

Spartan Chemical Company, Inc. **Material Safety Data Sheet**

SECTION I: PRODUCT INFORMATION

Product Name or Number (as it appears on label):

Product Division:

Janitorial

CONSUME LIQ Product Number: 3102

Spartan Chemical Company, Inc.

Product/Technical 1-(800)-537-8990 Information:

1110 Spartan Drive Maumee OH 43537

Medical Emergency:1-(888)-314-6171 (24 hours)

Chemical Leak/Spill CHEMTREC 1-(800) 424-9300 (24 hours)
Emergency:

Shipping Description: Non-Hazardous Products			
NFPA Ratings:		HMIS Ratings:	
Health:	1- Slight	Health:	1- Slight
Fire:	0 - Minimal	Fire:	0 - Minimal
Reactivity:	0 - Minimal	Reactivity:	0 - Minimal
		Pers. Prot. Equip.:	See Section VIII

SECTION II: HAZARDOUS INGREDIENTS

(Listed when present at 1% or greater, carcinogens at 0.1% or greater) All component chemicals are listed or exempted from

listing on the "TSCA Inventory" of chemical substances maintained by the U.S. Environmental Protection Agency.

				NTP, IARC		
Chemical Name(s)	% W	CAS Registry No	TWA mg/m ³	STEL mg/m ³	CELING mg/m ³	or OSHA Carcinogen
Bacterial spores (Bacillus species)	NA	NA	Not Established	Not Established	Not Established	No

▼SECTION III: PHYSICAL DATA

Boiling Point:	210 °F	Vapor Pressure:	Not determined
Vapor Density (AlR = 1):	Unknown	Solubility in Water:	Complete
pH:	8.0-9.0	Specific Gravity (H ₂ O=1):	i I
Evaporation Rate (but.ace.=1):		Percent Solid by Weight:	1-5
Physical State:	Liquid		
Appearance & Odo	Appearance & Odor: Brown liquid, bland odor		

▼ SECTION IV: FIRE & EXPLOSIVE HAZARD DATA

Flash Point:	> 212°F	Method Used:	ASTM-D56
Flammable Limits:	Not Established	Flame Extension:	N/A
Extinguishing Media:	Product does not support combustion. Use extinguishing media appropriate for surrounding fire.		
Special Fire Fighting Procedures:	Wear NIOSH approved self-contained breathing apparatus and protective clothing. Cool fire-exposed containers with water spray.		
Unusual Fire & Explosive Hazards:	Combustion products are toxic.		

SECTION V: HEALTH HAZARD DATA

Threshold Limit Value:	Not Established	Primary Routes of Entry:	Inhalation, Skin Contact, Eyes and Oral
Effects of Overexposure- Conditions to Avoid:	Causes eye and skin irritation swelling. May be harmful if swallowed diarrhea. Inhalation of product mist may contains living bacterial spoif introduced into an open we quantity. Avoid contact with eyes and should contact with open wouthoroughly after handling.	d. Symptoms may include ay cause respiratory irrita- res. The bacteria in this ound, broken skin or muc- skin. Do not swallow, Avo	e abdominal pain and ation. product may cause infection cous membrane in sufficient id breathing product mist.
Conditions Aggravated by Use:	Use of this product may aggravincluding asthma and dermatiti may be especially susceptible t in this product.	s. Individuals with impaired	d immune systems or function

Emergency & First Aid Procedures:

Flush eyes with plenty of water for at least 15 minutes. Remove contact lenses. Get medical attention.
Remove contaminated clothing. Wash skin thoroughly with soap and water. Apply a topical antiseptic agent to open wounds or broken skin. Get medical attention if irritation persists. Wash contaminated clothing before reuse.
Do not induce vomiting. Drink one or two glasses of water to dilute product. Get medical attention. Do not give anything by mouth to an unconscious person.
In case of respiratory irritation; move person to fresh air. Get medical attention if irritation persists.

SECTION VI: REACTIVITY DATA

Stability: Stable	Incompatible Materials:	
Hazardous Decomposition CO, CO2	Hazardous	Will Not Occur
Products:	Polymerization:	

▼ SECTION VII: SPILL OR LEAK PROCEDURES

Steps to be Taken in Case	Spills may be flushed with plenty of water to sanitary sewer system (If permitted by local
Material is Released or Spilled:	sewer regulations).
Waste Disposal Method:	Dispose of in compliance with all federal, state and local laws and regulations.



SECTION VIII: SPECIAL PROTECTION INFORMATION

Respiratory Protection:	Not required with normal usage.
Ventilation:	Provide good general ventilation. Local exhaust ventilation may be necessary for some operations.
Protective Gloves(Specify Type):	Rubber or other impervious gloves are recommended.
Eye Protection(Specify Type):	Splash goggles are recommended.
Other Protective Equipment:	See 29 CFR 1910.132-138 for further guidance.

▼ SECTION IX: SPECIAL PRECAUTIONS

Precautions; Handling & Storing:	Store in a cool dry place out of direct sunlight. Keep container closed when not in use. Do not freeze or heat above 110 F. Do not mix with other chemicals.
Other Precautions:	Keep out of reach of children.

© SCC 06/08/2009 CONSUME LIQ Name: Effective Ronald T, Cook 06/08/2009 Title:

Manager, Regulatory Affairs

Supercedes: 09/22/2008

Date:

Ref: 29 CFR 1910.1200 (OSHA) Changes: General Update

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained herein. Actual conditions of use and handling are beyond sellers control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State and Local laws and regulations.