

Spartan Chemical Company, Inc. Material Safety Data Sheet

SECTION I: PRODUCT INFORMATION

Product Name or Number (as it appears on label):

CAUSTIC CLEANER FP

Product Number: 3189

Product Division: **Janitorial**

Spartan Chemical Company, Inc.

1110 Spartan Drive Maumee OH 43537 Product/Technical Information: 1-(800)-537-8990

Medical Emergency: 1-(888)-314-6171 (24 hours)

Chemical Leak/Spil Emergency: CHEMTREC 1-(800) 424-9300 (24 hours)

Shipping Description: Corrosive liquids, n.o.s., 8, UN 1760, II (contains sodium hydroxide)

NFPA Ratings:

Health: 3 - Serious
Fire: 0 - Minimal
Reactivity: 1- Slight

Pers. Prot. Equip.: See Section VIII

SECTION II: HAZARDOUS INGREDIENTS

(Listed when present at 1% or greater, carcinogens at 0.1% or greater) All component chemicals are listed or exempted from

listing on the "TSCA Inventory" of chemical substances maintained by the U.S. Environmental Protection Agency.

isang of the too the say			Table Z-1-A			
Chemical Name(s)	%Wt	CAS Registry No.	TWA mg/m³	STEL mg/m³	CEILING mg/m³	NTP, IARC or OSHA Carcinogen
Sodium hydroxide	30-40	1310-73-2	2	Not Established	Not Established Not Established	No No
Sodium silicate Sodium glucoheptonate	1-5 1-5	1344-09-8 31138-65-5	Not Established Not Established	Not Established Not Established	Not Established	No

SECTION III: PHYSICAL DATA

Boiling Point: 255 °F	Vapor Pressure: Unknown			
Vapor Density (AIR = 1): Unknown	Solubility in Water: Complete			
pH: ₁₄	Specific Gravity (H,O=1): 1.4 - 1.5			
Evaporation Rate (but.ace.=1): <1	Percent Solid by Weight: 40-45			
Physical State: Liquid				
Appearance & Odor: Dark brown liquid, pungent odor	 .			

SECTION IV: FIRE & EXPLOSIVE HAZARD DATA

Flash Point: > 255 °F	Method Used: ASTM-D56
Flammable Limits: N/A	Flame Extension: N/A
Extinguishing Media: Product does not support combustion	n. Use extinguishing media appropriate for surrounding fire.
Special Fire Fighting Procedures: Wear NIOSH approved self-containe containers with water spray.	
Unusual Fire & Explosive Hazards: Products of combustion are toxic. Cogas. Heat is generated when mixed	ontact with aluminum or other reactive metals may release hydrogen with water. This reaction may be violent.

Not Established		Primary Routes of Entry: Inhalation, Skin Contact, Eyes & Or			
CORROSIVE: Causes eye bur					
Causes skin bun	ns: Causes severe s	kin damage or irritation witt not cause immediate pain.			
Harmful or fatal	if swallowed: Cause	es damage or chemical built	1.		
Harmful if inhale	d: Breathing produc	t vapor of mist may cause if of and discharge with chest	pain and coughing.		
Hea with adams	te ventilation. Was	h thoroughly after handlin	ig		
Use of this produ	ct may aggravate pro	existing skin; eye and resp	ratory disorders including asthma and		
			had been Cab manding!		
Immediately flush eyes with water for at least 15 minutes. Remove contact lenses, Get medical					
Remove contaminated clothing and shoes. Flush skin with water for at least 15 minutes. Get medical					
Call a poison control center or doctor immediately for treatment advice. Do not induce vomiting. Drink one or two glasses of water to dilute product. Do not give anything by mouth to an unconscious person					
In case of respir	atory irritation: move	person to fresh air. Get me	edical attention.		
sor damaga may		•			
		Incompatible Mater	ials: Oxidizing agents; acids; chlorinate		
Stable		Micompatible Mater	solvents; reactive metals such as aluminum; zinc and tin.		
	Tarkan manavida	Hazardous Polymerizat			
Dike and contain	spill with inert mate	rial (sand , earth, etc.) and al Keep spill out of sewers	transfer the liquid and solid separately and open bodies of water.		
Dispose of in co	mpliance with all Fed	eral, state and local laws an	d regulations.		
		peral ventilation is provided.	However, if exposure limits (see Secti		
II) are exceeded or respiratory irritation occurs, use of a MUOSH approved respirator suitable for the					
Rubber or other impervious gloves are recommended to prevent skin contact.					
Splash peoples are recommended to prevent contact.					
Use of impervious apron, boots, face shield and other protective equipment should be considered in ord to prevent or minimize contact with this product. Eye wash stations and washing facilities should be readily accessible in areas where product is handled See 29 CFR 1910.132-138 for further guidance.					
NS					
Heat is generate	ed when mixed with	vater. Add product to wate	r to reduce the possibility of splattering		
Keep out of rea	ch of children.				
Name: Effective Date:	Ronald T. Cook	Title: Supercedes:	Manager, Regulatory Affairs 09/16/99		
	Causes eye burchemical burns. In Causes skin burns. In Cause of this product dermatitis. Immediately flus attention. Wash Call a poison conone or two glass. In case of respirate said damage may of the containers for Dispose of in containers for Dispose of in containers for Dispose of in containers are exceeded use-conditions a Provide good gerous a Provide good gerous a Provide good gerous or two glass. Use of impervious to prevent or mire readily accessible.	Causes eye burns: Causes severe schemical burns. Eye contact may cause Causes skin burns: Causes severe schemical burns. Harmful contact may Harmful or fatal if swallowed: Cause membranes with symptoms of pain, na Harmful if inhaled: Breathing product tract, with symptoms of nasal discomformatic product may aggravate product aggravate product may aggravate product aggravate product may aggrava	Causes eye burns: Causes severe eye transage or intratorichemical burns. Eye contact may cause blindness. Causes skin burns: Causes severe skin damage or irritation with chemical burns. Harmful contact may not cause immediate pain. Harmful or fatal if swallowed: Causes damage or chemical burns tharmful if inhaled: Breathing product vapor or mist may cause intract, with symptoms of nasal discomfort and discharge with chest Do not get in eyes, on skin or on clothing. Do not breathe product with adequate ventilation. Wash thoroughly after handling. Use of this product may aggravate preexisting skin; eye and respidermatitis. Immediately flush eyes with water for at least 15 minutes. Remo attention. Remove contaminated clothing and shoes. Flush skin with water attention. Wash contaminated clothing before reuse. Destroy concall a poison control center or doctor immediately for treatment a one or two glasses of water to dilute product. Do not give anything it is allowed and in the part of the sail damage may contraindicate the use of gastric lavage. Stable Incompatible Mater Carbon dioxide, Carbon monoxide Hazardous Polymerizat ON INFORMATION Not normally required when good general ventilation is provided. If) are exceeded or respiratory irritation occurs, use of a NIOSH use-conditions and chemicals in Section II should be considered. Provide good general ventilation. Local exhaust ventilation may Rubber or other impervious gloves are recommended to prevent Splash goggles are recommended to prevent contact. Use of impervious apron, boots, face shield and other protective to prevent or minimize contact with this product. Eye wash stati readily accessible in areas where product is handled. See 29 C		

to the accuracy of the information contained herein. Actual conditions of use and handling are beyond sellers control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State and Local laws and regulations.