

Spartan Chemical Company, Inc. Material Safety Data Sheet

SECTION I: PRODUCT INFORMATION

Product Name or Number (as it appears on label):

Product Division:

PEROXY II FBC ANTIBACTERIAL FOAMING BATH & SURFACE Janitorial

CLEANER

Product Number: 3535; 3536

Spartan Chemical Company, Inc.

1110 Spartan Drive Maumee OH 43537 Product/Technical Information: 1-(800)-537-8990

Medical Emergency: 1-(888)-314-6171 (24 hours)

Chemical Leak/Spill Emergency: CHEMTREC 1-(800) 424-9300 (24 hours)

Shipping Description: Non-Hazardous Products

NFPA Ratings:	HMIS Ratings:
Health: 1- Slight	Health: 1- Slight
Fire: 0 - Minimal	Fire: 0 - Minimal
Reactivity: 1- Slight	Reactivity: 1- Slight
	Pers. Prot. Equip.: See Section VIII

SECTION II: HAZARDOUS INGREDIENTS

(Listed when present at 1% or greater, carcinogens at 0.1% or greater) All component chemicals are listed or exempted from listing on the "TSCA Inventory" of chemical substances maintained by the U.S. Environmental Protection Agency.

Ī	·				Table Z-1-A		
	Chemical Name(s)	· %Wt	CAS Registry No.	TWA mg/m³	STEL mg/m³	CEILING mg/m³	NTP, IARC or OSHA Carcinogen
ı	Hydrogen peroxide	1-5	7722-84-1	1.4	Not Established	Not Established	No
	Citric acid	1-5	77-92- 9	Not Established	Not Established	Not Established	No

SECTION	H-	PHYSIC	'ΔI	ΠΔΤΔ
SEC HOR	ш.	FILLOW	ᄼᄾᄔ	אוא

Boiling Point 212 °F	Vapor Pressure: Undetermined
Vapor Density (AIR = 1): Unknown	Solubility in Water. Complete
pH: 2.5-3.0	Specific Gravity (H ₂ O=1): 1.02
Evaporation Rate (but.ace.=1): <1	Percent Solid by Weight 1-5
Physical State: Liquid	
Appearance & Odor: Clear liquid with citrus fragrance	

SECTION IV: FIRE & EXPLOSIVE HAZARD DATA

Flash Point: > 212°F	Method Used: ASTM-D56
Flammable Limits: Not Established	Flame Extension: N/A
Extinguishing Media: Product does not support combus	tion. Use extinguishing media appropriate for surrounding fire
Special Fire Fighting Procedures: Wear NIOSH approved self-contact containers with water spray.	nined breathing apparatus and protective clothing. Cool fire-exposed
Unusual Fire & Explosive Hazards: Combustion products are toxic. R	eleases oxygen when hurned

Threshold Limit Value:		Primary Routes of Entry: Inhalation, Skin Contact, Eyes &
Effects of Overexposure- Conditions to Avoid:	May cause skin irritation: Symptoms May be harmful if swallowed: Symp	nptoms include pain, redness, swelling and possible eye injury. may include pain, redness and swelling. toms may include nausea, vomiting, pain and diarrhea.
		ct mist may cause respiratory irritation. ning . Avoid breathing product vapor or mist. Do not swallo
		ater after handling. Remove and wash contaminated clothin
		tly repeated skin contact may cause allergic reactions in some
Conditions Aggravated by Use:	Use of this product may aggravate p dermatitis.	eexisting skin, eye and respiratory disorders including asthma ar
Emergency & First Aid Procedures :		
Eyes:	present after the first 5 minutes; then	gently with water for 15-20 minutes. Remove contact lenses; If continue rinsing eye. Call a poison control center or doctor for
Skin	treatment advice.	se skin immediately with plenty of water for 15-20 minutes. Call a
	poison control center or doctor for tre	eatment advice.
ingestion:	Do not induce vomiting unless advisor water to dilute product. Do not give a center or doctor for treatment advice	ed by physician or poison control center Drink one or two glasse anything by mouth to an unconscious person. Call a poison control.
Inhalation:		s not breathing; call 911 or an ambulance; then give artificial th if possible. Call a poison control center or doctor for further
Note to Physician: Contains hydroger	·····	tention of the esophagus and stomach
ECTION VI: REACTIVITY DATA		
·		l on an or an or an or
Stability:	Stable	Incompatible Materials: Metals; metal ions; organic mate hypochlorites and oxidizable materials
Hazardous Decomposition Products:	Oxygen, CO, CO2	Hazardous Polymerization: Will Not Occur
	75,,	Vill Not Occur
SECTION VII: SPILL OR LEAK PRO	CEDURES Small spills of one gallon or less may	be flushed with plenty of water to sanitary sewer system (If
SECTION VII: SPILL OR LEAK PRO Steps to be Taken in Case Material is Released or Spilled	CEDURES Small spills of one gallon or less may permitted by local sewer regulations to containers for disposal. Keep spill	be flushed with plenty of water to sanitary sewer system (If Dike and contain large spills with inert material and transfer liquout of storm sewers and waterways.
ECTION VII: SPILL OR LEAK PRO Steps to be Taken in Case Material is Released or Spilled	CEDURES Small spills of one gallon or less may permitted by local sewer regulations to containers for disposal. Keep spill	be flushed with plenty of water to sanitary sewer system (If . Dike and contain large spills with inert material and transfer liqu
SECTION VII: SPILL OR LEAK PRO Steps to be Taken in Case Material is Released or Spilled	CEDURES Small spills of one gallon or less may permitted by local sewer regulations to containers for disposal. Keep spill Dispose of in compliance with all fed	be flushed with plenty of water to sanitary sewer system (If Dike and contain large spills with inert material and transfer liquout of storm sewers and waterways.
Steps to be Taken in Case Material is Released or Spilled Waste Disposal Method:	CEDURES Small spills of one gallon or less may permitted by local sewer regulations to containers for disposal. Keep spill Dispose of in compliance with all fed ON INFORMATION	be flushed with plenty of water to sanitary sewer system (If Dike and contain large spills with inert material and transfer lique out of storm sewers and waterways. Beral, state and local laws and regulations.
Steps to be Taken in Case Material is Released or Spilled Waste Disposal Method:	CEDURES Small spills of one gallon or less may permitted by local sewer regulations to containers for disposal. Keep spill Dispose of in compliance with all fed ON INFORMATION Not normally required when good ge	be flushed with plenty of water to sanitary sewer system (If Dike and contain large spills with inert material and transfer liquout of storm sewers and waterways. eral state and local laws and regulations. neral ventilation is provided However, if exposure limits (see Secon occurs, use of a NIOSH approved respirator suitable for the
ECTION VII: SPILL OR LEAK PRO- Steps to be Taken in Case Material is Released or Spilled Waste Disposal Method: ECTION VIII: SPECIAL PROTECTI Respiratory Protection:	Small spills of one gallon or less may permitted by local sewer regulations) to containers for disposal. Keep spill Dispose of in compliance with all fed ON INFORMATION Not normally required when good ge II) are exceeded or respiratory irritations and chemicals in Sec	be flushed with plenty of water to sanitary sewer system (If Dike and contain large spills with inert material and transfer liquout of storm sewers and waterways. eral state and local laws and regulations. neral ventilation is provided However, if exposure limits (see Secon occurs, use of a NIOSH approved respirator suitable for the tion It should be considered
SECTION VII: SPILL OR LEAK PRO- Steps to be Taken in Case Material is Released or Spilled Waste Disposal Method: SECTION VIII: SPECIAL PROTECTI Respiratory Protection:	Small spills of one gallon or less may permitted by local sewer regulations) to containers for disposal. Keep spill Dispose of in compliance with all fed ON INFORMATION Not normally required when good ge II) are exceeded or respiratory irritationse-conditions and chemicals in Sec Provide good general ventilation. Lo	be flushed with plenty of water to sanitary sewer system (If Dike and contain large spills with inert material and transfer liquout of storm sewers and waterways. eral state and local laws and regulations. neral ventilation is provided However, if exposure limits (see Secon occurs, use of a NIOSH approved respirator suitable for the
SECTION VII: SPILL OR LEAK PRO- Steps to be Taken in Case Material is Released or Spilled Waste Disposal Method: SECTION VIII: SPECIAL PROTECTI Respiratory Protection:	Small spills of one gallon or less may permitted by local sewer regulations) to containers for disposal. Keep spill Dispose of in compliance with all fed ON INFORMATION Not normally required when good ge II) are exceeded or respiratory irritationse-conditions and chemicals in Section Provide good general ventilation. Lo Rubber or other impervious gloves a	be flushed with plenty of water to sanitary sewer system. (If Dike and contain large spills with inert material and transfer liquout of storm sewers and waterways. eral state and local laws and regulations. meral ventilation is provided. However, if exposure limits (see Section occurs, use of a NIOSH approved respirator suitable for the tion It should be considered. cal exhaust ventilation may be necessary for some operations, are recommended for repeated or prolonged contact.
ECTION VII: SPILL OR LEAK PRO Steps to be Taken in Case Material is Released or Spilled Waste Disposal Method: ECTION VIII: SPECIAL PROTECTI Respiratory Protection: Ventilation: Protective Gloves(Specify Type): Eye Protection(Specify Type):	Small spills of one gallon or less may permitted by local sewer regulations) to containers for disposal. Keep spill Dispose of in compliance with all fed ON INFORMATION Not normally required when good ge II) are exceeded or respiratory irritationse-conditions and chemicals in Section Provide good general ventilation. Lo Rubber or other impervious gloves a	be flushed with plenty of water to sanitary sewer system. (If Dike and contain large spills with inert material and transfer liquout of storm sewers and waterways. Beral state and local laws and regulations. The provided However, if exposure limits (see Section occurs, use of a NIOSH approved respirator suitable for the tion It should be considered call exhaust ventilation may be necessary for some operations, are recommended for repeated or prolonged contact to prevent eye contact.
Steps to be Taken in Case Material is Released or Spilled Waste Disposal Method: BECTION VIII: SPECIAL PROTECTI Respiratory Protection: Ventilation: Protective Gloves(Specify Type): Eye Protection(Specify Type):	Small spills of one gallon or less may permitted by local sewer regulations) to containers for disposal. Keep spill Dispose of in compliance with all fed ON INFORMATION Not normally required when good ge II) are exceeded or respiratory irritati use-conditions and chemicals in Sec Provide good general ventilation. Lo Rubber or other impervious gloves a Splash goggles are recommended to For further reference see 29 CFR 19	be flushed with plenty of water to sanitary sewer system. (If Dike and contain large spills with inert material and transfer liquout of storm sewers and waterways. Beral state and local laws and regulations. The provided However, if exposure limits (see Section occurs, use of a NIOSH approved respirator suitable for the tion It should be considered call exhaust ventilation may be necessary for some operations, are recommended for repeated or prolonged contact to prevent eye contact.
Steps to be Taken in Case Material is Released or Spilled Waste Disposal Method: Waste Disposal Method: BECTION VIII: SPECIAL PROTECTI Respiratory Protection: Ventilation: Protective Gloves(Specify Type): Eye Protection(Specify Type): Other Protective Equipment BECTION IX: SPECIAL PRECAUTION	Small spills of one gallon or less may permitted by local sewer regulations) to containers for disposal. Keep spill Dispose of in compliance with all fed ON INFORMATION Not normally required when good ge II) are exceeded or respiratory irritati use-conditions and chemicals in Sec Provide good general ventilation. Lo Rubber or other impervious gloves a Spiash goggles are recommended to For further reference see 29 CFR 19	be flushed with plenty of water to sanitary sewer system. (If Dike and contain large spills with inert material and transfer liquout of storm sewers and waterways. eral state and local laws and regulations. neral ventilation is provided. However, if exposure limits (see Secon occurs, use of a NIOSH approved respirator suitable for the tion It should be considered. cal exhaust ventilation may be necessary for some operations are recommended for repeated or prolonged contact. prevent eye contact. 10.132-138.
Steps to be Taken in Case Material is Released or Spilled Waste Disposal Method: Waste Disposal Method: ECTION VIII: SPECIAL PROTECTI Respiratory Protection: Ventilation: Protective Gloves(Specify Type): Eye Protection(Specify Type): Other Protective Equipment: SECTION IX: SPECIAL PRECAUTION Precautions; Handling & Storing:	Small spills of one gallon or less may permitted by local sewer regulations) to containers for disposal. Keep spill Dispose of in compliance with all fed ON INFORMATION Not normally required when good ge II) are exceeded or respiratory irritationse-conditions and chemicals in Section Provide good general ventilation. Lo Rubber or other impervious gloves a Spiash goggles are recommended to For further reference see 29 CFR 19	be flushed with plenty of water to sanitary sewer system. (If Dike and contain large spills with inert material and transfer liquout of storm sewers and waterways. eral state and local laws and regulations. neral ventilation is provided. However, if exposure limits (see Secon occurs, use of a NIOSH approved respirator suitable for the tion It should be considered. cal exhaust ventilation may be necessary for some operations are recommended for repeated or prolonged contact. prevent eye contact. 10.132-138.
Steps to be Taken in Case Material is Released or Spilled Waste Disposal Method: Waste Disposal Method: SECTION VIII: SPECIAL PROTECTI Respiratory Protection: Ventilation: Protective Gloves(Specify Type): Eye Protection(Specify Type): Other Protective Equipment: SECTION IX: SPECIAL PRECAUTION Precautions; Handling & Storing:	Small spills of one gallon or less may permitted by local sewer regulations) to containers for disposal. Keep spill Dispose of in compliance with all fed ON INFORMATION Not normally required when good ge II) are exceeded or respiratory irritati use-conditions and chemicals in Sec Provide good general ventilation. Lo Rubber or other impervious gloves a Splash goggles are recommended to For further reference see 29 CFR 19 INS Do not use with other chemicals. Mix chlorine (hypochlorite) bleach, may refere to the permitted of the children.	be flushed with plenty of water to sanitary sewer system. (If Dike and contain large spills with inert material and transfer liquout of storm sewers and waterways. Beral state and local laws and regulations. The recommended for the tion It should be considered. Cal exhaust ventilation may be necessary for some operations. The recommended for repeated or prolonged contact. The prevent eye contact. The recommended for repeated or prolonged contact or prevent eye contact. The recommended for repeated or prolonged contact or prevent eye contact. The recommended for repeated or prolonged contact or prevent eye contact. The recommended for repeated or prolonged contact or prevent eye contact. The recommended for repeated or prolonged contact or prevent eye contact. The recommended for repeated or prolonged contact or prevent eye contact. The recommended for repeated or prolonged contact or prevent eye contact.
ECTION VII: SPILL OR LEAK PRO- Steps to be Taken in Case Material is Released or Spilled Waste Disposal Method: Waste Disposal Method: ECTION VIII: SPECIAL PROTECTI Respiratory Protection: Ventilation: Protective Gioves(Specify Type): Eye Protection(Specify Type): Other Protective Equipment: ECTION IX: SPECIAL PRECAUTIO Precautions; Handling & Storing: Other Precautions: © SCC 10/06/2011 PEROXY II FBC ANTIBACTERIAL	Small spills of one gallon or less may permitted by local sewer regulations) to containers for disposal. Keep spill Dispose of in compliance with all fed ON INFORMATION Not normally required when good ge II) are exceeded or respiratory irritati use-conditions and chemicals in Sec Provide good general ventilation. Lo Rubber or other impervious gloves a Splash goggles are recommended to For further reference see 29 CFR 19 INS Do not use with other chemicals. Mix chlorine (hypochlorite) bleach, may reference of the permitted of the pout of reach of children	be flushed with plenty of water to sanitary sewer system. (If Dike and contain large spills with inert material and transfer liquout of storm sewers and waterways. The eral state and local laws and regulations. The eral ventilation is provided. However, if exposure limits (see Secon occurs, use of a NIOSH approved respirator suitable for the tion It should be considered. The eral ventilation may be necessary for some operations, are recommended for repeated or prolonged contact to prevent eye contact. The eral ventilation may be necessary for some operations, are recommended for repeated or prolonged contact to prevent eye contact. The eral ventilation may be necessary for some operations. The eral ventilation is provided. However, if exposure limits (see Second exposure limits (see Second exposure limits) and the eral ventilation is provided. The eral ventilation is provided. However, if exposure limits (see Second exposure limits) and the eral ventilation is provided. However, if exposure limits (see Second exposure limits) and the eral ventilation is provided. However, if exposure limits (see Second exposure limits) and exposure limits
Steps to be Taken in Case Material is Released or Spilled Waste Disposal Method: Waste Disposal Method: SECTION VIII: SPECIAL PROTECTI Respiratory Protection: Ventilation: Protective Gloves(Specify Type): Eye Protection(Specify Type): Other Protective Equipment: SECTION IX: SPECIAL PRECAUTIO Precautions; Handling & Storing:	Small spills of one gallon or less may permitted by local sewer regulations) to containers for disposal. Keep spill Dispose of in compliance with all fed ON INFORMATION Not normally required when good ge II) are exceeded or respiratory irritati use-conditions and chemicals in Sec Provide good general ventilation. Lo Rubber or other impervious gloves a Splash goggles are recommended to For further reference see 29 CFR 19 INS Do not use with other chemicals. Mix chlorine (hypochlorite) bleach, may rekeep out of reach of children	be flushed with plenty of water to sanitary sewer system. (If Dike and contain large spills with inert material and transfer liquout of storm sewers and waterways. Beral state and local laws and regulations. Title: Manager, Regulatory Affairs with inert material and transfer liquout of storm sewers and waterways. Beral state and local laws and regulations. Title: Manager, Regulatory Affairs

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained herein. Actual conditions of use and handling are beyond sellers control. User is responsible to evaluate all available information when using product for any particular use and to compty with all Federal State and Local laws and regulations.