

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Page 3 of 4

EXPOSURE LIMITS:

ISOPROPYL ALCOHOL = 200 PPM TWA, 400 PPM STEL (ACGIH), 400 PPM TWA (OSHA)

ENGINEERING CONTROLS: NONE REQUIRED. GENERAL ROOM VENTILATION IS ADEQUATE.**PERSONAL PROTECTION****EYES:** SAFETY GLASSES WITH SIDE SHIELDS.**HANDS:** CHEMICAL RESISTANT GLOVES: RUBBER OR NEOPRENE.**RESPIRATORY:** N.A.P.**FEET:** N.A.P.**BODY:** N.A.P.**9. PHYSICAL AND CHEMICAL PROPERTIES****COLOR:** OPAQUE CREAMY WHITE**ODOR :** FLORAL**pH CONCENTRATE:** 5.5**pH @ 2500 PPM SOLUTION:** N.A.P.**pH @ USE DILUTION:** N.A.P.**PHYSICAL STATE:** LIQUID**SPECIFIC GRAVITY:** 0.995**VISCOSITY:** VISCOUS**BOILING POINT:** N.A.P.**MELTING POINT:** N.A.P.**FLASH POINT:** N.A.P.**UEL:** N.A.P.**LEL:** N.A.P.**EVAPORATION RATE:** N.A.P.**ODOR THRESHOLD:** N.A.P.**VAPOR PRESSURE:** N.A.P.**VAPOR DENSITY:** N. AP.**COEFF. OIL/WATER:** N.A.P.**WATER SOLUBILITY:** COMPLETE**OTHER:** N.A.P.**10. STABILITY AND REACTIVITY****STABLE:** YES**CONDITIONS TO AVOID:** AVOID TEMPERATURES BELOW 35°F OR ABOVE 120°F.**MATERIALS TO AVOID:** AVOID MIXING DIRECTLY WITH ANY OTHER CLEANING PRODUCT. AVOID OXIDIZING AGENTS. MIX ONLY WITH WATER.**DECOMPOSITION PRODUCTS:** FIRE OR MIXING WITH INCOMPATIBLE MATERIALS MAY PRODUCE OXIDES OF CARBON AND OTHER TOXIC OR IRRITATING FUMES.**POSSIBILITY OF HAZARDOUS REACTIONS:** N.A.P.**11. TOXICOLOGICAL INFORMATION****ACUTE EFFECTS:** SEE SECTION 2.**CHRONIC EFFECTS:** NONE KNOWN. NO REPORTABLE CARCINOGENS, MUTAGENS, SENSITIZERS, SYNERGISTIC MATERIALS, TERATOGENS, OR REPRODUCTIVE TOXINS.**LC50/LD50:** N.A.V.**TARGET ORGANS:** EYES, SKIN, RESPIRATORY SYSTEM.**OTHER TOXIC EFFECTS:** NONE KNOWN.