4477084

MATERIAL SAFETY DATA SHEET

2000

Z. 8 383867 S



200

JonCrete Decorative Concrete Suipper				
HMIS	NFPA	Personal protective equipment		
Health 3	3			
Fire Hazard 0	0			
Reactivity 0	0			
Version Number: 1		Preparation date: 2007-03-16		

Version Number: 1

1: PRODUCT AND COMPANY IDENTIFICATION

Product name:

JonCrete Decorative Concrete Stripper

MSDS #: **Product Code:**

MS0100926 4477084

Recommended use:

Industrial/Institutional. Floor stripper. This product is intended to be diluted prior to use.

Manufacturer, importer, supplier:

US Headquarters Johnson Diversey, Inc.

8310 16th St. Sturtevant, Wisconsin 53177-0902

Phone: 1-888-352-2249 MSDS Internet Address: www.johnsondiversey.com Canadian Headquarters

JohnsonDiversey - Canada, Inc.

2401 Bristol Circle

Oakville, Ontario L6H 6P1 Phone: 1-800-668-3131

Emergency telephone number:

1-800-851-7145 (Prosar); 1-651-917-6133 (Int'l Prosar); 01-800-710-3400 (México)

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

DANGER, CORROSIVE TO EYES, CAUSES EYE BURNS, CAUSES SKIN IRRITATION, HARMFUL OR FATAL IF SWALLOWED

Principle routes of exposure:

Eye contact. Skin contact, inhalation.

Eye contact:

Corrosive. Causes permanent eye damage, including blindness.

Skin contact:

Severe skin irritation.

Inhalation:

May cause irritation and corrosive effects to nose, throat and respiratory tract.

Ingestion:

Corrosive. Causes burns to mouth, throat and stomach.

3. COMPOSITION/INFORMATION ON INGREDIENTS

HAZAR	DOUS	COMP	ONEN	TS

Ingredient(s)	CAS#	Weight %	LD50 Oral - Rat	LD50 Dermal - Rabbit	LC50 Inhalation - Rat
2-butoxyethanol	111-76-2	5 - 10%	=470 mg/kg	=220 mg/kg	=2.21 mg/L (4 h) =450 ppm (4 h)
Diethylene glycol phenyl ether	104-68-7	1 - 5%	=2140 mg/kg	=2120 μU/kg	Not available
Ethylene glycol phenyl ether	122-99-6	10 - 20%	=1260 mg/kg	=5 mL/kg	Not available
Benzyl alcohol	100-51-6	20 - 30%	=1230 mg/kg	=2000 mg/kg	=8.8 mg/L (4 h)

4. FIRST AID MEASURES

Eye contact:

Immediately flush eyes with running water for at least 15-20 minutes, keeping eyelids open. Get medical

attention immediately.

Skin contact: Inhalation:

Ingestion:

Flush immediately with plenty of water for at least 15 minutes. Get medical attention,

If breathing is affected, remove to fresh air. Get medical attention immediately

If swallowed, give a cupful of water or milk. THEN IMMEDIATELY CONTACT A PHYSICIAN OR POISON CENTER. DO NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person.

Individuals with chronic respiratory disorders such as asthma, chronic bronchitis, emphysema, etc., may be more susceptible to irritating effects.

Aggravated Medical Conditions:

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media:

Dry chemical, water spray, foam.

Specific hazards:

None known.

5. FIRE-FIGHTING MEASURES

Unusual hazards:

Corrosive material (See sections 8 and 10)

Specific methods:

No special methods required

Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

Extinguishing media which must not be used for safety reasons: No information available

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: **Environmental precautions** and clean-up methods:

Put on appropriate personal protective equipment (see Section 8.).

Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container. Use a

a de la composição de l

water rinse for final clean-up.

7. HANDLING AND STORAGE

Avoid contact with skin, eyes and clothing. Do not taste or swallow. Avoid breathing vapors or mists. Use only with adequate ventilation. Remove and wash contaminated clothing and footwear before re-use. Wash thoroughly after handling. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.

Protect from freezing. Keep tightly closed in a dry, cool and well-ventilated place. KEEP OUT OF REACH OF CHILDREN.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures to reduce exposure:

*3.0

Good general ventilation should be sufficient to control airborne levels. Respiratory protection is not required if good ventilation is maintained.

Personal Protective Equipment

Eye protection: Hand protection: Chemical-splash goggles. Chemical-resistant gloves

Skin and body protection: Respiratory protection:

If major exposure is possible, wear suitable protective clothing and footwear.

If aerosols, mists, vapors, or dust are not adequately controlled by ventilation, use appropriate respiratory

protection to avoid over-exposure . A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a

respirator's use.

Hygiene measures:

Handle in accordance with good industrial hygiene and safety practice

Ingredient(s)	CAS#	ACGIH	OSHA	Mexico
2-butoxyethanol	111-76-2	20 ppm (TWA)	Skin 50 ppm (TWA) 240 mg/m³ (TWA)	360 mg/m³ (STEL) 75 ppm (STEL) 26 ppm (TWA) 120 mg/m³ (TWA)

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:

Liquid

pH: Appearance: 11.0 Aqueous solution Clear Orange

Color: Odor:

Characteristic

Specific gravity: Density:

1.022 8.53 lbs/gal

VOC: Flash point: 10.5% * >200°F >93.3°C

Solubility:

Soluble

Viscosity:

No information available

W.

Bulk density:

Dilution pH: Vapor density: Evaporation Rate No information available. No information available No information available Not determined

Not determined

No information available

C/19/19/19/19

Boiling point/range: Melting point/range: Decomposition temperature: Autoignition temperature:

Not determined No information available

Solubility in other solvents:

Partition coefficient (n-octanol/water): No information available No information available

Elemental Phosphorus:

0.06% %P

* - Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

10. STABILITY AND REACTIVITY

Stability:

Polymerization:

The product is stable

Hazardous polymerization does not occur

Hazardous decomposition products:

Materials to avoid:

None reasonably foreseeable. Strong oxidising agents.

11. TOXICOLOGICAL INFORMATION.

11. TOXICOLOGICAL INFORMATION

Corrosive Oral LD50 estimated to be between 2000 - 3000 mg/kg Dermal LD50 estimated to be > 2000 Acute toxicity

mg/kg

Component Information:

See Section 3

Chronic toxicity:

None known

Specific effects

44 CAN

Carcinogenic effects: Mutagenic effects:

None known None known

Reproductive toxicity: Target organ effects:

None known None known

12. ECOLOGICAL INFORMATION

0.00

Environmental Information:

No data available

13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products:

Dispose of according to all federal, state and local applicable regulations

14 TRANSPORT INFORMATION W.C. A signage

(Section 1987)

DOT/TDG: Please refer to the Bill of Lading/receiving documents for up to date shipping information

X

15. REGULATORY INFORMATION

International Inventories

All components of this product are listed on the following inventories: U.S.A. (TSCA), Canada (DSL/NDSL).

U.S. Regulations

California Proposition 65: This product is not subject to the reporting requirements under California's Proposition 65

STATE RIGHT TO KNOW					
Ingredient(s)	CAS#	MARTK:	NJRTK:	PARTK:	RIRTK:
Water	7732-18-5	- '	<u> </u>		<u> </u>
2-butoxyethanol	111-76-2	X	X	X	X
Ethylene glycol phenyl ether	122-99-6	-		X	<u> </u>
Benzyl alcohol	100-51-6	X	-	X	-
Potassium laurate	10124-65-9	<u> </u>		<u> </u>	

CERCLA/ SARA Ingredient(s)	CAS#	Weight %	CERCLA/SARA RQ (lbs)	Section 302 TPQ (lbs)	Section 313
2-butoxyethanol	111-76-2	5 - 10%			X
Ethylene glycol phenyl ether	122-99-6	10 - 20%	<u> </u>		<u> </u>

SARA 311/312 Hazard Categories

Immediate:

Delayed: Fire:

Reactivity:

Sudden Release of Pressure:

<u>Canada</u>

WHMIS hazard class: D2B Toxic materials.

Ingredient(s)	CAS#	NPRI
2-butoxyethanol	111-76-2	X
Ethylene glycol phenyl ether	122-99-6	X
Benzyl alcohol	100-51-6	X

16, OTHER INFORMATION

Reason for revision:

Not applicable

16 OTHER INFORMATION

Prepared by: Additional advice: NAPRAC None

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.