4630



## MATERIAL SAFETY DATA SHEET

# **ohnson wax** Professional

EDEEDOM SC String

HIMES NF PA		Personal protective equipment						
Heelth 3	3	- 01/10						
Fire Hazard 0	0							
Reactivity 0	0							
Varging Alumbar 4								

rarsion Number, 1

Preparation date: 2008-01-16

1. PRODUCT AND COMPANY IDENTIFICATION

Product name:

FREEDOM SC Stripper

MSDS #: Product Code: MS0200102 04630, 3885931

Recommended use:

industrial/institutional. Floor stripper, This product is intended to be diluted prior to use.

Manufacturer, importer, supplier:

US Headquarters

Johnson Diversey, Inc. 8310 16th St.

Sturtevant, Wisconsin 53177-0902

Phone: 1-888-352-2249 MSDS Internet Address: www.johnsondiversey.com Canadian Headquarters

JohnsonDiversey - Canada, Inc. 2401 Bristol Circle

Oakville, Ontario L8H 6P1 Phone: 1-800-668-3131

Emergency telephone number:

1-800-851-7145 (Prosar); 1-651-917-6133 (Int'l Prosar); 01-800-710-3400 (México)

### 2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

DANGER, CORROSIVE, CAUSES SKIN AND EYE BURNS, HARMFUL OR FATAL IF SWALLOWED.

Principle routes of exposure:

Eye contact. Skin contact. Inhalation.

Eye contact: Skin contact: Intralation:

Ingustion:

Corrosive. Causes permanent eye damage, including blindness. Corrosive, Causes permanent damage.

May cause imitation and corrosive effects to nose, throat and respiratory tract.

Corrosive. Causes burns to mouth, throat and alormach.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous ingredients							
Ingredient(s)	CAS#	Weight %	LD50 Oral - Rat (mg/kg)	LD60 Dermal - Rabbit	LC50 Inhibition - Res		
Hexyloxyethanol	112-25-4	20 - 30%	739	Not available	Not available		
Monoethanotamine	141-43-5	30 - 40%	1720	1 mUkg	Not available		
Benzyl slochol	100-51-6	20 - 30%	1230	2000 mg/kg	8.8 mg/L (4 h)		

#### 4. FIRST AID MEASURES

Eve contact:

Immediately flush eyes with running water for 15-20 minutes, keeping eyelids open. Get medical attention

Skin contact: Inhalation: Ingestion:

immediately.
Immediately flush with plenty of water for 15-20 minutes. Get medical attention immediately. If breathing is affected, ramove to fresh air. Get medical attention immediately

If swallowed, rinse mouth, Give a cupful of water or milk . THEN IMMEDIATELY CONTACT A PHYSICIAN

OR POISON CENTER, DO NOT induce vomiting unless directed to do so by medical personnal. Never give anything by mouth to an unconscious person.

Individuals with chronic respiratory disorders such as asthma, chronic bronchitis, amphysema, etc., may be

more succeptible to initiating effects.

### 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media:

Aggravated Medical Conditions:

Specific hazarda: Unusual hazarda: The product is not flammable. Extinguish fire using agent suitable for surrounding fire.

Not applicable None known

Specific methods:

No special methods required

FREEDOM SC Stripper

1 of 4