

Spartan Chemical Company, Inc. **Material Safety Data Sheet**

SECTION I: PRODUCT INFORMATION

Product Name or Number (as it appears on label):

Product Division:

CLEAN ON THE GO SPARCLEAN SILVERWARE PRE- Janitorial

SOAK [21]

Product Number: 4850

1110 Spartan Drive

Maumee OH 43537

Spartan Chemical Company, Inc.

Product/Technical 1-(800)-537-8990 Information:

Medical Emergency:1-(888)-314-6171 (24 hours)

Chemical Leak/Spill CHEMTREC 1-(800) 424-9300 (24 hours)
Emergency:

Shipping Description: Non-Hazardous Produ	ucts
NFPA Ratings:	HMIS Ratings:
Health: 1- Slight	Health: 1- Slight
Fire: 0 - Minimal	Fire: 0 - Minimal
Reactivity: 0 - Minimal	Reactivity: 0 - Minimal
	Pers. Prot. Equip.: See Section VIII

SECTION II: HAZARDOUS INGREDIENTS

(Listed when present at 1% or greater, carcinogens at 0.1% or greater) All component chemicals are listed or exempted from listing on

the "TSCA Inventory" of chemical substances maintained by the U.S. Environmental Protection Agency.

he "ISCA Inventory" of chemica			Table Z- 1 - A		NTP, IARC	
Chemical Name(s)	% W	CAS Registry No.	TWA mg/m ³	STEL mg/m ³	CELING mg/m ³	or OSHA Carcinogen
Alcohol ethoxylate	1-5	68439-46-3	Not Established	Not Established	Not Established	No
Triethanolamine	1-5	102-71-6	5 (ACGIH)	Not Established	Not Established	No
Alcohol ethoxylate	1-5	34398-01-1	Not Established	Not Established	Not Established	No
Dicarboxylic fatty acid	1-5	53980-88-4	Not Established	Not Established	Not Established	No
Alpha-amylase	< 1.0	9000-90-2	Not Established	Not Established	Not Established	No
Protease	< 1.0	9014-01-1	Not Established	Not Established	0.00006 ACGIH	No
Mannanase	< 1.0	37288-54-3	Not Established	Not Established	Not Established	No

SECTION III: PHYSICAL DATA

SECTION III. THISICAL I		Vapor Pressure:	Not determined
Boiling Point:			
Vapor Density (AIR = 1):	Unknown	Solubility in Water:	
pH:	7.5-8.0	Specific Gravity (H ₂ O=1):	1.007
Evaporation Rate (but.ace.=1):	<1	Percent Solid by Weight:	5-10
Physical State:	Liquid		
Appearance & Odor	Green liquid, mild odor		

▼ SECTION IV: FIRE & EXPLOSIVE HAZARD DATA

Flash Point:	> 212°F	Method Used: ASTM-D56
Flammable Limits:	Not Established	Flame Extension: N/A
i – –	Product does not support combus fire.	tion. Use extinguishing media appropriate for surrounding
Special Fire Fighting Procedures:	Wear NIOSH approved self-conta exposed containers with water sp	nined breathing apparatus and protective clothing. Cool fire- ray.
Unusual Fire & Explosive Hazards:	Combustion products are toxic.	

SECTION V: HEALTH HAZARD DATA

Threshold Limit Value:	Not Established		Inhalation, Skin Contact, Eyes and Oral
Conditions to Avoid:	Causes eye irritation: Symptoms May cause skin irritation: Symp May be harmful if swallowed: S Inhalation of product mist may discomfort and coughing. Contains enzymes which may cashortness of breath, wheezing an Avoid contact with eyes, skin or Wash thoroughly after handling	ptoms may include pain, redne ymptoms may include nausea cause respiratory irritation: nuse allergic respiratory read coughing. clothing. Do not swallow. A g.	ss and swelling. , vomiting, pain and diarrhea. Symptoms may include nasal ctions with symptoms of void breathing product mist.
Conditions Aggravated by Use:	Use of this product may aggravate asthma and dermatitis.	e preexisting skin; eye and res	piratory disorders including

canal & First Aid Procedures:

Emergency & First Aid Procedures:			
II * I	Flush eyes with plenty of water for at least 15 minutes. Remove contact lenses. Get medical attention.		
Skin:	Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention if irritation persists. Wash contaminated clothing before reuse.		
Ingestion:	Do not induce vomiting. Drink one or two glasses of water to dilute product. Get medical attention. Do not give anything by mouth to an unconscious person.		
Inhalation:	Move person to fresh air. Get medical attention if irritation persists.		

▼ SECTION VI: REACTIVITY DATA

Stability: Stable	Incompatible Materials:	Strong oxidizing agents
Hazardous Decomposition CO, CO2 Products:	Hazardous Polymerization:	Will Not Occur

SECTION VII: SPILL OR LEAK PROCEDURES

Material is Released or Spilled:	Small spills of one gallon or less may be flushed with plenty of water to sanitary sewer system (If permitted by local sewer regulations). Dike and contain large spills with inert material and transfer liquid to containers for disposal. Keep spill out of storm sewers and waterways.
Waste Disposal Method:	Dispose of in compliance with all federal, state and local laws and regulations.

lacksquare SECTION VIII: SPECIAL PROTECTION INFORMATION

	Not required with expected use. However if respiratory irritation occurs, the use of a NIOSH approved respirator suitable for the use-conditions and chemicals in Section II should be considered.
	Provide good general ventilation. Local exhaust ventilation may be necessary for some operations.
Protective Gloves(Specify Type):	Rubber or other impervious gloves are recommended when handling product.
Eye Protection(Specify Type):	Splash goggles are recommended when handling product.
Other Protective Equipment:	See 29 CFR 1910.132-138 for further guidance.

SECTION IX: SPECIAL PRECAUTIONS

Pred	cautions; Handling & Storing: Wash thoroughly with soap and water after handling.
	Other Precautions: Keep out of reach of children.

© SCC 09/01/2009 CLEAN ON THE GO SPARCLEAN Name: Effective

Ronald T. Cook

Title:

Manager, Regulatory Affairs

SILVERWARE PRE-SOAK [21]

09/01/2009

Date:

Ref; 29 CFR 1910.1200 (OSHA) Changes:

New Product

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained herein. Actual conditions of use and handling are beyond sellers control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State and Local laws and regulations.