MATERIAL SAFETY DATA SHEET



J-Works Hurricane Force

HM	IIS	NFPA	Personal protective equipment
Health	3	3	- SS NIO -
Fire Hazard	0	0	
Reactivity	0	0	
Version Number: 2		 -	Preparation date: 2008-11-20

PRODUCT AND COMPANY IDENTIFICATION

Product name:

J-Works Hurricane Force

MSDS #:

SRC

MS0300063

Product Code:

5002128, 5002136, 5002187, 5002195, 5124635

Recommended use:

Cleaning product. This product is intended to be diluted prior to use.

Manufacturer, importer, supplier:

Manufactured for:

Canadian Headquarters

4510 Reading Road

JohnsonDiversey - Canada, Inc.

Cincinnati, OH 45229

2401 Bristol Circle

877-482-5604

Oakville, Ontario L6H 6P1 Phone: 1-800-668-3131

www.regencybrand.com

Emergency telephone number:

1-800-851-7145

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

DANGER, CORROSIVE, CAUSES SKIN AND EYE BURNS, HARMFUL OR FATAL IF SWALLOWED.

Principle routes of exposure:

Eye contact. Skin contact. Inhalation.

Eye contact:

Corrosive. Causes permanent eye damage, including blindness.

Skin contact:

Corrosive. Causes permanent damage.

Inhalation: Ingestion: May cause irritation and corrosive effects to nose, throat and respiratory tract.

Corrosive. Causes burns to mouth, throat and stomach.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous ingredients

Ingredient(s)	CAS#	Weight %	LD50 Oral - Rat (mg/kg)	LD50 Dermal - Rabbit	LC50 Inhalation - Rat
Sodium metasilicate	6834-92-0	1 - 5%	600	Not available	Not available
2-butoxyethanol	111-76-2	1 - 5%	470	220 mg/kg	2.21 mg/L (4 h); 450
					ppm (4 h)

4. FIRST AID MEASURES

Eye contact:

Immediately flush eyes with running water for at least 15-20 minutes, keeping eyelids open. Get medical

attention immediately.

Skin contact:

Flush immediately with plenty of water for at least 15-20 minutes. Get medical attention immediately,

If breathing is affected, remove to fresh air. Get medical attention immediately

Inhalation: Ingestion:

If swallowed, give a cupful of water or milk. THEN IMMEDIATELY CONTACT A PHYSICIAN OR POISON

CENTER. DO NOT induce vomiting unless directed to do so by medical personnel. Never give anything by

mouth to an unconscious person.

Aggravated Medical Conditions:

Individuals with chronic respiratory disorders such as asthma, chronic bronchitis, emphysema, etc., may be

more susceptible to irritating effects.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media:

The product is not flammable. Extinguish fire using agent suitable for surrounding fire. None known.

Specific hazards:

· William

Corrosive material (See sections 8 and 10).

Unusual hazards: Specific methods:

No special methods required

No special methods required

Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

J-Works Hurricane Force

1 of 3

5. FIRE-FIGHTING MEASURES

Extinguishing media which must not be used for safety reasons: No information available

6. ACCIDENTAL RELEASE MEASURES

Personal precautions:

Use personal protective equipment

Environmental precautions and clean-up methods:

Use appropriate containment to avoid environmental contamination. Soak up with inert absorbent material.

Shovel into suitable container for disposal.

7. HANDLING AND STORAGE

Handling:

Avoid contact with skin, eyes and clothing. Do not taste or swallow. Avoid breathing vapors or mists. Use only with adequate ventilation. Remove and wash contaminated clothing and footwear before re-use. Wash thoroughly after handling. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. FOR COMMERCIAL AND INDUSTRIAL USE ONLY. Storage:

Protect from freezing. Keep tightly closed in a dry, cool and well-ventilated place. KEEP OUT OF REACH OF CHILDREN.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures to reduce exposure:

Good general ventilation should be sufficient to control airborne levels. Respiratory protection is not required if good ventilation is maintained.

Personal Protective Equipment

Eye protection: Chemical-splash goggles. Hand protection:

Chemical-resistant gloves Skin and body protection:

Protective footwear. If major exposure is possible, wear suitable protective clothing and footwear. Respiratory protection: In case of insufficient ventilation wear suitable respiratory equipment. A respiratory protection program that

meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace

conditions warrant a respirator's use. Hygiene measures:

Handle in accordance with good industrial hygiene and safety practice

Ingredient(s)	CAS#	ACGIH	OSHA	Mexico
2-butoxyethanol	111-76-2	20 ppm (TWA)	Skin 240 mg/m³ (TWA) 50 ppm (TWA)	75 ppm (STEL) 360 mg/m³ (STEL) 26 ppm (TWA) 120 mg/m³ (TWA)

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:

Liquid

pH: Appearance: Color:

12.04 Liquid Red Solvent

Odor: Specific gravity: Density:

1.072 8.93 lbs/gal 3.8% *

Flash point: Solubility: Viscosity:

VOC:

>200°F >93.3°C Completely Soluble No information available

Vapor density:

Evaporation Rate Boiling point/range:

Bulk density:

Dilution pH:

Melting point/range:

Decomposition temperature:

Autolgnition temperature:

Partition coefficient (n-octanol/water): No information available Solubility in other solvents: No information available 0 %P

Elemental Phosphorus:

10. STABILITY AND REACTIVITY

Stability:

The product is stable

Polymerization:

Hazardous polymerization does not occur

Hazardous decomposition products:

None reasonably foreseeable. Do not freeze.

Conditions to avoid:

11. TOXICOLOGICAL INFORMATION

Acute toxicity: Component Information: Oral LD50 estimated to be greater than 5000 mg/kg. Dermal LD50 estimated to be > 2000 mg/kg.

See Section 3

Chronic toxicity:

None known

Specific effects

J-Works Hurricane Force

2 of 3

"X". Z.Z.Z.

No information available

No information available

No information available

No information available

Not determined

Not determined

Not determined

11.72

^{* -} Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

11 TOXIGOLOGICAL INFORMATION

Carcinogenic effects:

Mutagenic effects:

None known None known

Reproductive toxicity: Target organ effects: None known None known

12. ECOLOGICAL INFORMATION

Environmental Information:

No data available

13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products:

Dispose of according to all federal, state and local applicable regulations

14. TRANSPORT INFORMATION

DOT/TDG: Please refer to the Bill of Lading/receiving documents for up to date shipping information

15. REGULATORY INFORMATION

International Inventories

All components of this product are listed on the following inventories: U.S.A. (TSCA).

х

U.S. Regulations

California Proposition 65: This product is not subject to the reporting requirements under California's Proposition 65

STATE RIGHT TO KNOW

Ingredient(s)	CAS#	MARTK:	NJRTK:	PARTK:	RIRTK:
Sodium metasilicate	6834-92-0	-	-		-
Water	7732-18-5	_		-	-
Sodium xylene sulfonate	1300-72-7	-	-	-	-
2-butoxyethanol	111-76-2	X	Χ	X	X
Alcohol ethoxylates	68439-46-3			-	-

CERCLA/ SARA

2-butoxyethanoi 111-76	<u>-2</u> 1 - 5%		X

SARA 311/312 Hazard Categories

Immediate: Delayed:

Fire: - Reactivity: -

Sudden Release of Pressure:

Canada

WHMIS hazard class: E Corrosive material.



16. OTHER INFORMATION

Reason for revision:

Not applicable NAPRAC None

Prepared by: Additional advice:

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.