MATERIAL SAFETY DATA SHEET

7055 LINDELL RD. LAS VEGAS, NV 89118 BRADY INDUSTRIES, INC.





NFPA 704 DESIGNATION

PRODUCT NAME: LABEL COLOR:

SILVER PRE-SOAK

Tableware Presoal

CHEMICAL FAMILY:

REACTIVITY -02

SECTION I-HAZARDOUS INGREDIENTS OF MIXTURES

ACGIHATLY OSHA/PEL % By W(CHEMICAL NAME Sodium Metasilicate 6834-92-0 6~12% n/a 0/2

SECTION II-PHYSICAL DATA

Boiling Point:

Specific Gravity: % Volatiles by Volume: Vapor Density (Air=1): X X X Evaporation Rate: Solubility in Water (% by Wt.): Complete Vapor Pressure: pH of Concentrate:

Appearance and Odor: White powder with no odor.

SECTION III-FIRE AND EXPLOSION DATA

Flash Point:

X

Flammable Limits: Hazardous Polymerization: Lower Explosive Limits: X Will Not Occur N/A

N/A

Special Firefighting Procedures: Use self-contained breathing apparatus. When heated to Extinguishing Media: Water spray, carbon dioxide, foam, or dry chemical Upper Explosive Limits: Š

Unusual Fire and Explosion Hazards: May combine with various metals (at decomposition) to form decomposition it will give off hazardous gases of chlorine and chorine by-products. further flammable mixtures.

Conditions to Avoid: Being a slightly alkaline product, do not store with or near acidic products.

Revised: 12/14/2009

SECTION IV-HEALTH HAZARD DATA 5360. 185/4X8

THRESHOLD LIMIT VALUE:

(Refer to Section II)

EFFECTS OF OVEREXPOSURE:

EMERGENCY AND FIRST AID PROCEDURE: distress if breathing concentrated vapors. May cause skin or eye initation. May cause respiratory

in very acute cases: TARGET ORGANS: Skin, eyes, mucous membranes. provide oxygen if sovere distress continues. Seek modical attention. Pulmonary edema may develop VOMITING. Contact a physician or poison control center. INHALATION: Remove to fresh air and water or milk. Do not force an unconscious person to drink anything by mouth. DO NOT INDUCE open. Seek medical attention if irritation persists. INGESTION; Have victim drink several glasses of launder before reuse. EYES: Flush eyes with copious amounts of water, making sure eye lids are kept SKIN: Wash affected area thoroughly with soap and water. Remove any contaminated clothing and

SECTION V-REACTIVITY DATA

CONDITIONS CONTRIBUTING TO INSTABILITY: Acids, heat, sunlight, or contact with iron or

HAZARDOUS DECOMPOSITION: Chlorine gas and hydrogen chloride. INCOMPATABILITY: Avoid acids or strong oxidizers when using or storing this product.

SECTION VI-SPILL OR LEAK PROCEDURES

with sand ahead of spill. Collect in plastic containers only. sand or a non-reactive absorbent. Collect in plastic containers only. Larger spills should be diked STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Dike small spills with

regulations. Do not release the concentrated or diluted product directly into stonn drains, or undedicated surface or groundwater supplies. WASTE DISPOSAL METHOD: Dispose with in accordance with all federal, state, and local

SECTION VII-PROTECTIVE EQUIPMENT

VENTILATION: Forced air, local exhaust, or open air is adequate.

high levels encountered in the air, wear self contained breathing apparatus. gloves and eye protection when handling, moving or using this product. In case of confined spaces or PERSONAL PROTECTIVE EQUIPMENT: As with all chemicals, wear at least chemical resistant WORK/HYGENIC PRACTICES: No unusual precautions are necessary.

SECTION VIII-REGULATORY INFORMATION

See Section I. Reportable Quantities: 2,000 lbs (as is product)

SECTION IX-STORAGE AND HANDLING

authorities, by burning. If burned, stay out of smoke. away from heat or open tlame. Triple rinse container. Then offer for recycling or reconditioning, or container when not in use. Do not drop, roll, or skid drum. Store in a cool, dry, well ventilated area puncture and dispose of in a sanitary landfill, or incinerate, or, if allowed by state and local Do not contaminate water, food, or feed by storage or disposal. Keep product in tightly closed

only. Keep away from children and animals, SECTION X-GENERAL PRECAUTIONS

DO NOT REUSE CONTAINER. Wash thoroughly after handling. For industrial or commercial use