

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Page 3 of 4

EXPOSURE LIMITS: DIPROPYLENE GLYCOL METHYL ETHER = 100 PPM TWA-SKIN (ACGIH/OSHA),
150 PPM STEL-SKIN (ACGIH)
ENGINEERING CONTROLS: NONE REQUIRED. GENERAL ROOM VENTILATION IS ADEQUATE.

PERSONAL PROTECTION

EYES: SAFETY GLASSES WITH SIDE SHIELDS RECOMMENDED IF SPRAYING.
HANDS: FOR PROLONGED OR REPEATED CONTACT WITH SKIN: RUBBER GLOVES.
RESPIRATORY: N.A.P.
FEET: N.A.P.
BODY: N.A.P.

9. PHYSICAL AND CHEMICAL PROPERTIES

COLOR: ORANGE	FLASH POINT: N.A.P.
ODOR : SOLVENT	UEL: N.A.V.
pH CONCENTRATE: 7.5	LEL: N.A.V.
pH @ 2500 PPM SOLUTION: N.A.P.	EVAPORATION RATE: N.A.P.
pH @ USE DILUTION: N.A.P.	ODOR THRESHOLD: N.A.P.
PHYSICAL STATE: LIQUID	VAPOR PRESSURE: N.A.P.
SPECIFIC GRAVITY: 1.000	VAPOR DENSITY: N. AP.
VISCOSITY: NON-VISCOUS	COEFF. OIL/WATER: N.A.P.
BOILING POINT: N.A.P.	WATER SOLUBILITY: COMPLETE
MELTING POINT: N.A.P.	OTHER: N.A.P.

10. STABILITY AND REACTIVITY**STABLE:** YES**CONDITIONS TO AVOID:** AVOID TEMPERATURES BELOW 35°F OR ABOVE 120°F.**MATERIALS TO AVOID:** AVOID MIXING DIRECTLY WITH ANY OTHER CLEANING PRODUCT. AVOID OXIDIZING AGENTS. MIX ONLY WITH WATER.**DECOMPOSITION PRODUCTS:** FIRE OR MIXING WITH INCOMPATIBLE MATERIALS MAY PRODUCE OXIDES OF CARBON AND OTHER TOXIC OR IRRITATING FUMES.**POSSIBILITY OF HAZARDOUS REACTIONS:** N.A.P.**11. TOXICOLOGICAL INFORMATION****ACUTE EFFECTS:** SEE SECTION 2.**CHRONIC EFFECTS:** NONE KNOWN. NO REPORTABLE CARCINOGENS, MUTAGENS, SENSITIZERS, SYNERGISTIC MATERIALS, TERATOGENS, OR REPRODUCTIVE TOXINS.
LC50/LD50: N.A.V.**TARGET ORGANS:** EYES, SKIN, RESPIRATORY SYSTEM.**OTHER TOXIC EFFECTS:** NONE KNOWN.