

## Spartan Chemical Company, Inc. **Material Safety Data Sheet**

581505 1A

SECTION I: PRODUCT INFORMATION

Product Name or Number (as it appears on label):

CONCRETE PREP Product Number: 5815

Product Division: **Janitorial** 

Spartan Chemical Company, Inc.

1110 Spartan Drive Maumee OH 43537 Product/Technical Information: 1-(800)-537-8990

Medical Emergency: 1-(888)-314-6171 (24 hours)

Chemical Leak/Spil Emergency: CHEMTREC 1-(800) 424-9300 (24 hours)

Shipping Description: Corrosive liquids, n.o.s., 8, UN 1760, III, (contains hydrochloric (muriatic) acid)

**HMIS Ratings:** Health: 3 - Serious; Chronic Hazard Health: 3 - Serious Fire: 0 - Minimal Fire: 0 - Minimal Reactivity: 0 - Minimal Reactivity: 0 - Minimal Pers. Prot. Equip.: See Section VIII

## SECTION II: HAZARDOUS INGREDIENTS

(Listed when present at 1% or greater, carcinogens at 0.1% or greater) All component chemicals are listed or exempted from

listing on the 'TSCA Inventory" of chemical substances maintained by the U.S. Environmental Protection Agency.

isting of the 100 carrents, y		1	Table Z-1-A			
Chemical Name(s)	%Wt	CAS Registry No.	TWA mg/m³	STEL mg/m³	CEILING mg/m <sup>3</sup>	NTP, IARC or OSHA Carcinogen
*Hydrochloric acid	5-10	7647-01-0	Not Established	Not Established	7	No

Comment: \*This substance is subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 (SARA) and of 40 CFR 372.

## SECTION III: PHYSICAL DATA

Boiling Point: 210-212 °F	Vapor Pressure: Undetermined			
Vapor Density (AIR = 1): Unknown	Solubility in Water: Complete			
pH: < 1	Specific Gravity (H <sub>i</sub> O=1): 1.07			
Evaporation Rate (but.ace.=1): <1	Percent Solid by Weight: < 1			
Physical State: Liquid				
Appearance & Odor: Colorless liquid, slight acid odor.				

## SECTION IV: FIRE & EXPLOSIVE HAZARD DATA

Flash Point: > 212°F	Method Used: ASTM-D56
Flammable Limits: Not Established	Flame Extension: N/A
Extinguishing Media: Product does not support combustion	Use extinguishing media appropriate for surrounding fire.
containers with water spray.	d breathing apparatus and protective clothing. Cool fire-exposed
Unusual Fire & Explosive Hazards: Combustion products are toxic. Acid	action on most metals may release hydrogen, an explosive gas.

ECTION V: HEALTH HAZARD DATA Threshold Limit Value:	Not Established		Primary	Routes of Er	try: Inhalation, Skin Contact, Eyes & Oral			
Effects of Overexposure- Conditions to Avoid:								
	mist. Wash tho	oughly with soa	p and water a	fter handlir	<u>1g.</u>			
Conditions Aggravated by Use:	Use of this product dermatitis.	t may aggravate p	reexisting skin;	eye and resp 	piratory disorders including asthma and			
	Flush eyes with water for at least 15 minutes. Remove contact lenses. Get medical attention immediately.							
Skin:	Remove contaminated clothing. Rinse skin immediately with plenty of water for at least 15 minutes.  Get medical attention. Wash contaminated clothing before reuse.							
Ingestion:	Get immediate medical attention. Do not induce vomiting. Rinse mouth with water. Drink one or two glasses of water to dilute product. Do not give anything by mouth to an unconscious person.							
Inhalation:	Move person to fr							
NOTE TO PHYSICIAN: Probable muco								
CTION VI: REACTIVITY DATA  Stability:	Ctable		Incom	patible Mater	rials: Strong alkalis; hypochlorites (bleach			
Stability	Statile	<u> </u>		<u> </u>	ammonia; cyanides.			
Hazardous Decomposition Products:	HCL, CO, CO,		Hazardou	is Polymeriza	tion: Will Not Occur			
Steps to be Taken in Case Material is Released or Spilled:	Dike and contain spill with inert material (sand, earth, commercial absorbent, etc.) and transfer to containers for disposal. Rinse area with water and flush to sanitary sewer. Keep spill out of storm sewers and waterways. Note: 100 lbs. of anhydrous soda ash (Sodium carbonate) will neutralize 55 gallons of Concrete Prep.							
Waste Disposal Method:	Dispose of in compliance with all federal, state and local laws and regulations.							
ECTION VIII: SPECIAL PROTECTI								
Respiratory Protection:	Not normally required when good general ventilation is provided. However, if exposure limits (see Section II) are exceeded or respiratory irritation occurs, use of a NIOSH approved respirator suitable for the use-conditions and chemicals in Section II should be considered.							
Ventilation:	Provide good general ventilation. Local exhaust ventilation may be necessary for some operations.							
	Rubber or neoprene gloves are recommended.							
Eve Protection(Specify Type):	: Splash goggles are recommended to prevent eye contact.							
Other Protective Equipment:	Acid resistant aprons and boots are recommended where body or foot contact is likely. Eye wash station and washing facilities should be readily accessible. See 29 CFR 1910.132-138.							
ECTION IX: SPECIAL PRECAUTIO	NS							
Precautions; Handling & Storing:	product with other	i personnel only. K r chemicals, particu c gases, fire or exp	ularly those con	ing. Do not d taining chlori	use with other chemicals. Mixtures of this ne bleach or ammonia may result in the			
Other Precautions					· · <u>    · ·                            </u>			
	ACOP OUL OF FEBRU	. D. Gimeron						
© SCC 06/30/2005	Name:	Ronald T. Cook	7	ītle:	Manager, Regulatory Affairs			

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained herein. Actual conditions of use and handling are beyond sellers control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State and Local laws and regulations.

Update Section IX

Ref: 29 CFR 1910.1200 (OSHA)

Changes: