

Spartan Chemical Company, Inc. **Material Safety Data Sheet**

SECTION I: PRODUCT INFORMATION

Product Name or Number (as it appears on label): AQUASPORT WOOD FLOOR CLEANER

Product Number: 5837

Product Division: Janitorial

Spartan Chemical Company, Inc.

1110 Spartan Drive Maumee OH 43537 Product/Technical Information: 1-(800)-537-8990

Medical Emergency: 1-(888)-314-6171 (24 hours)

Chemical Leak/Spil Emergency: CHEMTREC 1-(800) 424-9300 (24 hours)

Shipping Description: Flammable liquids, n.o.s., 3, UN 1993, III, (contains isopropanol)

NFPA Ratings:	HMIS Ratings:
Health: 2 - Moderate Fire: 3 - Serious Reactivity: 0 - Minimal	Health: 2 - Moderate Fire: 3 - Serious Reactivity: 0 - Minimal Pers. Prot. Equip.: See Section VIII

SECTION II: HAZARDOUS INGREDIENTS

(Listed when present at 1% or greater, carcinogens at 0.1% or greater) All component chemicals are listed or exempted from

listing on the "TSCA Inventory" of chemical substances maintained by the U.S. Environmental Protection Agency.

liading on the There are the training or			Table Z-1-A			
Chemical Name(s)	%Wt	CAS Registry No.	TWA mg/m³	STEL mg/m³	CEILING mg/m³	NTP, IARC or OSHA Carcinogen
Isopropyl alcohol Propylene glycol monomethyl ether	15-20 5-10	67-63-0 107-98-2	980 369 (ACGIH)	1225 553 (ACGIH)	Not Established Not Established	No No

SECTION III: PHYSICAL DATA

Vapor Pressure: Unknown		
Solubility in Water: Complete		
Specific Gravity (H,O=1): 0.96 (8.06 pounds per gallon)		
Percent Solid by Weight: < 1.0%		

SECTION IV: FIRE & EXPLOSIVE HAZARD DATA

Flash Point:		Method Used: ASTM-D56			
Flammable Limits:	Not Established	Flame Extension: N/A			
Extinguishing Media:	Alcohol resistant foam, CO2, Dry Chemical, Water Fog, Water Spray.				
Special Fire Fighting Procedures:	Use water spray for cooling.				
Unusual Fire & Explosive Hazards:	Flammable liquid and vapor. Vapor ventilation and be ignited by heat.	s may travel along ground and settle in low areas or be moved by sparks, pilot lights or other flames and ignition sources. Extinguish all so fignition prior to use and until all vapors are dissipated.			

SECTION V: HEALTH HAZARD DATA Threshold Limit Value: Not Established Primary Routes of Entry: Inhalation, Skin Contact, Eyes, Ingestion Effects of Overexposure- Causes eye and skin irritation: Symptoms may include pain, redness, swelling and tearing Conditions to Avoid: Harmful if swallowed: Symptoms may include nausea, vomiting, pain and diarrhea. Inhalation of product vapors or mist may cause respiratory irritation: Symptoms may include coughing and difficulty breathing. Do not get in eyes, on skin, or on clothing. Avoid breathing product vapor or mist. Do not swallow. Use with adequate ventilation. Wash thoroughly after handling. Conditions Aggravated by Use: Use of this product may aggravate preexisting skin; eye and respiratory disorders including asthma and **Emergency & First Aid Procedures:** Eyes: Flush eyes with plenty of water for at least 15 minutes. Remove contact lenses. Get medical attention. Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention if irritation persists. Wash contaminated clothing before reuse. Ingestion: Do not induce vomiting. Drink one or two glasses of water to dilute product. Get immediate medical attention. Do not give anything by mouth to an unconscious person. Inhalation: Move person to fresh air. If irritation persists; get medical attention. SECTION VI: REACTIVITY DATA Stability: Stable Incompatible Materials: Strong oxidizing substances. Hazardous Decomposition Products: Unknown Hazardous Polymerization: Will Not Occur SECTION VII: SPILL OR LEAK PROCEDURES Steps to be Taken in Case Material is Released or Spilled: Eliminate sources of ignition. Small spills can be flushed with large amounts of water to a sanitary sewer. Contain large spills with sand, earth or other inert absorbent. Do not use combustible materials such as sawdust. If warranted by large spill, warn and evacuate occupants. In addition, it is recommended that local authorities be contacted to determine if there are other local reporting requirements. Waste Disposal Method: Consult an expert on disposal of recovered material and ensure conformity with Federal, State and Local regulations. SECTION VIII: SPECIAL PROTECTION INFORMATION Respiratory Protection: Not normally required when good general ventilation is provided. However if exposure limits are exceeded (see Section II) or if respiratory irritation occurs, the use of a NIOSH approved respirator suitable for the use-conditions and chemicals listed in Section II should be considered. Ventilation: Provide good general ventilation. Local exhaust ventilation may be necessary for some operations. Protective Gloves(Specify Type): Rubber or other impervious gloves Eve Protection(Specify Type): Splash goggles Other Protective Equipment: See 29 CFR 1910.132-138 for further guidance. SECTION IX: SPECIAL PRECAUTIONS Precautions; Handling & Storing: Flammable liquid and vapor. Flash point 97° F. Keep away from heat, sparks and flame. Do not smoke while using this product. Store in a cool, dry place. Keep container closed. Empty containers retain product residue and explosive vapors. Do not cut, weld or expose such containers to heat, flames, sparks or other sources of ignition. Other Precautions: Keep out of reach of children. Name: © SCC 06/30/2005 Title: Ronald T. Cook Manager, Regulatory Affairs Effective Date: 06/30/2005 Supercedes: 11/15/2004 AQUASPORT WOOD FLOOR CLEANER Ref: 29 CFR 1910.1200 (OSHA) Changes: Update Section IX

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained herein. Actual conditions of use and handling are beyond sellers control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State and Local laws and regulations.