



Spartan Chemical Company, Inc. **Material Safety Data Sheet**

SECTION I: PRODUCT INFORMATION

Product Name or Number (as it appears on label):

CLOTHESLINE FRESH BLD [2]

Product Number: 7002

Spartan Chemical Company, Inc.

1110 Spartan Drive Maumee OH 43537

Product Division: Janitorial

Product/Technical Information: 1-(800)-537-8990

Medical Emergency:1-(888)-314-6171 (24 hours)

Chemical Leak/Spill CHEMTREC 1-(800) 424-9300 (24 hours)
Emergency:

s., 8, UN1760, II (contains sodium hydroxide)
HMIS Ratings:
Health: 3 - Serious
Fire: 0 - Minimal
Reactivity: 0 - Minimal
Pers. Prot. Equip.: See Section VIII

SECTION II: HAZARDOUS INGREDIENTS

(Listed when present at 1% or greater, carcinogens at 0.1% or greater) All component chemicals are listed or exempted from listing on the "TSCA Inventory" of chemical substances maintained by the U.S. Environmental Protection Agency.

				Table Z- 1 - A		NTP, IARC
Chemical Name(s)	% W	CAS Registry No.	TWA mg/m ³	STEL mg/m ³	CELING mg/m ³	or OSHA Carcinogen
Alcohol ethoxylate	5-10	68131-39-5	Not Established	Not Established	Not Established	No
Sodium cumene sulfonate	1-5	28348-53-0	Not Established	Not Established	Not Established	No
Acrylic copolymer	1-5	Proprietary	Not Established	Not Established	Not Established	No
Sodium hydroxide	1-5	1310-73-2	2	Not Established	Not Established	No
Triethanolamine	1-5	102-71-6	5 (ACGIH)	Not Established	Not Established	No
Alkyl polyglycoside	1-5	68515-73-1	Not Established	Not Established	Not Established	No
Sodium petroleum sulfonate	1-5	68608-26-4	Not Established	Not Established	Not Established	No
Sodium iminodisuccinate	1-5	144538-83-0	Not Established	Not Established	Not Established	No

▼SECTION III: PHYSICAL DATA

Boiling Point:	212 °F	Vapor Pressure:	Unknown
Vapor Density (AIR = 1):	Unknown	Solubility in Water:	Complete
pH:	13.5-14.0	Specific Gravity (H ₂ O=1):	!
Evaporation Rate (but.ace.=1):		Percent Solid by Weight:	25-35
Physical State:	Liquid		
Appearance & Odo	r: Red liquid, pleasant odor		

▼SECTION IV: FIRE & EXPLOSIVE HAZARD DATA

Flash Point:	> 212°F	Method Used:	ASTM-D56
Flammable Limits:	N/A	Flame Extension:	N/A
	Product does not support combustion. Usurrounding fire.	Jse extinguishing m	nedia appropriate for
Special Fire Fighting Procedures:	Wear NIOSH approved self-contained breathing apparatus and protective clothing. Cool fire-exposed containers with water spray.		
Unusual Fire & Explosive Hazards:	Combustion products are toxic.		

SECTION V: HEALTH HAZARD DATA

Threshold Limit Value:	Not Established		Inhalation, Skin Contact, Eyes & Oral
	CORROSIVE: CAUSES EYE AND SKIN B redness, swelling of the con HARMFUL CONTACT MA HARMFUL IF SWALLOW membranes with symptoms INHALATION OF PRODUCT IRRITATION: Symptoms man DO NOT GET IN EYES, ON PRODUCT MIST. DO NOT HANDLING.	njunctiva and tissue destroy NOT CAUSE IMMEDIED: Causes damage to e of pain, nausea, vomiting CT MIST MAY CAUSE Ray include nasal discomfort I SKIN OR CLOTHING.	uction. IATE PAIN. sophagus and mucous g and diarrhea. ESPIRATORY and coughing. AVOID BREATHING
Conditions Aggravated by Use:	Use of this product may aggraincluding asthma and dermatit		nd respiratory disorders

Emergency & First Aid Procedures:

Emergency & First Alu Frocedo	
	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses. Get medical attention.
	Immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention. Wash contaminated clothing before reuse. Destroy contaminated shoes.
_	Call a poison control center or doctor immediately for treatment advice. Do not induce vomiting. Drink one or two glasses of water to dilute product. Do not give anything by mouth to an unconscious person.
Inhalation:	Move person to fresh air. Get medical attention if irritation persists.

SECTION VI: REACTIVITY DATA

Stability: Stable	Incompatible Materials: Strong acids; oxidizing agents and reactive metals such as aluminum.
Hazardous Decomposition Carbon dioxide, monoxide Products:	Hazardous Will Not Occur Polymerization:

▼SECTION VII: SPILL OR LEAK PROCEDURES

Material is Released or Spilled:	Contain large spills and transfer the material to appropriate containers for reclamation or disposal. Absorb remaining material or small spills with an inert material and dispose of in accordance with federal, state and local regulations. Keep spill out of storm sewers and waterways.
Waste Disposal Method:	Dispose of in compliance with all federal, state and local laws and regulations.

SECTION VIII: SPECIAL PROTECTION INFORMATION

Respiratory Protection:	Not required with normal use.
	Provide good general ventilation. Local exhaust ventilation may be necessary for some operations.
Protective Gloves(Specify Type):	Rubber or other impervious gloves are recommended when handling product.
Eye Protection(Specify Type):	Splash goggles are recommended when handling product.
Other Protective Equipment:	Eye wash stations and washing facilities should be readily accessible in areas where product is handled See 29 CFR 1910.132-138 for further guidance.

▼ SECTION IX: SPECIAL PRECAUTIONS

Precautions; Handling &	Keep container tightly closed. Store in a cool, dry area. Do not freeze. Do not store above
Storing:	120°F. Do not mix with other chemicals.
Other Precautions:	Keep out of reach of children.

© SCC 10/23/2007

Name:

Ronald T. Cook

Title:

Manager, Regulatory Affairs

CLOTHESLINE FRESH BLD [2]

Effective

10/23/2007

Date:

Ref: 29 CFR 1910.1200 (OSHA) Changes:

New Product

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained herein. Actual conditions of use and handling are beyond sellers control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State and Local laws and regulations.