

750591

1



technical concepts
Innovation by Design

MATERIAL SAFETY DATA SHEET

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: TC Instant Hand Sanitizer
Product Code: HSAN-07-STCB06
Manufactured By: TC Bentfield International
Address: Amperestraat 12, 2181 HB
Hillegom, the Netherlands
Distributed by: Technical Concepts, LLC.
Address: 1301 Allanson Road
Mundelein, Illinois 60060
Phone Number: 847- 837-4100
Emergency Contact: 1-800-535-5053 (Infotrac)

2. COMPOSITION / INFORMATION ON INGREDIENTS

| COMPONENTS | CAS# | OSHA-PEL | ACGIH | %BY WT |
|------------|---------|------------|-------------|--------|
| Alcohol | 64-17-5 | 400ppm TWA | 200ppm, TWA | 50-75% |

3. HAZARDS IDENTIFICATION

Potential Health Effects:

Route of Entry:

Eye, skin, inhalation, ingestion.

Health Hazards:

If excessively used this product can cause some irritation and dryness, if ingested it can cause nausea, vomiting or diarrhea.

4. FIRST AID MEASURES

Eye:

In case of eye contact, rinse immediately with copious amount of water, if symptoms persist, call a physician.

Skin:

With normal use, according to instructions, no specific effects or symptoms known. In the event if contact as a result of a disaster, remove contaminated clothing, wash skin with water; wash clothes before reusing. Consult a physician in the event of prolonged irritation.

Ingestion:

If ingested do not induce vomiting, rinse mouth, and call a physician immediately.

Inhalation:

This form of application makes inhalation virtually impossible, but if it does occur: administer fresh air, should symptoms develop, contact a doctor.

5. FIRE FIGHTING MEASURES

Specific hazards:

Flammable

Fire fighting further advice:

Keep away from heat, sparks or open flames. Avoid all sources of ignition.

Suitable Extinguishing Media:

Water, alcohol resistant foam, and high- pressure inert gas, e.g. carbon dioxide jet.

Protection for the fire services: if necessary use adequate breathing equipment.

6. ACCIDENTAL RELEASE MEASURES

Step should be taken in case material is released or spilled: Remove all sources of flame, sparks and heat. Absorb spilled material with a non-flammable absorbent such as vermiculite.