



Spartan Chemical Company, Inc.

Material Safety Data Sheet

SECTION I: PRODUCT INFORMATION

Product Name or Number (as it appears on label):
SPARCLEAN CHLORINATED DETERGENT [51]
Product Number: 7651

Product Division:
Janitorial

Spartan Chemical Company, Inc.
1110 Spartan Drive
Maumee OH 43537

Product/Technical Information: 1-(800)-537-8990
Medical Emergency: 1-(888)-314-6171 (24 hours)
Chemical Leak/Spill Emergency: CHEMTREC 1-(800) 424-9300 (24 hours)

Shipping Description: Corrosive liquids, n.o.s., 8, UN1760, II (contains sodium hydroxide, sodium hypochlorite)

NFPA Ratings:	HMIS Ratings:
Health: 3 - Serious Fire: 0 - Minimal Reactivity: 1- Slight	Health: 3 - Serious Fire: 0 - Minimal Reactivity: 1- Slight Pers. Prot. Equip.: See Section VIII

SECTION II: HAZARDOUS INGREDIENTS

(Listed when present at 1% or greater, carcinogens at 0.1% or greater) All component chemicals are listed or exempted from listing on the "TSCA Inventory" of chemical substances maintained by the U.S. Environmental Protection Agency.

Chemical Name(s)	%Wt	CAS Registry No.	Table Z-1-A			NTP, IARC or OSHA Carcinogen
			TWA mg/m ³	STEL mg/m ³	CEILING mg/m ³	
Sodium hydroxide	20-25	1310-73-2	2	Not Established	Not Established	No
Detergent polymer	1-5	68479-09-4	Not Established	Not Established	Not Established	No
Sodium hypochlorite	1-5	7681-52-9	Not Established	Not Established	Not Established	No

SECTION III: PHYSICAL DATA

Boiling Point: 212 °F	Vapor Pressure: Unknown
Vapor Density (AIR = 1): Unknown	Solubility in Water: Complete
pH: 13.5-14.0	Specific Gravity (H ₂ O=1): 1.332
Evaporation Rate (but.ace.=1): <1	Percent Solid by Weight: 30-40
Physical State: Liquid	
Appearance & Odor: Clear yellow liquid, chlorine odor	

SECTION IV: FIRE & EXPLOSIVE HAZARD DATA

Flash Point: > 212°F	Method Used: ASTM-D56
Flammable Limits: N/A	Flame Extension: N/A
Extinguishing Media:	Product does not support combustion. Use extinguishing media appropriate for surrounding fire.
Special Fire Fighting Procedures:	Wear NIOSH approved self-contained breathing apparatus and protective clothing. Cool fire-exposed containers with water spray.
Unusual Fire & Explosive Hazards:	Combustion products are toxic. Decomposition products may include chlorine. Contact with aluminum or other reactive metals may release hydrogen gas. Heat is generated when mixed with water. This reaction may be violent.

SECTION V: HEALTH HAZARD DATA

Threshold Limit Value:	Not Established	Primary Routes of Entry:	Inhalation, Skin Contact, Eyes & Oral
Effects of Overexposure- Conditions to Avoid:	CORROSIVE: Causes eye burns: Causes severe eye damage or irritation with symptoms of pain, redness and chemical burns. Eye contact may cause blindness. Causes skin burns: Causes severe skin damage or irritation with symptoms of pain, redness and chemical burns. Harmful contact may not cause immediate pain. Harmful or fatal if swallowed: Causes damage or chemical burns to esophagus and mucous membranes with symptoms of pain, nausea, vomiting and diarrhea. Harmful if inhaled: Breathing product vapor or mist may cause irritation or damage of the respiratory tract, with symptoms of nasal discomfort and coughing. This product contains sodium hypochlorite (bleach). Do not use or mix with other cleaning products , acids, ammonia, or other chemicals . To do so may release hazardous gases . Do not get in eyes, on skin or on clothing. Do not breathe product vapors or mist. Do not swallow. Use with adequate ventilation. Wash thoroughly after handling.		
Conditions Aggravated by Use:	Use of this product may aggravate preexisting skin; eye and respiratory disorders including asthma and dermatitis.		

Emergency & First Aid Procedures :

Eyes:	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses. Get medical attention.
Skin:	Remove contaminated clothing and shoes. Flush skin with water for at least 15 minutes. Get medical attention. Wash contaminated clothing before reuse. Destroy contaminated shoes.
Ingestion:	Call a poison control center or doctor immediately for treatment advice. Do not induce vomiting. Drink one or two glasses of water to dilute product. Do not give anything by mouth to an unconscious person.
Inhalation:	Move person to fresh air. Get medical attention if irritation persists.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

SECTION VI: REACTIVITY DATA

Stability:	Stable	Incompatible Materials:	Acids; ammonia; iron; copper and other oxidizable materials
Hazardous Decomposition Products:	Carbon dioxide, monoxide	Hazardous Polymerization:	Will Not Occur

SECTION VII: SPILL OR LEAK PROCEDURES

Steps to be Taken in Case Material is Released or Spilled:	Contain large spills and transfer the material to appropriate containers for reclamation or disposal. Absorb remaining material or small spills with an inert material and dispose of in accordance with federal, state and local regulations. Keep spill out of storm sewers and waterways.
Waste Disposal Method:	Dispose of in compliance with all federal, state and local laws and regulations.

SECTION VIII: SPECIAL PROTECTION INFORMATION

Respiratory Protection:	Not required with intended use. If exposure limits are exceeded (see Section II) or if respiratory irritation occurs, the use of a NIOSH approved respirator suitable for the use-conditions and chemicals listed in Section II should be considered. (Acid-gas cartridge with N95 particulate prefilter recommended)
Ventilation:	Provide good general ventilation. Local exhaust ventilation may be necessary for some operations.
Protective Gloves(Specify Type):	Rubber or other impervious gloves are recommended when handling product.
Eye Protection(Specify Type):	Splash goggles are recommended when handling product.
Other Protective Equipment:	Eye wash stations and washing facilities should be readily accessible in areas where product is handled.. See 29 CFR 1910.132-138 for further guidance.

SECTION IX: SPECIAL PRECAUTIONS

Precautions; Handling & Storing:	Keep container tightly closed. Store in a cool, dry area. Do not freeze. Do not store above 120°F. Do not mix with other chemicals.
Other Precautions:	Heat is generated when mixed with water. Add product to water to reduce the possibility of splattering. Keep out of reach of children

© SCC 06/08/2012
SPARCLEAR CHLORINATED
DETERGENT [51]

Name: Ronald T. Cook
Effective Date: 06/08/2012

Title: Manager, Regulatory Affairs
Supersedes: 09/01/2009

Ref: 29 CFR 1910.1200 (OSHA) Changes: General Review

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained herein. Actual conditions of use and handling are beyond sellers control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State and Local laws and regulations.