



Spartan Chemical Company, Inc.

Material Safety Data Sheet

765204
765205

SECTION I: PRODUCT INFORMATION

Product Name or Number (as it appears on label):

SPARCLEAN HIGH TEMPERATURE RINSE AID [52]

Product Number: 7652

Product Division:

Janitorial

Spartan Chemical Company, Inc.

1110 Spartan Drive

Maumee OH 43537

Product/Technical
Information: 1-(800)-537-8990

Medical Emergency: 1-(888)-314-6171 (24 hours)

Chemical Leak/Spill
Emergency: CHEMTREC 1-(800) 424-9300 (24 hours)

Shipping Description: Non-Hazardous Products	
NFPA Ratings:	HMIS Ratings:
Health: 2 - Moderate	Health: 2 - Moderate
Fire: 0 - Minimal	Fire: 0 - Minimal
Reactivity: 0 - Minimal	Reactivity: 0 - Minimal
	Pers. Prot. Equip.: See Section VIII

SECTION II: HAZARDOUS INGREDIENTS

(Listed when present at 1% or greater, carcinogens at 0.1% or greater) All component chemicals are listed or exempted from listing on the "TSCA Inventory" of chemical substances maintained by the U.S. Environmental Protection Agency.

Chemical Name(s)	% W	CAS Registry No.	Table Z- 1 - A			NTP, IARC or OSHA Carcinogen
			TWA mg/m ³	STEL mg/m ³	CEILING mg/m ³	
Polyethylene glycol propoxylated	15-20	9003-11-6	Not Established	Not Established	Not Established	No
Lactic acid	1-5	79-33-4	Not Established	Not Established	Not Established	No
Sodium xylene sulfonate	1-5	1300-72-7	Not Established	Not Established	Not Established	No

SECTION III: PHYSICAL DATA

Boiling Point:	200-210 °F	Vapor Pressure:	Unknown
Vapor Density (AIR = 1):	Unknown	Solubility in Water:	Complete
pH:	1.0-2.0	Specific Gravity (H ₂ O=1):	1.033 @ 75 F
Evaporation Rate (but. ace.=1):	<1	Percent Solid by Weight:	20-25
Physical State:	Liquid		
Appearance & Odor:	Clear blue liquid, mild odor		

▼ SECTION IV: FIRE & EXPLOSIVE HAZARD DATA

Flash Point:	>210 °F	Method Used:	ASTM-D56
Flammable Limits:	Not Established	Flame Extension:	N/A
Extinguishing Media:	Product does not support combustion. Use extinguishing media appropriate for surrounding fire.		
Special Fire Fighting Procedures:	Wear NIOSH approved self-contained breathing apparatus and protective clothing. Cool fire-exposed containers with water spray.		
Unusual Fire & Explosive Hazards:	Combustion products are toxic.		

▼ SECTION V: HEALTH HAZARD DATA

Threshold Limit Value:	Not established	Primary Routes of Entry:	Inhalation, Skin Contact, Eyes; Oral
Effects of Overexposure-Conditions to Avoid:	<p>Causes moderate eye irritation: Symptoms may include pain, redness, swelling and tearing</p> <p>Causes severe skin irritation: Symptoms may include pain, redness and swelling.</p> <p>May be harmful if swallowed: Symptoms may include nausea, vomiting, pain and diarrhea.</p> <p>Breathing product mist may cause respiratory irritation: Symptoms may include nasal discomfort and coughing.</p> <p>Do not get in eyes, skin or on clothing. Do not swallow. Avoid breathing product mist. Wash thoroughly after handling.</p>		
Conditions Aggravated by Use:	Use of this product may aggravate preexisting skin; eye and respiratory disorders including asthma and dermatitis.		

Emergency & First Aid Procedures:

Eyes:	Flush eyes with water for at least 15 minutes. Remove contact lenses. Get medical attention.
Skin:	Remove contaminated clothing. Flush skin with plenty of water for at least 15 minutes. Get medical attention if irritation persists.
Ingestion:	Do not induce vomiting. Drink one or two glasses of water to dilute product. Get medical attention. Do not give anything by mouth to an unconscious person.
Inhalation:	Move person to fresh air. Get medical attention if irritation persists.

▼ SECTION VI: REACTIVITY DATA

Stability:	Stable	Incompatible Materials:	Strong alkalis; hypochlorites (chlorine bleach); aluminum and other reactive metals.
Hazardous Decomposition Products:	Carbon monoxide, Carbon dioxide	Hazardous Polymerization:	Will Not Occur

▼ SECTION VII: SPILL OR LEAK PROCEDURES

Steps to be Taken in Case Material is Released or Spilled:	Small spills of one gallon or less may be flushed with plenty of water to sanitary sewer system (If permitted by local sewer regulations). Dike and contain large spills with inert material and transfer liquid to containers for disposal. Keep spill out of storm sewers and waterways.
Waste Disposal Method:	Dispose of in compliance with all federal, state and local laws and regulations.

▼ SECTION VIII: SPECIAL PROTECTION INFORMATION

Respiratory Protection:	Not required with expected use. However if respiratory irritation occurs, the use of a NIOSH approved respirator suitable for the use-conditions and chemicals in Section II should be considered.
Ventilation:	Provide good general ventilation. Local exhaust ventilation may be necessary for some operations.
Protective Gloves(Specify Type):	Rubber or other impervious gloves are recommended when handling product.
Eye Protection(Specify Type):	Splash goggles are recommended when handling product.
Other Protective Equipment:	For further guidance see 29 CFR 1910.132-138.

▼ SECTION IX: SPECIAL PRECAUTIONS

Precautions; Handling & Storing:	Keep out of reach of children.
Other Precautions:	Do not mix with other chemicals.

© SCC 09/01/2009

SPARCLEAN HIGH TEMPERATURE
RINSE AID [52]

Name: Ronald T. Cook

Title: Manager, Regulatory Affairs

Effective 09/01/2009

Date:

Ref: 29 CFR 1910.1200 (OSHA) Changes: New Product

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained herein. Actual conditions of use and handling are beyond sellers control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State and Local laws and regulations.