

885158

1



## MATERIAL SAFETY DATA SHEETS

### SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

**PRODUCT NAME:** 3000 Series Fragrance Canisters; No. 5138 SeBreeze® Spring Garden Aerosol and No. 5139 Citrus Breeze Fragrance Aerosol

**MANUFACTURED BY:** Rubbermaid Commercial Product, LLC

**Address:** 3124 Valley Avenue  
Winchester, VA 22601

**Telephone:** (540) 667-8700

**24 hour Emergency Contact**  
1-800-535-5053(InfoTrac)

### SECTION 2 - COMPOSITION / INFORMATION ON INGREDIENTS

*Hazardous Components greater than 1.0% (0.1% if carcinogen or suspected carcinogen): NONE*

COMPONENTS	CAS#	OSHA-PEL	ACGIH-TLV	LC <sub>50</sub>	LD <sub>50</sub>	%BY WT
Ethanol	64-17-5	1000 ppm	1000 ppm TWA	31623 ppm 4h, rat	7060 mg/Kg oral, rat	2-7
Propane	74-98-6	1000 ppm	2500 ppm TWA	280000 ppm 4h, rat	NA	10-30
Fragrance	Mixture	5 mg/m <sup>3</sup> (mist)	5 mg/m <sup>3</sup> (mist)	NA	NA	8-12
Butane	106-97-8	N/A	1900 mg/m <sup>3</sup> TWA	658 mg/m <sup>3</sup> 4h, rat	NA	10-30
Diethylene glycol - Monothyl ether	111-90-0	N/A	25 ppm TWA	NA	5500 mg/Kg oral, rat	1-5
Hexylene Glycol	107-41-9	N/A	25 ppm ceiling	NA	3700 mg/Kg oral, rat	7-12
Isopropanol	67-63-0	400 ppm TWA	400 ppm TWA	16971 ppm 4h, rat	4710 mg/Kg oral, rat	7-13
Dipropylene Glycol	25265-71-6	NA	NA	NA	14800 mg/Kg. oral, rat	10-20

### SECTION 3 - HAZARDS IDENTIFICATION

#### Potential Health Effects:

**Route of Entry:** Eye: Y Skin: Y Inhalation: Y Ingestion: Y

**Health Hazards:** May cause eye and skin irritation; as well as respiratory irritation.  
May cause stomach distress,

**Signs/systems of  
Over exposure:** Eye and skin irritant, respiratory irritant.

**Medical Conditions:** This product can be absorbed through the skin; excessive inhalation may cause respiratory tract irritation, and affects the central nervous system.

### SECTION 4 - FIRST AID MEASURES

**Eyes:** Flush with cool water. Remove contact lenses, if applicable, and continue flushing. Obtain medical attention if irritation persists.

**Skin:** Flush with cool water. Wash with soap and water. Obtain medical attention if irritation persists.

**Inhalation:** Remove from exposure, if breathing is difficult or labored, contact medical attention.

**Ingestion:** If swallowed, dilute with two 8 ounces glasses of water. Contact medical attention.

### SECTION 5 - FIRE FIGHTING MEASURES

**Extinguishing Media:** Dry chemical, foam, CO<sub>2</sub>

**Fire Fighting Procedures:** self-contained air supply suggested

**Unusual Fire and Explosion Hazards:** Contents under pressure. Container may explode with heat. Cool containers with spray and remove source of ignition if safe.

## MATERIAL SAFETY DATA SHEETS

---

### SECTION 6 - ACCIDENTAL RELEASE MEASURES

---

Before attempting clean up refer to hazard data given above. Remove sources of ignition. Although chance of a significant spill or leak is unlikely in aerosol containers, in the event of such an occurrence, absorb spilled material with non-flammable absorbent such as sand or vermiculite.

---

### SECTION 7 - HANDLING AND STORAGE

---

Keep out of reach of children. Store in a closed container away from incompatible materials. Avoid heat, open flame, and other sources of ignition in the use and storage of this product. Do not store at temperature above 49°C.

---

### SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

---

**Gloves:** Not required, if used under normal conditions

**Eye protection:** Not required, if used under normal conditions

**Respiratory Tract:** Not required

**Ventilation:** Local: Not required

**Other protective equipment:** None required

**Protective Work/Hygiene Practices:** Wash hands after handling product

---

### SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

---

Specific Gravity: 0.67@20°C

Solubility: Negligible

Appearance/Odor: Clear colorless: fragrant.

---

### SECTION 10 - STABILITY AND REACTIVITY

---

Conditions to Avoid: Open Flames and very hot surfaces.

Incompatible materials: Caustics, acids

Hazardous Decomposition Products: May include and are not limited to oxides of carbon when heated to decomposition.

---

### SECTION 11 - TOXICOLOGY INFORMATION

---

This product contains no chemicals that are listed on the NTP, IARC, or OSHA carcinogen list. Any further information on the toxicology of the material can be obtained by contacting the manufacturer.

---

### SECTION 12 - ECOLOGICAL INFORMATION

---

Please contact the manufacturer for questions concerning the ecological effects of this product

---

### SECTION 13- DISPOSAL CONSIDERATIONS

---

Do not reuse empty container. Discard empty container in the trash.

## MATERIAL SAFETY DATA SHEETS

### SECTION 14 - TRANSPORTATION INFORMATION

Shipping Name	Status	Hazard Class or Division	identification number
Domestic US Transportation			
DOT	Consumer commodity	ORM-D	
IATA(AIR)	Aerosols, Flammable	2.1	UN1950 (limited quantity)
IMDG (VESSEL)	Aerosols	2	UN1950 (limited quantity)

### SECTION 15- REGULATORY INFORMATION

**SARA TITLE III SECTION 311-312 Hexylene Glycol: Acute health, Fire,**  
**SARA Title III -313 Hazardous chemical lists** – glycol ethers, Isopropanol,  
**TOXIC Substances Control Act (TSCA)-** All ingredients are listed on the Chemical Substance inventory exempt.  
**California Proposition 65-** Contains Ethanol.

**NFPA HAZARDS RATINGS: FLAMMABILITY: 3 HEALTH: 2 REACTIVITY: 1**

This product is not considered flammable as defined by section 173.306 of title 49 CFR, and based on the flame projection test results

**US REGULATIONS: STATE RIGHT TO KNOW: Hexylene Glycol, PNP Glycol Ethers**

Pennsylvania  
 New Jersey  
 Illinois  
 Massachusetts  
 Rhode Island

#### **CANADIAN REGULATIONS**

**WHMIS: FLAMMABILITY: 3 HEALTH: 2 REACTIVITY: 1**

ClassD- Division 2B, Class-B3- Division 5: Flammable Liquid Class A- Compressed Gas

This product should be described as: Mixture

Physical Hazards: Fire: N Pressure: Y Reactivity: Y

Health Hazards: Immediate

### SECTION 16- OTHER INFORMATION

Revision: 08/16/2005, # MB3-TC22-805

N/A = Not Applicable

N.E.= not established

Disclaimer:

This information is provided in good faith, but no warranty, expressed or implied is made.

The manufacturer believes that it is accurate to the best of its knowledge, and relates only to specific material designated herein.