9015-1120



Buckeye International, Inc.

2700 Wagner Place Maryland Heights, MO 63043 314/291-1900

N. F. P. A.

4 = Extreme

3 = High

2 = Moderate

1 = Slight

0 = Insignificant

		_
~	HEALTH	0
F -	LAMMABILITY	0
K.	INSTABILITY	0

Material Safety Data Sheet

24 Hour Medical Emergency Telephone Number: 1-800-303-0441. Outside North America call: 651-632-8956.
24 Hour Transportation Emergency Telephone Number: 1-800-535-5053. Outside North America call: 352-323-3500.

SECTION I - IDENT	TFICATION					
PRODUCT NAME					DATE PREPARED	
NON ALCOHOL FOAMING HAND SANITIZER					June 2, 2009	
HEMICAL FAMILY					CODE	
Hand Sanitizer					9015	
ROPER D.O.T.						
••••	Foilet Preparati	ions				
O.T. HAZARD				-		
LASSIFICATION]	None					
ECTION II - INGR	EDIENTS AN	D IDENTITY I	NFORMAT	ION		
By WGT	MATERIAL	· · · · · · · · · · · · · · · · · · ·	PEL	T.L.V.	C.A.S. NO.	
0.24 Benzalkonium C			NE			
>90.0 Distilled Water			NE	NE	7732-18-5	
	ner Additives < 19	/ ₆	NE	NE	Blend	 -
0.70					· · ·	
	<u> </u>					
			!			
-						
			<u> </u>			
]		<u> </u>	
			<u>]</u>			
ITEMS MARKED * ARE SA	RA TITLE III SEC	313 REPORTABLES.	ALL INGREDI	ENTS ARE ON T	ISCA INVENTORY	<u>. </u>
SECTION III - PHY	SICAL DATA					
OILING POINT °F		212° F	pH (CONC.)		7.8 ± 0.5	
OLUBILITY IN WATER		Miscible	pH (USE DILUTION) RTU		7.8 ± 0.5	
VOLATILE BY WEIGHT		>95.0	EVAPORATION RATE (WATER = 1) 1.0			
PECIFIC GRAVITY		1.00	PRODUCT FORM Liquid			
PPEARANCE AND ODOR	Clear so	lution, Fruity floral i	ragrance			
SECTION IV - FIRE	E AND EXPL	OSION DATA				
LASH POINT (Test Method)			FLAMMABI			
EXTINGUISHING MEDIA		NA	UPPER LIMIT	NA	LOWER LIMIT:	<u>NA</u>
PECIAL FIRE FIGHTING PR	OCEDURES	No	one		 	
					<u> </u>	
INUSUAL FIRE AND EXPLO	SION HAZARDS	Pr	oducts of comb	ustion		
		O:	cides of carbon			
SECTION V - REA	CTIVITY DA	TA				
TABILITY	Stable					
CONDITIONS TO AVOID	None known.					
NCOMPATIBILITY		mix with chlorine ble	each.			
HAZARDOUS DECOMPOSIT	TON PRODUCTS		None known.			

NON ALCOHOL FOAMING HAND SANITIZER CODE: 9015 SECTION VI - HEALTH HAZARD DATA INGESTION? NO SKIN? YES INHALATION? NO ROUTE(S) OF ENTRY: HEALTH HAZARDS (Acute and Chronic) May cause eye irritation. OSHA REGULATED? No IARC MONOGRAPHS? NTP? No CARCINOGENICITY: SIGNS AND SYMPTOMS OF OVEREXPOSURE Eyes: Redness or burning sensation. MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE None known. EMERGENCY AND FIRST AID PROCEDURES For Eyes: Flush with cool water for 15 minutes. If irritation occurs and persists, see physician. For Ingestion: Give two large glasses of water. DO NOT induce vomiting. Call physician. Never give anything by mouth to an unconscious person. SECTION VII - SPILL OR LEAK PROCEDURES SPILL RESPONSE Will cause slippery surfaces. Pick up with mop, wet/dry vac or absorbent material. Rinse area with clear water and allow floor to dry before allowing traffic. WASTE DISPOSAL Flush to sanitary sewer or send to sanitary landfill, following local, state and federal laws. METHOD SECTION VIII - SPECIAL PROTECTION INFORMATION VENTILATION EYE PROTECTION Normal room ventilation. None required. RESPIRATORY SKIN None required. PROTECTION None required. PROTECTION OTHER Follow good personal hygiene practices. PROTECTION SECTION IX - SPECIAL PRECAUTIONS KEEP OUT OF REACH OF CHILDREN! PRECAUTIONS IN Keep container closed when not in use. HANDLING AND STORAGE Store at room temperature. Avoid freezing conditions. This product is not regulated under CERCLA or RCRA. OTHER Not reportable under SARA Title III, Section 311/312. PRECAUTIONS Complies with current FDA regulations for cosmetic and/or over-the-counter drug products. NA = Not Applicable NE = Not Established Scott Maag, Director of Research PREPARED BY: Disclaimer of Liebility As the conditions or methods of use are beyond our control, we do not assume any responsibility and expressly disclaim any liability for any use of the material. Information contained herein is believed to be true and accurate but all statements or suggestions are made without any warranty, expressed or implied, regarding accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof. Conforms to OSHA 174, Sept 1985