

Material Safety Data Sheet



QUIK FILL 510 E GENERAL PURPOSE CLEANER

Section 1. Chemical product and company identification

Trade name : QUIK FILL 510 E GENERAL PURPOSE CLEANER

Product use : All Purpose Cleaner

Supplier : Ecolab Co.
5105 Tomken Road
Mississauga ON L4W 2X5
1-800-352-5326

Code : 905286

Date of issue : 07-July-2009

EMERGENCY HEALTH INFORMATION: 1-800-328-0026
Outside United States and Canada CALL 1-651-222-5352 (in USA)

Section 2. Hazards identification

Physical state : Liquid. [Liquid.]

Emergency overview : CAUTION !

MAY CAUSE EYE AND SKIN IRRITATION.

Avoid contact with eyes, skin and clothing. Wash thoroughly after handling.

Routes of entry : Skin contact, Eye contact, Inhalation, Ingestion

Potential acute health effects

Eyes : Moderately irritating to eyes.

Skin : Moderately irritating to the skin.

Inhalation : No known significant effects or critical hazards.

Ingestion : No known significant effects or critical hazards.

See toxicological information (section 11)

Section 3. Composition/information on ingredients

<u>Name</u>	<u>CAS number</u>	<u>% by weight</u>
9-octadecenoic acid (z)-, compd. with 2-aminoethanol (1:1)	2272-11-9	7 - 13
HEXYLENE GLYCOL	107-41-5	1 - 5
BUTOXYDIGLYCOL	112-34-5	1 - 5
alanine, n,n-bis(carboxymethyl)-, trisodium salt	164462-16-2	1 - 5
ETHANOLAMINE	141-43-5	1 - 5
d-glucopyranose, oligomeric, decyl octyl glycosides	68515-73-1	1 - 5
LAURYL POLYGLUCOSE	110615-47-9	0.5 - 1.5

Section 4. First-aid measures

Eye contact : In case of contact, immediately flush eyes with plenty of water. Remove contact lenses and flush again. Get medical attention if irritation persists.

Skin contact : In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if irritation persists. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Inhalation : If inhaled, remove to fresh air.

Ingestion : Do not induce vomiting. Never give anything by mouth to an unconscious person. If irritation persists, get medical attention.

Section 5. Fire-fighting measures

Auto-ignition temperature	: Not available.
Flash point	: > 100°C
Flammable limits	: Not available.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides metal oxide/oxides
Fire-fighting media and instructions	: Use an extinguishing agent suitable for the surrounding fire. Dyke area of fire to prevent runoff. In a fire or if heated, a pressure increase will occur and the container may burst.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Risk of explosion of the product in the presence of mechanical impact: Not available.

Risk of explosion of the product in the presence of static discharge: Not available.

Section 6. Accidental release measures

Personal precautions	: Use suitable protective equipment (section 8). Do not allow to enter drains or watercourses.
Environmental precautions	: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods for cleaning up	: For small spills, add absorbent (soil may be used in the absence of other suitable materials), scoop up material and place in a sealable, liquid-proof container for disposal. For large spills, dyke spilt material or otherwise contain it to ensure runoff does not reach a waterway. Place spilt material in an appropriate container for disposal.

Section 7. Handling and storage

Handling	: Avoid contact with eyes, skin and clothing. Wash thoroughly after handling.
Storage	: Keep out of reach of children. Keep container in a cool, well-ventilated area. Keep container tightly closed. Do not store below the following temperature: 0°C

Section 8. Exposure controls/personal protection

Engineering measures : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Personal protection :

Eyes	: Eye protection recommended.
Hands	: For prolonged or repeated handling, use the following type of gloves: Impervious gloves.
Skin	: No protective equipment is needed under normal use conditions.
Respiratory	: A respirator is not needed under normal and intended conditions of product use.

Name
HEXYLENE GLYCOL

Exposure limits

CA Alberta Provincial (Canada, 6/2008).

C: 121 mg/m³ 15 minute(s).

C: 25 ppm 15 minute(s).

CA British Columbia Provincial (Canada, 6/2008).

STEL: 25 ppm 15 minute(s).

CA Ontario Provincial (Canada, 6/2008).

CEV: 120 mg/m³

CEV: 25 ppm

CA Quebec Provincial (Canada, 6/2008).

STEV: 121 mg/m³ 15 minute(s).

STEV: 25 ppm 15 minute(s).

ACGIH TLV (United States, 1/2008).

C: 121 mg/m³

C: 25 ppm

ETHANOLAMINE

CA Alberta Provincial (Canada, 6/2008).

15 min OEL: 15 mg/m³ 15 minute(s).

15 min OEL: 6 ppm 15 minute(s).

8 hrs OEL: 7.5 mg/m³ 8 hour(s).

8 hrs OEL: 3 ppm 8 hour(s).

CA British Columbia Provincial (Canada, 6/2008).

STEL: 6 ppm 15 minute(s).

TWA: 3 ppm 8 hour(s).

CA Ontario Provincial (Canada, 6/2008).

STEV: 15 mg/m³ 15 minute(s).

STEV: 6 ppm 15 minute(s).

TWAEV: 7.5 mg/m³ 8 hour(s).

TWAEV: 3 ppm 8 hour(s).

CA Quebec Provincial (Canada, 6/2008).

STEV: 15 mg/m³ 15 minute(s).

STEV: 6 ppm 15 minute(s).

TWAEV: 7.5 mg/m³ 8 hour(s).

TWAEV: 3 ppm 8 hour(s).

ACGIH TLV (United States, 1/2008).

STEL: 15 mg/m³ 15 minute(s).

STEL: 6 ppm 15 minute(s).

TWA: 7.5 mg/m³ 8 hour(s).

TWA: 3 ppm 8 hour(s).

Section 9. Physical and chemical properties

Physical state	: Liquid. [Liquid.]
Colour	: Orange.
Odour	: Ammoniacal.
pH	: 10.45 [Conc. (% w/w): 100%]
Boiling/condensation point	: Not available.
Melting/freezing point	: Not available.
Relative density	: 1.023
Vapour pressure	: Not available.
Vapour density	: Not available.
Odour threshold	: Not available.
Evaporation rate	: Not available.
LogK _{ow}	: Not available.
Solubility	: Easily soluble in the following materials: cold water and hot water.

Section 10. Stability and reactivity

Stability	: The product is stable. Under normal conditions of storage and use, hazardous polymerisation will not occur.
Conditions of instability	: Not available.
Reactivity	: Slightly reactive or incompatible with the following materials: metals and acids.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Hazardous polymerisation	: Under normal conditions of storage and use, hazardous polymerisation will not occur.

Section 11. Toxicological information

Potential acute health effects

Eyes	: Moderately irritating to eyes.
Skin	: Moderately irritating to the skin.
Inhalation	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.

Potential chronic health effects

Carcinogenic effects	: No known significant effects or critical hazards.
Mutagenic effects	: No known significant effects or critical hazards.
Teratogenic effects	: No known significant effects or critical hazards.
Reproductive effects	: No known significant effects or critical hazards.
Sensitization to Product	: No known significant effects or critical hazards.
Synergistic products (toxicologically)	: Not available.

Toxicity data

<u>Ingredient name</u>	<u>Test</u>	<u>Route</u>	<u>Result</u>	<u>Species</u>
2-methylpentane-2,4-diol	LD50	Dermal	8560 uL/kg	Rabbit
	LD50	Oral	3097 mg/kg	Mouse
	LD50	Oral	2800 mg/kg	Guinea pig
	LD50	Oral	3700 mg/kg	Rat
	LD50	Oral	3200 mg/kg	Rabbit
2-(2-butoxyethoxy)ethanol	LD50	Dermal	2700 mg/kg	Rabbit
	LD50	Oral	6050 mg/kg	Mouse
	LD50	Oral	5660 mg/kg	Rat
	LD50	Oral	4500 mg/kg	Rat
	LD50	Oral	4500 mg/kg	Mouse
	LD50	Oral	2400 mg/kg	Mouse
	LD50	Oral	6050 mg/kg	Rat
	LD50	Oral	6050 mg/kg	Rat
2-aminoethanol	LD50	Dermal	1 mL/kg	Rabbit
	LD50	Dermal	1020 mg/kg	Rabbit
	LD50	Oral	700 mg/kg	Mouse
	LD50	Oral	1 g/kg	Rabbit
	LD50	Oral	1720 mg/kg	Rat
	LD50	Oral	620 mg/kg	Guinea pig

Target organs	: Contains material which causes damage to the following organs: kidneys, liver. Contains material which may cause damage to the following organs: blood, mucous membranes, upper respiratory tract, central nervous system (CNS).
----------------------	---

Section 12. Ecological information

Ecotoxicity

<u>Ingredient name</u>	<u>Species</u>	<u>Period</u>	<u>Result</u>
2-methylpentane-2,4-diol	Daphnia	48 hours	Acute EC50 3300 mg/L
	Daphnia	48 hours	Acute EC50 3200 mg/L
	Fish	96 hours	Acute LC50 10700 mg/L
	Fish	96 hours	Acute LC50 >10000 mg/L
2-(2-butoxyethoxy)ethanol	Fish	96 hours	Acute LC50 1300 mg/L
2-aminoethanol	Fish	96 hours	Acute LC50 2070 mg/L
	Fish	96 hours	Acute LC50 329.16 mg/L
	Fish	96 hours	Acute LC50 300 mg/L
	Fish	96 hours	Acute LC50 >300 mg/L
	Fish	96 hours	Acute LC50 >200 mg/L
	Fish	96 hours	Acute LC50 150 mg/L

Section 13. Disposal considerations

Waste disposal : The generation of waste should be avoided or minimised wherever possible. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Consult your local or regional authorities.

Section 14. Transport information

Certain shipping modes or package sizes may have exceptions from the transport regulations. The classification provided may not reflect those exceptions and may not apply to all shipping modes or package sizes.

UN Classification Not regulated.

See shipping documents for specific transportation information.

Section 15. Regulatory information

WHMIS : Class D-2B: Material causing other toxic effects (Toxic).

Canada inventory : All components are listed or exempted.

This product has been classified in accordance with the hazard criteria of the *Controlled Products Regulations* and the MSDS contains all the information required by the *Controlled Products Regulations*.

Section 16. Other information

Hazardous Material Information System (U.S.A.) :	Health	*	1
	Flammability		0
	Physical hazards		0

Date of issue : 07-July-2009.

Responsible name : Regulatory Affairs
1-800-352-5326

Date of previous issue : 08-September-2008.

Notice to reader

Section 16. Other information

The above information is believed to be correct with respect to the formula used to manufacture the product in the country of origin. As data, standards, and regulations change, and conditions of use and handling are beyond our control, NO WARRANTY, EXPRESS OR IMPLIED, IS MADE AS TO THE COMPLETENESS OR CONTINUING ACCURACY OF THIS INFORMATION.