Material Safety Data Sheet



QUIK FILL 520 E GLASS CLEANER

Section 1. Chemical product and company identification

Trade name **QUIK FILL 520 E GLASS CLEANER**

Product use Glass Cleaner Supplier : Ecolab Co.

5105 Tomken Road

Mississauga ON L4W 2X5

1-800-352-5326

Code : 905287

Date of issue 30-September-2008

> **EMERGENCY HEALTH INFORMATION: 1-800-328-0026** Outside United States and Canada CALL 1-651-222-5352 (in USA)

Section 2. Composition, information on ingredients

Name CAS number % by weight 2-propanol, 1-propoxy-1569-01-3 5- 10

Section 3. Hazards identification

Physical state : Liquid. [Liquid.] **Emergency** : CAUTION! overview

MAY CAUSE EYE IRRITATION.

Can cause central nervous system (CNS) depression.

Avoid contact with eyes. Use only with adequate ventilation. Wash thoroughly after handling.

: Skin contact, Eye contact, Inhalation, Ingestion Routes of entry

Potential acute health effects

Eyes : Moderately irritating to eyes.

Skin : No known significant effects or critical hazards.

; High vapour concentrations can cause headaches, dizziness, drowsiness and nausea and Inhalation

may lead to unconsciousness.

Ingestion : May be harmful if swallowed. Ingestion may cause nausea, weakness and central nervous

system effects.

See toxicological information (section 11)

Section 4. First-aid measures

Eye contact : In case of contact, immediately flush eyes with plenty of water. Remove contact lenses and

flush again. Get medical attention if irritation persists.

Skin contact : In case of contact, immediately flush skin with plenty of water. Wash clothing before reuse.

Inhalation : If inhaled, remove to fresh air.

Ingestion : Do not induce vomiting. Never give anything by mouth to an unconscious person. Get medical

attention immediately.

Section 5. Fire-fighting measures

Auto-ignition temperature Not available. Flash point : > 100°C

Flammable limits : Not available.

Hazardous thermal : Decomposition products may include the following materials: decomposition products

carbon dioxide carbon monoxide

: Use an extinguishing agent suitable for the surrounding fire.

Fire-fighting media and

instructions Dyke area of fire to prevent runoff.

In a fire or if heated, a pressure increase will occur and the container may

burst.

Special protective equipment for : Fire-fighters should wear appropriate protective equipment and self-contained

fire-fighters breathing apparatus (SCBA) with a full face-piece operated in positive pressure

mode.

Risk of explosion of the product in the presence of mechanical impact: Not available. Risk of explosion of the product in the presence of static discharge: Not available.

Section 6. Accidental release measures

Personal precautions

: Use suitable protective equipment (section 8). Do not allow to enter drains or watercourses.

Environmental precautions

: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers,

waterways, soil or air).

Methods for cleaning up

: For small spills, add absorbent (soil may be used in the absence of other suitable materials), scoop up material and place in a sealable, liquid-proof container for disposal. For large spills, dyke spilt material or otherwise contain it to ensure runoff does not reach a waterway. Place spilt material in an appropriate container for disposal.

Section 7. Handling and storage

Handling Storage

: Avoid contact with eyes. Use with adequate ventilation. Wash thoroughly after handling.

: Keep out of reach of children. Keep container in a cool, well-ventilated area. Keep container

tightly closed.

Store between the following temperatures: 10 and 50°C

Section 8. Exposure controls/personal protection

Engineering measures

: Good general ventilation should be sufficient to control worker exposure to airborne

contaminants.

Personal protection:

Eyes: Eye protection recommended.

Hands : No protective equipment is needed under normal use conditions.Skin : No protective equipment is needed under normal use conditions.

Respiratory: A respirator is not needed under normal and intended conditions of product use.

Consult local authorities for acceptable exposure limits.

Section 9. Physical and chemical properties

Physical state : Liquid. [Liquid.]

Colour : Blue.

Odour : Fragrance-like.

pH : 10.9 to 11.4 [Conc. (% w/w): 100%]

: >35°C (>95°F) Boiling/condensation point : Not available. Melting/freezing point Relative density : 0.996 to 1.004 Vapour pressure : Not available. Vapour density : Not available. Odour threshold : Not available. : Not available. **Evaporation rate** LogK_{ow} : Not available.

Page: 3/4

Section 10. Stability and reactivity

Stability

: The product is stable. Under normal conditions of storage and use, hazardous polymerisation will not occur.

Conditions of instability

Reactivity

Not available.

: Reactive or incompatible with the following materials: organic materials, acids and

: Under normal conditions of storage and use, hazardous decomposition products

Hazardous decomposition

products

should not be produced.

Hazardous polymerisation

: Under normal conditions of storage and use, hazardous polymerisation will not

Section 11. Toxicological information

Potential acute health effects

: Moderately irritating to eyes. **Eyes**

: No known significant effects or critical hazards. Skin

: High vapour concentrations can cause headaches, dizziness, drowsiness and nausea and may Inhalation

lead to unconsciousness.

: May be harmful if swallowed. Ingestion may cause nausea, weakness and central nervous Ingestion

system effects.

Potential chronic health effects

Carcinogenic effects : No known significant effects or critical hazards.

Ingredient name **ACGIH IARC** NTP **OSHA**

Not applicable.

Mutagenic effects : No known significant effects or critical hazards. Teratogenic effects : No known significant effects or critical hazards. : No known significant effects or critical hazards. Reproductive effects : No known significant effects or critical hazards. **Sensitization to Product**

Synergistic products

(toxicologically)

: Not available.

Toxicity data

Ingredient name Species <u>Test</u> **Route** Result 3550 mg/kg 2-propanol, 1-propoxy-LD50 Rabbit Dermal Oral 2504 mg/kg LD50 Rat

: Not available. **Target organs**

Section 12. Ecological information

Ecotoxicity

Ingredient name Species Period

Not available.

Section 13. Disposal considerations

Waste disposal

: The generation of waste should be avoided or minimised wherever possible. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Consult your local or regional authorities.

Section 14. Transport information

Certain shipping modes or package sizes may have exceptions from the transport regulations. The classification provided may not reflect those exceptions and may not apply to all shipping modes or package sizes.

UN Classification Not regulated.

See shipping documents for specific transportation information.

Section 15. Regulatory information

WHMIS: Class D-2B: Material causing other toxic effects (Toxic).

This product has been classified in accordance with the hazard criteria of the *Controlled Products Regulations* and the MSDS contains all the information required by the *Controlled Products Regulations*.

Section 16. Other information

Date of issue : 30-September-2008.
Responsible name : Regulatory Affairs

1-800-352-5326

Date of previous issue : 25-January-2008.

Notice to reader

The above information is believed to be correct with respect to the formula used to manufacture the product in the country of origin. As data, standards, and regulations change, and conditions of use and handling are beyond our control, NO WARRANTY, EXPRESS OR IMPLIED, IS MADE AS TO THE COMPLETENESS OR CONTINUING ACCURACY OF THIS INFORMATION.