MATERIAL SAFETY DATA SHEET
This MSDS complies with OSHA'S Hazard Communication Standard 29 CFR 1910.1200 and OSHA Form 174

IDENTITY AND MANUFA							
NFPA Rating: Health-2; Flammability-1; Reactivity-0; Special-0	НМІ	HMIS Rating: Health-2; Flammability-1; Reactivity-0; Personal Protection-E					
Manufacturer's Name: AMREP, INC.	DO.	DOT Hazard Classification: ORM-D					
Address: 990 Industrial Park Drive	Ide	Identity (trade name as used on label):					
Marietta, GA 30062		MISTY COIL CLEANING FOAM					
Date Prepared: 04/02/03 Prepared By: IB	MS	MSDS Number: A00358 Revision- 4					
Information Calls: (770)422-2071		NOTICE: JUDGEMENT BASED ON INDIRECT TEST DATA					
EMERGENCY RESPONSE NUMBER: 1(800)255-3924							
SECTION 1 - MATERIAL IDEN	TIFIC			,			
COMPONENTS-CHEMICAL NAMES AND COMMON NAMES		CAS Number	SARA	OSHA PEL	ACGIH	Carcinogen	
(Hazardous Components 1% or greater; Carcinogens 0.1% or greater) PROPYLENE GLYCOL N-PROPYL ETHER		1569-01-3	III LIST	(ppm) NE	TLV (ppm) NE	Ref. Source *	
ISOBUTANE / PROPANE BLEND		75-28-5	No No	800	800	d d	
ISOBUTANE / PROPANE BLEND		75-26-5	No	1000	1000	d	
		74-90-0	INU	1000	1000	u	
SECTION 2 - PHYSICAL/CHEMICAL CHARACTERISTICS							
Boiling Point: N/A							
Vapor Pressure: PSIG @ 70°F (Aerosols): Max.60							
Vapor Density (Air = 1): greater than 1	Evaporation Rate (= 1): N/E						
Solubility in Water: Completely soluble Water Reactive: No							
Appearance and Odor: White foam with lemon fragrance. SECTION 3 - FIRE AND E	VDI /	OCION HAZARD DA	т.				
		nition Temperature		ahility I imite	s in Air hy %	in Volume:	
(aerosols) NON-FLAMMABLE	Ito Ignition Temperature Flammability Limits in Air by % in Volume: N/E % LEL: N/E % UEL: N/E						
FLASH POINT AND METHOD USED (non-aerosols): N/A EXTINGUISHER MEDIA: Foam, dry chemical, carbon dioxide.							
SPECIAL FIRE FIGHTING PROCEDURES: Self-contained breathing apparatus Unusual Fire & Explosion Hazards: Do not expose aerosols to temperatures		e 130°E or the contains	r may run	turo			
			i illay rupi	ure.			
SECTION 4 - REACTIVITY HAZARD DATA STABILITY [X] STABLE [] UNSTABLE HAZARDOUS POLYMERIZATION [] WILL [X] WILL NOT							
OCCUR							
Incompatibility (Mat. to avoid): Strong oxidizers.		nditions to Avoid:	Onen flan	ne welding a	arcs heat		
Hazardous Decomposition Products: Carbon monoxide, carbon dioxide.							
SECTION 5 - HEALTH HAZARD DATA							
PRIMARY ROUTES OF ENTRY: [X]INHALATION []INGES			RPTION	[]EYE	[] NOT H	AZARDOUS	
ACUTE EFFECTS:							
Inhalation: Excessive inhalation of vapors can be harmful and may cause headache, dizziness, asphyxia, anesthetic effects and possible unconsciousness.							
Eye Contact: Irritation. Skin Contact: Mild irritation.							
Ingestion: Possible chemical pneumonitis if aspirated into lungs. Nausea.							
CHRONIC EFFECTS: (Effects due to excessive exposure to the raw materials of this mixture) May cause diarrhea, vomiting, gastrointestinal irritation.							
Medical Conditions Generally Aggravated by Exposure: May aggravate existing eye, skin, or upper respiratory conditions.							
EMERGENCY FIRST AID PROCEDURES							
Eye Contact: Flush with water for 15 minutes. If irritated, seek medical							
Skin Contact: Wash with soap and water. If irritated, seek medical attention.							
Inhalation: Remove to fresh air. Resuscitate if necessary. Get medical attention.							
Ingestion: DO NOT INDUCE VOMITING. Drink two large glasses of water. Get immediate medical attention. SECTION 6 - CONTROL AND PROTECTIVE MEASURES							
				, NIOSH in r	nocitivo proc	euro modo	
Respiratory Protection (specify type): If vapor concentration exceeds TLV, use respirator approved by NIOSH in positive pressure mode. Protective Gloves: Chemical resistant: latex, neoprene or nitrile Eye Protection: Safety glasses recommended.							
Ventilation Requirements: Adequate ventilation to keep vapor concentration below TLV.							
Other Protective Clothing & Equipment: Eyewash station recommended.							
Hygienic Work Practices: Wash with soap and water before handling food. Remove contaminated clothing.							
SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE							
Steps To Be Taken If Material Is Spilled Or Released: Absorb with suitable medium. Incinerate or landfill according to local, state or							
Federal regulations. DO NOT FLUSH TO SEWER.							
Waste Disposal Methods: Aerosol cans when vented to atmospheric pressure through normal use, pose no disposal hazard.							
Precautions To Be Taken In Handling & Storage: Do not puncture or incinerate containers. Do not store at temperatures above 130°F.							
Other Precautions &/or Special Hazards: KEEP OUT OF REACH OF CHILDREN. Avoid food contamination. Avoid breathing vapors.							

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind.

** Chemical Listed as Carcinogen or Potential Carcinogen. [a] NTP [b] IARC Monograph [c] OSHA [d] Not Listed [e] Animal Data Only