

# **Fine Fabric Prespray**

MSDS Number: B107 Revision Date: February 19, 2009

Page 1 of 4

#### 1

#### PRODUCT AND COMPANY IDENTIFICATION

#### **Manufacturer**

PROCHEM Kärcher North America 325 S. Price Road Chandler, AZ 85224

Contact: Prochem

Telephone Number: (480) 899-7000 FAX Number: 480-786-9538 E-Mail: info@prochem.com Web www.prochem.com

**Product Name:** Fine Fabric Prespray Revision Date: February 19, 2009

MSDS Number: B107

**Product Use:** Upholstery Pre-spray

Emergency Telephone: (800) 535-5053 [Infotrac]

# 2 HAZARDS IDENTIFICATION

Route of Entry: Eyes, Inhalation and Ingestion

Target Organs: Eyes; Skin;

**Inhalation:** May cause slight temporary irritation.

**Skin Contact:** Frequent or prolonged contact may cause temporary irritation. Skin contact may aggravate an

existing dermatitis condition.

**Eye Contact:** May cause slight eye irritation; injury to eye tissue unlikely.

**Ingestion:** Small amounts swallowed incidental to normal handling operations are not likely to cause injury;

swallowing amounts larger than that may cause temporary injury.

HMIS III-ratings (scale 0-4): Health = 1, Fire = 0, Physical Hazard = 0

#### 3

#### COMPOSITION/INFORMATION ON INGREDIENTS

#### Ingredients:

Cas # Perc. Chemical Name
112345 | <8.0 | Diethylene glycol butyl ether

OSHA Regulatory Status:

This MSDS Contains valuable information critical to the safe handling and proper use of this product. This MSDS should be retained and available for employees and other users of this product.



# **Fine Fabric Prespray**

MSDS Number: B107 Revision Date: February 19, 2009

Page 2 of 4

## 4 FIRST AID MEASURES

**Inhalation:** Move to fresh air. If irritation persists consult medical personnel.

**Skin Contact:** Wash with soap and water. If irritation persists consult medical personnel.

Eye Contact: Immediately irrigate with flowing water continuously for 15 minutes. If irritation persists consult

medical personnel.

**Ingestion:** If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel. If injured

party is conscious, give two glasses of water. Seek medical attention.

## FIRE FIGHTING MEASURES

Flash Point: <212 F
Flash Point Method: Closed Cup

5

Wear self-contained breathing apparatus and full protective clothing. Use water spray to cool nearby containers and structures exposed to fire.

# 6 ACCIDENTAL RELEASE MEASURES

Keep all unnecessary personnel away. Prevent additional discharge of material. Prevent material from entering sewers, watercourses, or low areas. Contain and absorb spilled material with sand or earth. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

# 7 HANDLING AND STORAGE

**Handling Precautions:** Avoid contact with skin and eyes. Use in a well-ventilated area; do not breathe vapors;

wash hands thoroughly after handling.

Storage Requirements: Store out of reach of children; keep container closed; store in a cool well-ventilated place

away from strong oxidizing or alkaline product.

# 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: Normal room ventilation is satisfactory.

**Protective Equipment:** HMIS PP, X | Consult your supervisor for special instructions

#### 9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Dark Blue Liquid

**Physical State: Boiling Point:** N/D Liquid Freezing/Melting Pt.: Odor: Citrus N/D :Hq 7.74 Solubility: Soluble **Vapor Pressure:** N/D Spec Grav./Density: 9.06 lbs. /gal

Vapor Density: N/D



# **Fine Fabric Prespray**

MSDS Number: B107 Revision Date: February 19, 2009

Page 3 of 4

# 10 STABILITY AND REACTIVITY

Stability: Stable

Conditions to avoid: None Known

Materials to avoid (incompatability): Strong oxidizing or alkaline agents

Hazardous Decomposition products: During a fire, smoke may contain the original material in addition to

unidentified toxic and/or irritating compounds. Hazardous combustion products may include and are not limited to carbon dioxide and carbon

monoxide.

Hazardous Polymerization: None

# 11 TOXICOLOGICAL INFORMATION

Route of Entry: Eye contact, and Skin absorption/contact

#### **Effects of Acute Overexposure to Product:**

Eve Contact: Causes eve irritation, redness, tearing and blurred vision

Skin Contact: Causes skin irritation, defatting and dermatitis

Inhalation: Inhalation of mist or vapor may cause temporary respiratory irritation; temporary central nervous system

effects including dizziness, weakness, fatigue, nausea, and headache.

Ingestion: May cause temporary gastrointestinal irritation with nausea, vomiting and diarrhea.

None of the components in this product are listed by NTP, IARC or OSHA as a carcinogen.

#### 12 ECOLOGICAL INFORMATION

Refer to Section 6 for information regarding accidental releases and Section 15 for regulatory reporting information.

# 13 DISPOSAL CONSIDERATIONS

Dispose of in accordance with federal, state and local regulations. Prevent run-off to sewers.

# 14 TRANSPORT INFORMATION

Refer to bill of lading or container label for DOT or other transportation hazard classification; ship in accordance with 49 CFR parts 100-185.

# 15 REGULATORY INFORMATION

COMPONENT / (CAS/PERC) / CODES

\_\_\_\_\_

\*Diethylene glycol butyl ether/112-34-5/WHMIS 1%

REGULATORY KEY DESCRIPTIONS

\_\_\_\_\_\_

WHMIS= Workforce Hazardous Material Information System



## **Fine Fabric Prespray**

MSDS Number: B107 Revision Date: February 19, 2009

Page 4 of 4

#### 16

## **OTHER INFORMATION**

This document is prepared in accordance with 29 CFR 1910.1200. The purpose of this section is to ensure that the hazards of all chemicals produced or imported are evaluated, and that information concerning their hazards is transmitted to employers and employees.

All information appearing herein is based upon data obtained from the raw material manufacturer and/or recognized technical sources. While the information above is believed to be true and accurate, the author makes no representations as to its accuracy or sufficiency. Conditions of use are beyond the manufacturer's control; therefore the users are responsible to verify this data under their own particular conditions, applications and regulations to determine if the product is suitable for their particular purposes. The users assume all risks of product use, handling, disposal, reliance upon, publication or use of the information contained herein. This information applies only to the product designated above and does not necessarily apply to its use in combination with other materials, products, chemical compounds, structures or processes.

Prepared by: EHS Manager Phone Number: [480] 899-7000

**END OF MSDS DOCUMENT**