32-37 0215



Spartan Chemical Company, Inc. Material Safety Data Sheet

SECTION I: PRODUCT INFORMATION

Product Name or Number (as it appears on label):

FOAMY Q&A Product Number: 3200; 3202

Spartan Chemical Company, Inc.

1110 Spartan Drive Maumee OH 43537 Product Division: Janitorial

Product/Technical Information: 1-(800)-537-8990

Medical Emergency: 1-(888)-314-6171 (24 hours)

Chemical Leak/Spil Emergency: CHEMTREC 1-(800) 424-9300 (24 hours)

Shipping Description: Disinfectants, liquid, n.o.s.

NFPA Ratings	HMIS Ratings:
Health: 3 - Serious Fire: 0 - Minimal Reactivity: 0 - Minimal	Health: *3 - Serious; Chronic Hazard Fire; 0 - Minimal Reactivity: 0 - Minimal Pers. Prot. Equip.: See Section VIII

SECTION II: HAZARDOUS INGREDIENTS

(Listed when present at 1% or greater, carcinogens at 0.1% or greater). All component chemicals are listed or exempted from listing

Inventory" of chemical substances maintained by the U.S. Environmental Protection Agency.

on the "15CA inventory of chemic		Table Z-1-A				
Chemical Name(s)	%Wt	CAS Registry No.	TWA mg/m³	STEL mg/m³	CEILING mg/m³	NTP, IARC or OSHA Carcinogen
Phosphoric acid Hydroxyacetic acid *2-Butoxyethanol Alcohol ethoxylate Cocoamidopropyl hydroxysultaine Alkyl dimethyl benzyl ammonium chloride	10-15 1-5 1-5 1-5 1-5 < 1	7664-38-2 79-14-1 111-76-2 68439-46-3 70851-08-0 68424-85-1	1 Not Established 240 [skin] 96 Not Established Not Established Not Established	3 (NIOSH) Not Established Not Established Not Established Not Established Not Established	Not Established Not Established Not Established Not Established Not Established Not Established	No No No No No No

Comment: *This substance is subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 (SARA) and of 40 CFR 372.

SECTION III: PHYSICAL DATA Boiling Point: 200-210 °F	Vapor Pressure: Undetermined
Vapor Density (AIR = 1): Unknown	Solubility in Water: Complete
pH: < 2	Specific Gravity (H,O=1): 1.09
Evaporation Rate (but.ace.=1): <1	Percent Solid by Weight: 15-25
Physical State: Liquid	
Appearance & Odor: Purple liquid, Citrus/floral fragrance	

SECTION IV: FIRE & EXPLOSIVE HAZARD DATA

Flash Point: > 200°F	Method Used: ASTM-D56	
Flammable Limits: Not Established	Flame Extension: N/A	
Extinguishing Media: Product does not support combustion	Use extinguishing media appropriate for surrounding fire.	
Special Fire Fighting Procedures: Wear NIOSH approved self-containe	ed breathing apparatus and protective clothing. Cool fire-exposed	
containers with water spray.		
Unusual Fire & Explosive Hazards: Combustion products are toxic.	· · · · · · · · · · · · · · · · · · ·	

Threshold Limit Value	Not Established		y Inhalation, Skin Contact, Eyes & Ora		
Effects of Overexposure- Conditions to Avoid:	CORROSIVE. CAUSES IRREVERSIBLE EYE DAMAGE AND SKIN BURNS: Symptoms may include pain, redness chauses IRREVERSIBLE EYE DAMAGE AND SKIN BURNS: Symptoms may include nausea, vomiting, pain and diarrhea. MAY BE FATAL IF SWALLOWED. Symptoms may include nausea, vomiting, pain and diarrhea. NHALATION OF SPRAY MIST MAY CAUSE RESPIRATORY IRRITATION. Breathing spray mist may cause coughing and difficulty breathing. Contains 2-butoxyethanol which may cause central nervous system depression with symptoms such a cheadache; dizziness; nausea and drowsiness. Exposure to 2-butoxyethanol may cause blood cell; live and kidney damage based on animal data. Do not get in eyes on skin or clothing. Do not swallow. Avoid breathing product mist.				
	Do not get in eyes on skin or clothing.	Do not swallow. Avoid bles			
	Wash thoroughly with soap and water Use of this product may aggravate pre	arter flambling .	atory disorders including asthma and		
	dermatitis.				
mergency & First Aid Procedures:	Hold eye open and rinse slowly and g	ently with water for 15-20 min	nutes. Remove contact lenses after		
Skin	Take of contaminated clothing Rins	e skin immediately with pient	A Ol Marci (of 19-50 Himprog. Agr		
	noison control center or doctor for trea	atment advice. Wash contan	inated clottling before recac.		
Ingestion	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.				
inhalation	In case of respiratory irritation; move	person to fresh air. Get med	ical attention if irritation persists.		
OTE TO DUNCICIANT Probable mu	cosal damage may contraindicate the u	se of gastric lavage.			
NOTE TO PHYSICIAN: Probable ind	cosar damage may commenced in	•			
ECTION VI: REACTIVITY DATA		Languagible Materi	als: Strong alkalis; hypochlorites (blead		
Stability	Stable	incompatible water	ammonia; cyanides.		
Hazardous Decomposition Products	Heating to decomposition yields toxic fumes of phosphorus pentoxide. CO, CO _{2 H}	Hazardous Polymerizati	on: Will Not Occur		
ECTION VII: SPILL OR LEAK PRO	EDURES				
Steps to be Taken in Case Material is Released or Spilled	t: Small spills of one gallon or less may permitted by local sewer regulations to containing for recovery or disposa	, Diko dila domeni in Br - Pr	ter to sanitary sewer system (If is with inert material and transfer liquid		
	to containers for recovery or disposa	l.			
Waste Disposal Method	to containers for recovery or disposa Dispose of in compliance with all fed ON INFORMATION	l. eral, state and local laws and	regulations.		
Waste Disposal Method SECTION VIII: SPECIAL PROTECTI Respiratory Protection	permitted by local sewer regulatoria, to containers for recovery or disposa it: Dispose of in compliance with all fed ON INFORMATION Not normally required when good get it are exceeded or respiratory irritatives—conditions and chemicals in Sec	eral, state and local laws and eneral ventilation is provided. ion occurs, use of a NIOSH a ction II should be considered.	regulations. However, if exposure limits (see Section pproved respirator suitable for the		
Waste Disposal Method SECTION VIII: SPECIAL PROTECTI Respiratory Protection	permitted by local sewer regulatoria, to containers for recovery or disposa it: Dispose of in compliance with all fed ON INFORMATION Not normally required when good get it are exceeded or respiratory irritatives—conditions and chemicals in Sec	eral, state and local laws and eneral ventilation is provided. ion occurs, use of a NIOSH a ction II should be considered.	regulations. However, if exposure limits (see Section pproved respirator suitable for the		
Waste Disposal Method SECTION VIII: SPECIAL PROTECTI Respiratory Protection Ventilation	permitted by local sewer regulations to containers for recovery or disposa it. Dispose of in compliance with all fed ON INFORMATION Not normally required when good get in are exceeded or respiratory irritations and chemicals in Second Provide good general ventilation. Local control of the	eral, state and local laws and ineral ventilation is provided, ion occurs, use of a NIOSH action II should be considered, ocal exhaust ventilation may	regulations. However, if exposure limits (see Section pproved respirator suitable for the		
Waste Disposal Method SECTION VIII: SPECIAL PROTECTI Respiratory Protection Ventilation Protective Gloves(Specify Types	permitted by local sewer regulations to containers for recovery or disposa it. Dispose of in compliance with all fed ON INFORMATION 1: Not normally required when good get il) are exceeded or respiratory irritatives-conditions and chemicals in Section Provide good general ventilation. Local Rubber or neoprene gloves are reconditional and chemicals in Section 1: Rubber or neoprene gloves are reconditional and chemicals in Section 1: Rubber or neoprene gloves are reconditional and chemicals in Section 1: Rubber or neoprene gloves are reconditional and chemicals in Section 2: Rubber or neoprene gloves are reconditional and chemicals in Section 2: Rubber or neoprene gloves are reconditional and chemicals in Section 2: Rubber or neoprene gloves are reconditional and chemicals in Section 2: Rubber or neoprene gloves are reconditional and chemicals and chemicals are reconditional and chem	eral, state and local laws and ineral ventilation is provided, ion occurs, use of a NIOSH action II should be considered, ocal exhaust ventilation may ommended.	regulations. However, if exposure limits (see Section pproved respirator suitable for the processary for some operations.		
Waste Disposal Method SECTION VIII: SPECIAL PROTECTI Respiratory Protection Ventilation Protective Gloves(Specify Types	permitted by local sewer regulations to containers for recovery or disposa it. Dispose of in compliance with all fed ON INFORMATION 1: Not normally required when good get il) are exceeded or respiratory irritatives-conditions and chemicals in Section Provide good general ventilation. Local Rubber or neoprene gloves are reconditional and chemicals in Section 1: Rubber or neoprene gloves are reconditional and chemicals in Section 1: Rubber or neoprene gloves are reconditional and chemicals in Section 1: Rubber or neoprene gloves are reconditional and chemicals in Section 2: Rubber or neoprene gloves are reconditional and chemicals in Section 2: Rubber or neoprene gloves are reconditional and chemicals in Section 2: Rubber or neoprene gloves are reconditional and chemicals in Section 2: Rubber or neoprene gloves are reconditional and chemicals and chemicals are reconditional and chem	eral, state and local laws and ineral ventilation is provided, ion occurs, use of a NIOSH action II should be considered, ocal exhaust ventilation may immended.	However, if exposure limits (see Section pproved respirator suitable for the necessary for some operations.		
Waste Disposal Method SECTION VIII: SPECIAL PROTECTI Respiratory Protection Ventilation Protective Gloves(Specify Types Eye Protection(Specify Types Other Protective Equipment	permitted by local sever regulations to containers for recovery or disposa to containers for recovery or disposa it. Dispose of in compliance with all fed ON INFORMATION 1. Not normally required when good ge ii) are exceeded or respiratory irritatives—conditions and chemicals in Second Provide good general ventilation. Local Rubber or neoprene gloves are recomplianced to the Acid resistant aprons and boots are and washing facilities should be readons.	eral, state and local laws and inneral ventilation is provided, ion occurs, use of a NIOSH action II should be considered, ocal exhaust ventilation may immended. To prevent eye contact, recommended where body of dily accessible. See 29 CFR	However, if exposure limits (see Section pproved respirator suitable for the me necessary for some operations. If foot contact is likely. Eye wash station 1910.132-138.		
Waste Disposal Method SECTION VIII: SPECIAL PROTECTI Respiratory Protection Ventilation Protective Gloves(Specify Types Eye Protection(Specify Types Other Protective Equipment	permitted by local sever regulations to containers for recovery or disposa to containers for recovery or disposa it. Dispose of in compliance with all fed ON INFORMATION 1. Not normally required when good ge ii) are exceeded or respiratory irritatives—conditions and chemicals in Second Provide good general ventilation. Local Rubber or neoprene gloves are recomplianced to the Acid resistant aprons and boots are and washing facilities should be readons.	eral, state and local laws and inneral ventilation is provided, ion occurs, use of a NIOSH action II should be considered, ocal exhaust ventilation may immended. To prevent eye contact, recommended where body of dily accessible. See 29 CFR	However, if exposure limits (see Section pproved respirator suitable for the me necessary for some operations. If foot contact is likely. Eye wash station 1910.132-138.		
Waste Disposal Method SECTION VIII: SPECIAL PROTECTI Respiratory Protection Ventilation Protective Gloves(Specify Types Eye Protection(Specify Types Other Protective Equipment SECTION IX: SPECIAL PRECAUTION	permitted by local sever regulations to containers for recovery or disposal Dispose of in compliance with all fed ON INFORMATION Not normally required when good get in the exceeded or respiratory irritations and chemicals in Section Provide good general ventilation. Local Rubber or neoprene gloves are recompliant and washing facilities should be readons. Not normally required when good get in the exceeded or respiratory irritations and chemicals in Section Provide good general ventilation. Local Rubber or neoprene gloves are recommended to the exceeding facilities should be readons. Description of the exceeding facilities and the exceeding facilities should be readons.	eral, state and local laws and inneral ventilation is provided, ion occurs, use of a NIOSH action II should be considered, ocal exhaust ventilation may immended. To prevent eye contact, recommended where body of dily accessible. See 29 CFR	However, if exposure limits (see Section peroved respirator suitable for the me necessary for some operations. If foot contact is likely. Eye wash station 1910.132-138.		
Waste Disposal Method SECTION VIII: SPECIAL PROTECTI Respiratory Protection Ventilation Protective Gloves(Specify Types Eye Protection(Specify Types Other Protective Equipment SECTION IX: SPECIAL PRECAUTION Precautions; Handling & Storing	permitted by local sever regulations to containers for recovery or disposal to Containers for recovery or disposal Dispose of in compliance with all fed ON INFORMATION 1: Not normally required when good gell) are exceeded or respiratory irritations and chemicals in Seconditions and chemicals in Seconditions and chemicals in Seconditions and general ventilation. Let Provide good general ventilation. Let Splash goggles are recommended to the Acid resistant aprons and boots are and washing facilities should be reached to the provided to t	ineral ventilation is provided, ion occurs, use of a NIOSH action II should be considered, ocal exhaust ventilation may immended. To prevent eye contact, recommended where body of dily accessible. See 29 CFR eed by storage or disposal.	However, if exposure limits (see Section proved respirator suitable for the one necessary for some operations. In foot contact is likely. Eye wash station 1910.132-138. Keep from freezing.		
Waste Disposal Method SECTION VIII: SPECIAL PROTECTI Respiratory Protection Ventilation Protective Gloves(Specify Types Eye Protection(Specify Types Other Protective Equipment SECTION IX: SPECIAL PRECAUTION Precautions; Handling & Storing Other Precaution	permitted by local sewer regulations to containers for recovery or disposal to Containers for recovery or disposal Dispose of in compliance with all fed ON INFORMATION 1: Not normally required when good get il) are exceeded or respiratory irritations and chemicals in Section Provide good general ventilation. Local Provide g	ineral ventilation is provided, ion occurs, use of a NIOSH action II should be considered, ocal exhaust ventilation may immended. The operation of the provided where body of the considered dily accessible. See 29 CFR eed by storage or disposal.	However, if exposure limits (see Section proved respirator suitable for the one necessary for some operations. If foot contact is likely. Eye wash station 1910.132-138.		

to the accuracy of the information contained herein. Actual conditions of use and evaluate all available information when using product for any particular use and	d handling are beyond sellers control. User is responsible to to comply with all Federal, State and Local laws and regulations.