

# **MATERIAL SAFETY DATA SHEET**



Snitfire RTII Power Cleaner

HMIS		NFPA	Personal protective equipment	
Health	1	1	None / Aucune / Ninguno	
Fire Hazard	0	0	Trong Transaction Transaction	
Reactivity	0	0	,	

Version Number: 2

Preparation date: 2011-03-16

# 1. PRODUCT AND COMPANY IDENTIFICATION

Product name:

Spitfire RTU Power Cleaner

MSDS #:

MS0300470

**Product Code:** 

03702, 03724

Recommended use:

Heavy-Duty Alkaline Cleaner. This product is intended to be used neat .

Manufacturer, importer, supplier:

US Headquarters Diversey, Inc.

8310 16th St. Sturtevant, Wisconsin 53177-1964

Phone: 1-888-352-2249

MSDS Internet Address: www.diversey.com

Emergency telephone number:

1-800-851-7145 (U.S.); 1-651-917-6133 (Int'I)

Canadian Headquarters Diversey, Inc. - Canada, Inc. 2401 Bristol Circle Oakville, Ontario L6H 6P1 Phone: 1-800-668-3131

# 2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW
CAUTION. MAY BE MILDLY IRRITATING TO EYES. MAY BE MILDLY IRRITATING TO SKIN.

Principal routes of exposure:

Eye contact: Skin contact: Eye contact. Skin contact. Inhalation. May be mildly irritating to eyes.

May be mildly irritating to skin.

Inhalation:

None known.

None Ingestion:

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient(s)	CAS#	Weight %	LD50 Oral - Rat (mg/kg)	LD50 Dermal - Rabbit	LC50 Inhalation -
Benzyl alcohol	100-51-6	0.1 - 1.5%	1230	=2000 mg/kg	=8.8 mg/L (4 h)
2-butoxyethanol	111-76-2	0.1 - 1.5%	470	=220 mg/kg	=2.21 mg/L (4 h) =450 ppm (4 h)
Monoethanolamine	141-43-5	0.1 - 1.5%	1720	=1 mL/kg =1025 mg/kg	Not available

## 4. FIRST AID MEASURES

Eye contact: Skin contact: Flush immediately with plenty of water. If irritation develops, get medical attention. Flush immediately with plenty of water. If irritation develops, get medical attention.

Inhalation: Ingestion:

No specific first aid measures are required. No specific first aid measures are required.

Aggravated Medical Conditions:

None known

Spitfire RTU Power Cleaner

1 of 4

#### 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media:

The product is not flammable. Extinguish fire using agent suitable for surrounding fire.

Specific hazards:

Not applicable

Unusual hazards: Specific methods:

No special methods required

Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH

(approved or equivalent) and full protective gear

Extinguishing media which must not be used for safety reasons: No information available

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions:

Not relevant for the product itself.

Environmental precautions and clean-up methods:

Clean-up methods - large spillage. Absorb spill with inert material (e.g. dry sand or earth), then place in

a chemical waste container. Use a water rinse for final clean-up.

## 7. HANDLING AND STORAGE

Handling:

Avoid contact with skin and eyes. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.

Storage:

Protect from freezing. Keep tightly closed in a dry, cool and well-ventilated place. KEEP OUT OF REACH OF CHILDREN.

## 8, EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures to reduce exposure:

No special ventilation requirements General room ventilation is adequate

Personal Protective Equipment

Eye protection:

No special requirements under normal use conditions.

Hand protection:

No special requirements under normal use conditions No special requirements under normal use conditions.

Skin and body protection: Respiratory protection:

No special requirements under normal use conditions.

Hygiene measures:

Handle in accordance with good industrial hygiene and safety practice.

Ingredient(s)	CAS#	ACGIH	OSHA	Mexico
2-butoxyethanol	111-76-2	20 ppm (TWA)	Skin 50 ppm (TWA) 240 mg/m³ (TWA)	75 ppm (STEL) 360 mg/m <sup>3</sup> (STEL) 26 ppm (TWA) 120 mg/m <sup>3</sup> (TWA)
Monoethanolamine	141-43-5	6 ppm (STEL) 3 ppm (TWA)	3 ppm (TWA) 6 mg/m <sup>3</sup> (TWA)	6 ppm (STEL) 15 mg/m <sup>3</sup> (STEL) 3 ppm (TWA) 8 mg/m <sup>3</sup> (TWA)

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid

Appearance: Aqueous solution

Specific gravity: 1.01

Vapor density: No information available Boiling point/range: Not determined

Decomposition temperature: Not determined

Solubility: Completely Soluble

Solubility in other solvents: No information available

Partition coefficient (n-octanol/water): No information available

Elemental Phosphorus: 0.00 % by wt.

pH: 11.3

Bulk density: No information available Evaporation Rate No information available

Color: Clear Red Odor: Fresh Pine

Melting point/range: Not determined

Autoignition temperature: No information available

Density: 8.42 lbs/gal 1.01 Kg/L Flash point: > 200 °F > 93.4 °C Viscosity:No information available

VOC: 2 % \*

Dilution pH: 11.3 @ RTU

Explosion limits: - upper: Not determined - lower: Not determined

\* - Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

## 10. STABILITY AND REACTIVITY

Spitfire RTU Power Cleaner 2 of 4

Stability:

Polymerization:

The product is stable

Hazardous decomposition products:

Hazardous polymerization does not occur

Materials to avoid:

None reasonably foreseeable. Acids. Strong oxidising agents.

# 11. TOXICOLOGICAL INFORMATION

Acute toxicity:

Oral LD50 estimated to be greater than 5000 mg/kg. Dermal LD50 estimated to be > 2000 mg/kg.

Component Information:

See Section 3

Chronic toxicity:

None known

Specific effects

Carcinogenic effects:

None known

Mutagenic effects:

None known

Reproductive toxicity:

None known

Target organ effects:

None known

# 12. ECOLOGICAL INFORMATION

**Environmental Information:** 

No data available

#### 13. DISPOSAL CONSIDERATIONS

### Waste from residues / unused products:

Dispose of according to all federal, state and local applicable regulations

# 14. TRANSPORT INFORMATION

DOT/TDG: Please refer to the Bill of Lading/receiving documents for up to date shipping information

## 15. REGULATORY INFORMATION

# International Inventories at CAS# Level

All components of this product are listed on the following inventories: U.S.A. (TSCA), Canada (DSL/NDSL),

U.S. Regulations
California Proposition 65: This product is not subject to the reporting requirements under California's Proposition 65

RIGHT TO KNOW (RTK)

Ingredient(s)	CAS#	MARTK:	NJRTK:	PARTK:	RIRTK
Benzyl alcohol	100-51-6	X	7.5	X	1,7
2-butoxyethanol	111-76-2	X	Х	X	X
Sodium xylene sulfonate	1300-72-7	•	-	Fig. Company	E 20094
Monoethanolamine	141-43-5	Х	X	X	X
Water	7732-18-5			1,21190.3	17501

CERCLA/ SARA

Ingredient(s)	CAS#	Weight %	CERCLA/SARA RQ (lbs)	Section 302 TPQ (lbs)	Section 313
2-butoxyethanol	111-76-2	0.1 - 1.5%		1 5 X 2 1 2 4	X

Ingredient(s)	CAA HAP	CAA ODS	CWA Priority Pollutants
2-butoxyethanol	X		

# SARA 311/312 Hazard Categories

Immediate:

Delayed:

Fire: Reactivity:

Spitfire RTU Power Cleaner

3 of 4

Sudden Release of Pressure:

Canada WHMIS hazard class: Non-controlled

# 16. OTHER INFORMATION

Reason for revision:

Not applicable NAPRAC

Prepared by: Additional advice:

Contains an added fragrance, see "Odor" heading in section 9 for specific description.

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.