CGNEVER

Material Safety Data Sheet

[What is it?] [Where do I get it?] [Who uses it?] [How good is it?] [Material Safety Data Sheet] [Contact Us] [Home Page]

Material Safety Data Sheet

May be used to comply with OSHA's Hazard Communication Standard, 29CFR 1910, 1200. Standard must be consulted for specific requirements.

NEVR-DULL MAGIC WADDING POLISH

QUICK INDENTIFIER

Common Name: (used on label and list)

TRADE SECRET (Proprietary)

SECTION 1 -

Manufacturer's Name

THE GEORGE BASCH CO., INC.

Address

19 HANSE AVE - P.O. BOX 188

Emergency Telephone No.

516-378**-**8100

City, State, and ZIP

FREEPORT, N.Y. 11520

Other Information

same

Calls

Signature of Person

Responsible for Preparation (Optional)

Date Prepared

1-2-2008

SECTION 2 - HAZARDOUS INGREDIENTS/IDENTITY

Hazardous Component(s) (chemical & common name(s))

OSHA PFL.

ACGIII TLV

Other Exposure Limits

(optional)

CAS

Mineral Spirits – Petroleum Hydrocarbon

This product is C.A.R.B., V.O.C. Compliant

SECTION 3 - PHYSICAL & CHEMICAL CHARACTERISTICS

Boiling Point

343 F

Gravity (H₂O =

0.805 @60

Vapor Pressure (mm Hg)

0.6

Vapor

Density (Air = 1)

5.8

Stable under normal

conditions

Reactivity in Water

None

Appearance

Solubility

in Water

cotton wadding

Impregnated with liquid

Melting

and Odor

chemical

Point

NA

SECTION 4 - FIRE & EXPLOSION DATA

Flash Point 145 F. 63 C.

Method Used

Open cup Frammaoic Emmi

0.9

NA

Auto-Ignition Temperature

490 F

Extinguisher Fire Extinguisher- type-Monoamnonium Phosphate

(class ABC - Dry Chemical)

Special Fire

Fighting Procedures

Keep away from open flame-

Unusual Fire and Explosion Hazards

None

SECTION 5 - PHYSICAL HAZARDS (REACTIVITY DATA)

Stability

Unstable [] Stable [x]

Conditions to Avoid

Isolate from strong oxidizers, heat and open flame

Incompatibility

(Materials to Avoid)

Isolate from strong oxidizers such as permanganates,

chromates & peroxides

Hazardous

Decomposition Products

Carbon monoxide, Carbon Dioxide from burning

Hazardous Polymerization

Will Not Occur

SECTION 6 - HEALTH HAZARDS

Eye Contact Slightly irritating but does not injure eye tissue

Low order of toxicity. Skin contact may irritate or cause an existing dermatitis condition

Inhalation Low vapor concentrations may cause dizziness, headaches, drowsiness

Ingestion May cause local irritation, vomiting, respiratory irritation, headache, dizziness, nausea

SECTION 7 – First Aid Measures

Eye Contact

Flush eyes with large amounts of water until irritation subsides

Skin Contact

Recommend rubber gloves to use. Wash hands with soap and water

Inhalation

Remove to fresh air. Give artificial respiration if necessary

Ingestion

If swallowed DO NOT induce vomiting. Seek medical attention

SECTION 8 – PRECAUTIONS FOR SAFE HANDLING AND USE

Precautions to be Taken in

Handling and Storage

Store at room temperature. Keep away from open flames

SECTION 9 – STABILITY AND REACTIVITY

Stability

Stable

Conditions to Avoid Instability

N/A

Hazardous

Will Not Occur

Conditions to Avoid

N/A

Materials &

Polymerization Hazardous

Hazardous

Polymerization

Conditions to avoid Incompatibility

Oxidizers

Decomposition Products

None

SECTION 10 – HAZARD RATING SYSTEM

	NPCA-HMIS Nat'l Paint & Coating Assoc / Hazardous indent. Systems	NFPA 704 National Fire Protection Association	KEY 4 = Severe
HEALTH FLAMMABILI REACTIVITY	TY 1 2 0	0 2 0	3 = Serious 2 = Moderate 1 = Slight 0 = Minimal

[What is it?] [Where do I get it?] [Who uses it?] [How good is it?] [Material Safety Data Sheet] [Contact Us] [Home Page]

Material Safety Data Sheet

Material Safety Data Sheet

May be used to comply with OSHA's Hazard Communication Standard, 29CFR 1910. 1200. Standard must be consulted for specific requirements.

NEVR-DULL MAGIC WADDING POLISH

QUICK INDENTIFIER

Common Name: (used on label and list)

TRADE SECRET (Proprietary)

SECTION 1 -

Manufacturer's

Name THE GEORGE BASCH CO., INC.

Address 19 HANSE AVE - P.O. BOX 188 Emergency

Telephone No. 516-378-8100

City, State, and ZIP FREEPORT, N.Y. 11520 Other

Information

Calls same

Signature of Person

Responsible for Preparation (Optional) Date

Prepared 1-2-2008

SECTION 2 - HAZARDOUS INGREDIENTS/IDENTITY

Hazardous Component(s) (chemical & common name(s)) OSHA

PELACGIII

TLV Other Exposure

Limits %

CAS (optional)

NO.

Mineral Spirits - Petroleum Hydrocarbon

This product is C.A.R.B., V.O.C. Compliant

SECTION 3 - PHYSICAL & CHEMICAL CHARACTERISTICS

Boiling

Point 343 F Specific

Gravity $(H_2O = 1)$ 0.805 @60 F Vapor

Pressure (mm Hg)@20c 0.6

None

Vapor

Density (Air = 1) 5.8

Solubility

in Water Stable under normal conditions

Reactivity in

Water

Appearance

and Odor

cotton wadding Impregnated with liquid chemical

Melting

Point NA

SECTION 4 - FIRE & EXPLOSION DATA

Flash

Point 145 F.

63 C. Method

Used Open cup Flammable Limits

in Air % by Volume LEL

Lower 0.9 UEL

Upper NA

Auto-Ignition

Temperature 490 F Extinguisher Media Fire Extinguisher- type-Monoamnonium Phosphate

(class ABC - Dry Chemical)

Special Fire

Fighting Procedures

Keep away from open flame-

Unusual Fire and

Explosion Hazards

None

SECTION 5 - PHYSICAL HAZARDS (REACTIVITY DATA)

Stability Unstable []

Stable [x] Conditions

to AvoidIsolate from strong oxidizers, heat and open flame

Incompatibility

(Materials to Avoid) Isolate from strong oxidizers such as permanganates, chromates & peroxides

Hazardous

Decomposition Products Carbon monoxide, Carbon Dioxide from burning

Hazardous

Polymerization Will Not Occur

SECTION 6 - HEALTH HAZARDS

Eye Contact Slightly irritating but does not injure eye tissue

Skin Contact Low order of toxicity. Skin contact may irritate or cause an existing dermatitis condition

Inhalation Low vapor concentrations may cause dizziness, headaches, drowsiness

May cause local irritation, vomiting, respiratory irritation, headache, dizziness, nausea Ingestion

SECTION 7 - First Aid Measures

Eye Contact Flush eyes with large amounts of water until irritation subsides

Skin Contact Recommend rubber gloves to use. Wash hands with soap and water

Remove to fresh air. Give artificial respiration if necessary

If swallowed DO NOT induce vomiting. Seek medical attention Ingestion

SECTION 8 - PRECAUTIONS FOR SAFE HANDLING AND USE

Precautions to be Taken in Handling and Storage Store at room temperature. Keep away from open flames

SECTION 9 - STABILITY AND REACTIVITY

Stability Stable Conditions to Avoid Instability N/A Hazardous Polymerization Will Not Occur

Conditions to Avoid Hazardous Polymerization N/A Materials & Conditions to avoid Incompatibility Oxidizers Hazardous Decomposition Products None

SECTION 10 - HAZARD RATING SYSTEM

NPCA-HMIS NFPA 704 KEY

4 = Severe

3 = Serious

2 = Moderate

1 = Slight

0 = Minimal

Nat'l Paint & Coating Assoc./ Hazardous indent. Systems

National Fire Protection Association