

Safety Data Sheet



Zep, Inc.
1310 Seaboard Industrial Blvd.
Atlanta, GA 30318
1-877-I-BUY-ZEP (428-9937)
www.zep.com

Section 1. Chemical Product and Company Identification

Product name SAFE2DOSE™ GLASS CLEANER
(GreenLink)
Product use Concentrated Glass Cleaner
Product code N680
Date of issue 04/11/11 **Supersedes**

Emergency Telephone Numbers

For MSDS Information:

Compliance Services 1-877-I-BUY-ZEP (428-9937)

For Medical Emergency

(877) 541-2016 Toll Free - All Calls Recorded

For Transportation Emergency

CHEMTREC: (800) 424-9300 - All Calls Recorded
In the District of Columbia (202) 483-7616

Printing date: 05/03/11

Prepared By

Compliance Services
1420 Seaboard Industrial Blvd.
Atlanta, GA 30318


Section 2. Hazards Identification

Emergency overview

WARNING !

COMBUSTIBLE. CAUSES EYE IRRITATION.

*Hazard Determination System (HDS): Health, Flammability, Reactivity



NOTE: MSDS data pertains to the product as delivered in the original shipping container(s). Risk of adverse effects are lessened by following all prescribed safety precautions, including the use of proper personal protective equipment.

Acute Effects

Routes of Entry

Dermal contact. Eye contact. Inhalation.

- Eyes** Causes eye irritation. Inflammation of the eye is characterized by redness, watering and itching.
- Skin** May cause skin irritation. Skin inflammation is characterized by itching, scaling, or reddening.
- Inhalation** Over-exposure by inhalation may cause respiratory irritation.
- Ingestion** May be harmful if swallowed. Ingestion may cause nausea, weakness and central nervous system effects.

Chronic effects

Prolonged or repeated contact may dry skin and cause irritation. Overexposure of this product by inhalation or absorption can produce central nervous system depression resulting in headache, nausea and/or dizziness.

Carcinogenicity

No known significant effects or critical hazards.

Product/ingredient name

ACGIH

IARC

EPA

NIOSH

NTP

OSHA

None.

Additional Information: See Toxicological Information (Section 11)

Section 3. Composition/Information on Ingredients

Name of Hazardous Ingredients

PROPYLENE GLYCOL N-BUTYL ETHER; 1-butoxy-2-propanol
ETHANOL; ethyl alcohol; grain alcohol
SODIUM XYLENE SULFONATE

CAS number

5131-66-8
64-17-5
1300-72-7

% by Weight

15 - 25
5 - 15
1 - 5

Section 4. First Aid Measures

- Eye Contact** Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention immediately.
- Skin Contact** Flush affected skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Get medical attention if irritation develops.
- Inhalation** Move exposed person to fresh air. If irritation persists, get medical attention.
- Ingestion** Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If affected person is conscious, give plenty of water to drink. Get medical attention immediately.

Section 5. Fire Fighting Measures

National Fire Protection Association (U.S.A.)



Flash Point	Closed cup: 43.3°C (110°F) [Tagliabue.]
Flammable Limits	Not available.
Flammability	COMBUSTIBLE.
Fire hazard	Combustible liquid. May emit toxic fumes under fire conditions.
Fire-Fighting Procedures	Use dry chemical, CO ₂ , water spray (fog) or foam.

Section 6. Accidental Release Measures

Spill Clean up	Eliminate all ignition sources. Put on appropriate personal protective equipment (see section 8). Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble or absorb with an inert dry material and place in an appropriate waste disposal container.
-----------------------	--

Section 7. Handling and Storage

Handling	Put on appropriate personal protective equipment (see section 8). Store and use away from heat, sparks, open flame or any other ignition source. Do not get in eyes or on skin or clothing. Avoid breathing vapors, spray or mists. Do not ingest. Wash thoroughly after handling. Do not reuse container. Apply this product only as specified on the label.
Storage	Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Store between the following temperatures: 40°F - 120°F (4.4°C - 49°C). Do not store in unlabeled containers. Keep out of the reach of children.

Section 8. Exposure Controls/Personal Protection**Product name**

ETHANOL; ethyl alcohol; grain alcohol

Exposure limits**NIOSH REL (United States, 6/2009).**

TWA: 1000 ppm 10 hour(s).

TWA: 1900 mg/m³ 10 hour(s).**OSHA PEL (United States, 11/2006).**

TWA: 1000 ppm 8 hour(s).

TWA: 1900 mg/m³ 8 hour(s).**ACGIH TLV (United States, 1/2009).**

STEL: 1000 ppm 15 minute(s).

OSHA PEL 1989 (United States, 3/1989).

TWA: 1000 ppm 8 hour(s).

TWA: 1900 mg/m³ 8 hour(s).**Personal Protective Equipment (PPE)**

Eyes	Safety glasses.
Body	Recommended: Rubber gloves. Neoprene gloves. Nitrile gloves.
Respiratory	Use with adequate ventilation. A respirator is not needed under normal and intended conditions of product use.

**Section 9. Physical and Chemical Properties**

Physical State	Liquid.	Color	Clear. Blue. [Light]
pH	(Conc.) 10.4 - 11.0 pH (1:64) = 6.0 - 7.0	Odor	Mild. (no fragrance added)
Boiling Point	~100°C (212°F)	Vapor Pressure	Not determined.
Specific Gravity	0.97	Vapor Density	Not determined.
Solubility	Soluble in the following materials: cold water and hot water.	Evaporation Rate	1 (Water = 1)
		VOC (Consumer)	30% 2.42 (lb/gal) 290 (g/l)

Section 10. Stability and Reactivity

Stability and Reactivity	The product is stable.
Incompatibility	Keep away from heat, sparks and flame. Slightly reactive or incompatible with the following materials: oxidizing materials.
Hazardous Polymerization	Will not occur.
Hazardous Decomposition Products	carbon oxides (CO, CO ₂), sulfur oxides (SO ₂ , SO ₃ etc.)

Section 11. Toxicological Information**Acute Toxicity**

Product/ingredient name	Result	Species	Dose	Exposure
3-butoxypropan-2-ol	LD50 Dermal	Rabbit	1400 mg/kg	-
	LD50 Oral	Rat	3300 mg/kg	-
Ethanol	LC50 Inhalation Vapor	Rat	20000 mg/m ³	4 hours
	LD50 Oral	Rat	7 g/kg	-

Section 12. Ecological Information

Environmental Effects Not available.

Aquatic Ecotoxicity

Not available.

Section 13. Disposal Considerations**Waste Information**

Waste must be disposed of in accordance with federal, state and local environmental control regulations. Consult your local or regional authorities for additional information.

Waste Stream Non-hazardous waste

Section 14. Transport Information

Regulatory information	UN number	Proper shipping name	Classes	PG*	Label
DOT Classification	Not regulated.	Not a DOT controlled material (United States).			
IMDG Class	Not determined.				

NOTE: DOT classification applies to most package sizes. For specific container size classifications or for size exceptions, refer to the Bill of Lading with your shipment.

PG* : Packing group

Section 15. Regulatory Information**U.S. Federal Regulations**

SARA 313 toxic chemical notification and release reporting:

Product name

No products were found.

Clean Water Act (CWA) 307: No products were found.

Clean Water Act (CWA) 311: No products were found.

Clean Air Act (CAA) 112 regulated toxic substances: No products were found.

All Components of this product are listed or exempt from listing on TSCA Inventory.

United States inventory (TSCA 8b): Not determined.

State Regulations

California Prop 65 No products were found.

Section 16. Other Information

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

*NOTE: Hazard Determination System (HDS) ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although these ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HDS ratings are to be used with a fully implemented program to relay the meanings of this scale.