

**HOSPECO HEALTH GARDS AIR FRESHENERS, 7OZ.
TROPICAL TRADEWINDS 07908
NEUTRALIZER 07913
SUNBURST 07933**

Quick Identifier (In Plant Common Name)

Material Safety Data Sheet

Manufacturer's Name & Address HOSPECO
Cleveland, Ohio 44143

Telephone No. 800-321-9832

HMIS Symbol:

Health	1
Flammability	3
Reactivity	0

HMIS	NFPA
Minimal 0	Insignificant
Slight 1	Slight
Moderate 2	Moderate
Serious 3	High
Severe 4	Extreme

NFPA Symbol:



Date Prepared: March 21, 2013

Prepared By: *V. Burrell*

Supersedes: NEW

SECTION 1 - IDENTITY

Common Name: (used on label) HOSPECO HEALTH GARDS AIR FRESHENERS, 7OZ.
(Trade name & Synonyms) TROPICAL TRADEWINDS 07908
NEUTRALIZER 07913
SUNBURST 07933

Chemical Name Mixture packaged in pressurized aerosol spray can.

SECTION 2 - HAZARDOUS INGREDIENTS

Principal Hazardous Component(s)	CAS No.	OSHA PEL	ACGIH TLV	Other Limits
2-Propanone	67-64-1	1000 ppm	500 ppm 750 ppm STEL	
Liquefied Petroleum Gas	68476-86-8	Unknown	1000 ppm	

*Section 313 Supplier Notification - Indicates hazardous ingredients which are toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and of 40 CFR 372.

SECTION 3 - PHYSICAL & CHEMICAL CHARACTERISTICS

Boiling Point	>100°F	Specific Gravity (H₂O=1)(Conc)	0.78 – 0.81g/ml	Vapor Pressure (Propellant)	No Data
% - VOC	29.5%	Evaporation Rate (BuAc=1)	>1.00	pH	N/A
Solubility In Water	Insoluble	Appearance and Odor(Conc)	Water white clear liquid with a characteristic odor		

SECTION 4 - FIRE & EXPLOSION DATA

Flammability (per flame projection)	FLAMMABLE	Flammable Limits in Air (Propellants)	Lower N/A	Upper N/A	Extinguisher Media	Dry chemical, CO ₂ , Alcohol-resistant foam
Special Fire Fighting Procedures	Keep containers cool using water spray. Use proper equipment to protect personnel from bursting containers.					
Unusual Fire and Explosion Hazards	Contents under pressure. Do not expose to temperatures exceeding 120° F as containers may vent, rupture or burst.					

SECTION 5 - PHYSICAL HAZARDS

Stability	Unstable <input type="checkbox"/> Stable <input checked="" type="checkbox"/>	Conditions to Avoid	Heat, sparks open flames; Temp. > 120°F.	Hazardous Polymerization	May Occur <input type="checkbox"/> Will not Occur <input checked="" type="checkbox"/>
Incompatibility (Materials to Avoid)			Acids, alkalis, Reducing agents, Strong oxidizing agents		
Hazardous Decomposition Products			CO and CO ₂		

SECTION 6 - HEALTH HAZARDS

Routes of Entry	Inhalation:	Yes	Eyes / Skin:	Yes	Ingestion:	Unlikely
Signs and Symptoms of Exposure (Acute & Chronic)	Eye contact: Can cause eye irritation. Symptoms include stinging, tearing, redness, and swelling of eyes; Skin contact: May cause mild skin irritation. Prolonged or repeated contact may dry the skin. Symptoms may include redness, burning, drying and cracking of skin, and skin burns. Passage of this material into the body through the skin is possible, but it is unlikely that this would result in harmful effects during safe handling and use. Ingestion: Swallowing small amounts of this material during normal handling is not likely to cause harmful effects. Swallowing large amounts may be harmful. This material can get into the lungs during swallowing or vomiting. This can result into lung inflammation and other lung injury; Inhalation: Breathing of vapor or mist is possible. Breathing small amounts of this material during normal handling is not likely to cause harmful effects.					
Medical Conditions Generally Aggravated by Exposure	Pre-existing skin and lung disorders					
Chemical Listed as Carcinogen or Potential Carcinogen	National Toxicology Program	Yes No	<input type="checkbox"/> <input checked="" type="checkbox"/>	I.A.R.C. Monographs	Yes No	<input type="checkbox"/> <input checked="" type="checkbox"/> OSHA Yes No <input checked="" type="checkbox"/>

Emergency and First Aid Procedures

1. Inhalation	Immediately move to fresh air. Flush eyes gently with water for at least 15 minutes while holding eyelids apart; seek immediate medical attention.
2. Eyes	Immediately move to fresh air. Flush eyes gently with water for at least 15 minutes while holding eyelids apart; seek immediate medical attention.
3. Skin	Remove contaminated clothing. Wash exposed area with soap and water. If symptoms persist, seek medical attention. Launder clothing before reuse.
4. Ingestion	Seek medical attention. Contact a physician, medical facility, or poison control center for advice about whether to induce vomiting.

SECTION 7 – SPECIAL PROTECTION INFORMATION

Respiratory Protection (Specify Type)		None required for normal use.						
Ventilation	Local Exhaust	Maintain adequate ventilation.	Mechanical (General)	N/A	Special	N/A	Other	N/A
Protective Gloves		Chemical Resistant		Eye Protection		Safety Glasses		
Other Protective Clothing or Equipment		Wash hands after use.						

SECTION 8 – SPECIAL PRECAUTIONS AND SPILL/LEAK PROCEDURES

Precautions to be Taken Handling and Storage	WARNING: FLAMMABLE. Contents under pressure. Keep away from heat, sparks and open flames. Excessive inhalation in confined areas may cause headaches or dizziness. Intentional misuse by deliberately concentrating or inhaling the contents may be harmful or fatal. Avoid contact with skin and eyes. Avoid contact with food and food handling surfaces. Avoid contact with painted, varnished or plastic surfaces. Do not store at temperatures above 120°F. Do not puncture or incinerate containers. Keep out of reach of children. Store in accordance with NFPA 30B for Level 3 Aerosols.
Other Precautions	Read label cautions carefully. Follow label directions to avoid injury.
Steps to be Taken in Case Material is Released or Spilled	Absorb spill with inert material then place in a chemical waste container. Dispose of spill material in accordance with regulations.
Waste Disposal Methods	Dispose of in accordance with local, state, and federal regulations.

Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986:
This product is not known to contain any chemicals currently listed as carcinogens or reproductive toxins under California Proposition 65 at levels which would be subject to the proposition.

Transportation Info

DOT Shipping Name: Aerosols, Limited Quantity
Hazard Class: Class 2.1(flammable gas)
UN/ID Number: UN 1950

We believe all information given is accurate. It is offered in good faith, but without guarantee. Since conditions are beyond our control, user assumes all responsibility and risk.

1255211 / 9014118 / 9005211 132103
1253263 / 9003263 / 9014118 132103
1253623 / 9014118 / 9003623 132103