

POWER TIME, Extra Strength Clinging Foam Cleaner (formerly Hang Time)

5. FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (F): None (C): NA
METHOD: None

FLAMMABLE LIMITS IN AIR

- LOWER (%): None
- UPPER (%): None

SENSITIVITY TO MECHANICAL IMPACT(Y/N):

SENSITIVITY TO STATIC DISCHARGE:

SUITABLE EXTINGUISHING MEDIA:

FIRE FIGHTING PROCEDURES:

NO

Sensitivity to static discharge is not expected.

Product will not burn. As for surrounding fire.

Corrosive material. Avoid exposure to mist and splashes. Firefighters should wear self-contained breathing apparatus and full protective clothing when fighting chemical fires. Cool exposed containers with water spray.

6. ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES:

SMALL SPILLS:

LARGE SPILLS:

Reclaim as much as possible. Flush residue with water.

Dike to contain. Pick up with absorbant material. Put in suitable container for disposal. Flush remainder with water.

PERSONAL PRECAUTIONS:

ENVIRONMENTAL PRECAUTIONS:

METHODS FOR CLEANING UP:

NA

NA

NA

7. HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN
IN HANDLING AND STORAGE:

OTHER PRECAUTIONS:

SPECIFIC USE(S):

Caution: Concentrated acidic liquid. Avoid contact with eyes, skin and clothing. Do not breathe mist or vapors. Store only in original container and keep closed. Store in a cool, dry area. Store in a well ventilated area. Mix only with water.

Do not reuse container. Read and follow label instructions. Keep out of reach of children.

NA

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

PROTECTIVE EQUIPMENT:

EXPOSURE CONTROLS:

RESPIRATORY PROTECTION:

PROTECTIVE GLOVES:

EYE PROTECTION:

OTHER PERSONAL PROTECTION
EQUIPMENT:

VENTILATION:

None known.

None normally required. Use NIOSH approved acid respirator with dust/mist filter if spray mist in air exceeds exposure limits.

Rubber or plastic gloves recommended to minimize skin contact.

Goggles. Face shield.

Rubber boots. Appropriate protective clothing as needed to prevent skin contact. Liquid may penetrate leather shoes and cause delayed burns. Eyewash fountains and safety showers must be easily accessible.

Not normally required. General mechanical and/or local exhaust as needed to meet exposure limits if mist in air. Corrosion resistant equipment recommended. When cleaning aluminum or galvanized surfaces, use explosion proof equipment to remove any hydrogen gas.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR:

BOILING POINT (F):

VAPOR PRESSURE:

VAPOR DENSITY (AIR=1):

SOLUBILITY IN WATER:

Clear red. Amber liquid. Peach fragrance.

245 F approx.

As water

As water

NA

(C) NA

POWER TIME, Extra Strength Clinging Foam Cleaner (formerly Hang Time)

9. PHYSICAL AND CHEMICAL PROPERTIES

SPECIFIC GRAVITY: 1.172 +/- 0.01
 VOC Content (%): NE
 VOV Content (%): NE
 EVAPORATION RATE: Less than water
 PH: 1.5

10. STABILITY AND REACTIVITY

STABILITY DATA: STABLE
 POLYMERIZATION: Will Not Occur.
 HAZARDOUS DECOMPOSITION: If evaporated to dryness, as in a fire, may release: Soot. Smoke. Carbon Monoxide. Oxides of Phosphorus. Oxides of Nitrogen.
 INCOMPATIBILITY (MATERIALS TO AVOID): Do not mix with: Alkalines. Chlorine containing materials. Peroxides. Reducing agents. Avoid contact with aluminum, zinc, other soft metals or galvanized metals. Reaction will generate hydrogen gas. This gas is flammable and/or explosive in presence of ignition source.
 CONDITIONS/HAZARDS TO AVOID: None.

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY: NE
 EFFECTS OF CHRONIC EXPOSURE: NE
 OTHER TOXIC EFFECTS: NE

12. ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL INFORMATION: No data at this time
 CHEMICAL FATE INFORMATION: No data at this time.
 MOBILITY: NA
 PERSISTENCE/DEGRADABILITY: NA
 BIOACCUMULATIVE POTENTIAL: NA
 OTHER ADVERSE EFFECTS: NA

13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHODS: Dispose in accordance with Federal, State and Local regulations.

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/Receiving documents for up to date shipping information.

15. REGULATORY INFORMATION

PRODUCT COMPOSITION CAS#	%	TSCA:	EINECS:	Canada DSL:	CA PROP 65:
Phosphoric acid 7664-38-2	30	Listed	Listed	Listed	Not Listed

PRODUCT COMPOSITION CAS#	%	CERCLA:	SARA 302:	SARA 313:
Phosphoric acid 7664-38-2	30	2270 kg 5000 lb	Not Listed	Not Listed

POWER TIME, Extra Strength Clinging Foam Cleaner (formerly Hang Time)

PRODUCT COMPOSITION CAS#	%	Canada WHMIS:
Phosphoric acid 7664-38-2	30	Listed

The following components of this material are included in the Massachusetts Substance List and are present at or above reportable levels.

PRODUCT COMPOSITION CAS#	%	MARTK:
Phosphoric acid 7664-38-2	30	Listed

The following components of this material are included in the New Jersey Substance List and are present at or above reportable levels.

PRODUCT COMPOSITION CAS#	%	NJRTK:
Phosphoric acid 7664-38-2	30	Listed

The following components of this material are included in the Pennsylvania Substance List and are present at or above reportable levels.

PRODUCT COMPOSITION CAS#	%	PARTK:
Phosphoric acid 7664-38-2	30	Listed

16. OTHER INFORMATION

This information was compiled from current, reliable sources and is believed to be correct. As data, and/or regulations change, and conditions of use and handling are beyond our control, no warranty, express or implied, is made as to completeness or continuing accuracy of this information.

*** END OF MSDS ***