

MATERIAL SAFETY DATA SHEET



SIGNATURE Ultra High Speed Floor Finish

HMIS		NFPA	Personal protective equipment
Health	1	1	None / Aucune / Ninguno
Flammability	0	0	
Physical Hazard / Instability	0	0	

Version Number: 1

Preparation date: 2012-02-17

1. PRODUCT AND COMPANY IDENTIFICATION

Product name: SIGNATURE Ultra High Speed Floor Finish

MSDS #: MS0300814
Product Code: 4971947, 5104950
Recommended use: Floor care.

Manufacturer, importer, supplier:
 US Headquarters
 Diversey, Inc.
 8310 16th St.
 Sturtevant, Wisconsin 53177-1964
 Phone: 1-888-352-2249
 MSDS Internet Address: www.diversey.com
Emergency telephone number: 1-800-851-7145 (U.S.); 1-651-917-6133 (Int'l)

Canadian Headquarters
 Diversey, Inc. - Canada
 2401 Bristol Circle
 Oakville, Ontario L6H 6P1
 Phone: 1-800-668-3131

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

CAUTION. MAY BE MILDLY IRRITATING TO EYES. MAY BE MILDLY IRRITATING TO SKIN.

Principal routes of exposure: Eye contact. Skin contact. Inhalation.
Eye contact: May be mildly irritating to eyes.
Skin contact: May be mildly irritating to skin.
Inhalation: None
Ingestion: None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient(s)	CAS #	Weight %	LD50 Oral - Rat (mg/kg)	LD50 Dermal - Rabbit	LC50 Inhalation - Rat
Diethylene glycol monoethyl ether	111-90-0	5 - 10%	5500	4200 µL/kg	>5240 mg/m³ (4 h)

4. FIRST AID MEASURES

Eye contact: Flush immediately with plenty of water. If irritation develops, get medical attention.
Skin contact: Flush immediately with plenty of water. If irritation develops, get medical attention.
Inhalation: No specific first aid measures are required.
Ingestion: No specific first aid measures are required.
Aggravated Medical Conditions: None known

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media: The product is not flammable. Extinguish fire using agent suitable for surrounding fire.
Specific hazards: Not applicable
Unusual hazards: None known
Specific methods: No special methods required

SIGNATURE Ultra High Speed Floor Finish

1 of 4

Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear
Extinguishing media which must not be used for safety reasons: No information available

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Use personal protective equipment
Environmental precautions and clean-up methods: No information available

7. HANDLING AND STORAGE

Handling:
Avoid contact with skin and eyes. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.
Storage:
Protect from freezing. Keep tightly closed in a dry, cool and well-ventilated place. KEEP OUT OF REACH OF CHILDREN.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures to reduce exposure:
No special ventilation requirements General room ventilation is adequate

Personal Protective Equipment

Eye protection:	No special requirements under normal use conditions.
Hand protection:	No special requirements under normal use conditions
Skin and body protection:	No special requirements under normal use conditions.
Respiratory protection:	No special requirements under normal use conditions.
Hygiene measures:	Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid	Bulk density: No information available
Appearance: Aqueous solution	Evaporation Rate: No information available
Specific gravity: 1.026	Color: Opaque White
Vapor density: No information available	Odor: Ammonia
Boiling point/range: Not determined	Melting point/range: Not determined
Decomposition temperature: Not determined	Autoignition temperature: No information available
Solubility: Dispersible	Density: 8.59 lbs/gal 1.03 Kg/L
Solubility in other solvents: No information available	Flash point: > 200 °F > 93.4 °C
Partition coefficient (n-octanol/water): No information available	Viscosity: No information available
Elemental Phosphorus: 0.16 % by wt.	VOC: 0.95 % *
pH: 8.35	Dilution pH: 8.35 @ RTU
Explosion limits: - upper: Not determined - lower: Not determined	

* - Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products; Sections 94508

10. STABILITY AND REACTIVITY

Stability: The product is stable
Polymerization: Hazardous polymerization does not occur
Hazardous decomposition products: None reasonably foreseeable.

11. TOXICOLOGICAL INFORMATION

Acute toxicity: Oral LD50 estimated to be greater than 5000 mg/kg; Dermal LD50 estimated to be > 2000 mg/kg
Component Information: See Section 3
Chronic toxicity: None known
Specific effects
Carcinogenic effects: None known
Mutagenic effects: None known

SIGNATURE Ultra High Speed Floor Finish

2 of 4

Reproductive toxicity: None known
Target organ effects: None known

12. ECOLOGICAL INFORMATION

Environmental Information: No data available

13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products:
Dispose of according to all federal, state and local applicable regulations.

14. TRANSPORT INFORMATION

DOT/TDG/IMDG: Please refer to the Diversey HazMat Library, <http://naextranet.diversey.com/dot/>, for up to date shipping information.

DOT Bill of Lading Description: BUFFING OR POLISHING COMPOUNDS

IMDG Bill of Lading Description: BUFFING OR POLISHING COMPOUNDS

15. REGULATORY INFORMATION

International Inventories at CAS# Level

All components of this product are listed on the following inventories: U.S.A. (TSCA), Canada (DSL/NDSL).

U.S. Regulations

California Proposition 65: This product is not subject to the reporting requirements under California's Proposition 65

RIGHT TO KNOW (RTK)

Ingredient(s)	CAS #	MARTK:	NJRTK:	PARTK:	RIRTK:
Water	7732-18-5	-	-	-	-
Tributoxyethyl phosphate	78-51-3	-	-	-	-
Diethylene glycol monoethyl ether	111-90-0	-	-	-	-
Diethylene glycol dibenzoate	120-55-8	-	-	-	-
Amine salt of a modified acrylic polymer	TS*	-	-	-	-

CERCLA/ SARA

Ingredient(s)	CAS #	Weight %	CERCLA/SARA RQ (lbs)	Section 302 TPQ (lbs)	Section 313
Diethylene glycol monoethyl ether	111-90-0	5 - 10%			X

Ingredient(s)	CAA HAP	CAA ODS	CWA Priority Pollutants
Diethylene glycol monoethyl ether	X		

SARA 311/312 Hazard Categories

Immediate:

Delayed:

Fire:

Reactivity:

Sudden Release of Pressure:

Canada

WHMIS hazard class: Non-controlled

16. OTHER INFORMATION

SIGNATURE Ultra High Speed Floor Finish

3 of 4

Reason for revision:

Not applicable

Prepared by:

NAPRAC

Additional advice:

• This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.