



MATERIAL SAFETY DATA SHEET

REVISION DATE: 10/22/2009
DATE PRINTED: 10/22/2009

REVISION NUMBER: 9
PREPARED BY: EH&S DEPARTMENT

1. CHEMICAL PRODUCT

PRODUCT NAME: **ULTRA MARATHON®, Floor Finish**
PRODUCT CODE: 118084

NFPA/HMIS HAZARD CODES (minimal=0; slight=1; moderate=2; serious=3; severe=4)

Health: 1/1 Fire: 0/0
Reactivity: 0/0 Special/Protective Equipment: None/B

NAME OF THE MANUFACTURER: Rochester Midland Corporation
333 Hollenbeck Street
Rochester, New York 14621
Information: 585-336-2200
Emergency Phone:
INFOTRAC: 1-800-535-5053
OUTSIDE US: 1-352-323-3500

2. HAZARDS IDENTIFICATION

EFFECTS FROM ACUTE EXPOSURE:

INGESTION: May be harmful if swallowed. Irritation of the mouth, throat, and stomach. Causes vomiting, nausea, and diarrhea.
SKIN CONTACT: May cause moderate skin irritation.
INHALATION: Inhalation of spray mists irritating to nose and throat; possible nausea, dizziness.
EYE CONTACT: Causes eye irritation.
CHRONIC EFFECTS: None known.
EFFECTS/CARCINOGENICITY: None listed under OSHA, IARC, or NTP.
ROUTES OF ENTRY: Routes of entry for solids and liquids include eye and skin contact, ingestion and inhalation.

3. COMPOSITION/INFORMATION ON INGREDIENTS

PRODUCT COMPOSITION CAS#	%	ACGIH TLV	OSHA PELs
Diethylene glycol ethyl ether 111-90-0	1 - 5	NA	NA
Dipropylene glycol methyl ether 34590-94-8	1 - 5	100 ppm	100 ppm 600 mg/m ³
Tributoxy ethyl phosphate 78-51-3	1 - 5	NA	NA

4. FIRST AID MEASURES

INGESTION: Do not induce vomiting. Drink two glasses of water. Call a physician. Never give anything by mouth to an unconscious person.
SKIN: In case of contact, immediately flush skin with plenty of soap and water for at least 15 minutes. Get medical attention.
INHALATION: If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation develops or if breathing becomes difficult.
EYES: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention if irritation persists.
NOTES TO PHYSICIAN: None.

ULTRA MARATHON®, Floor Finish

5. FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (F): None (C): NA
METHOD: TCC

FLAMMABLE LIMITS IN AIR

- LOWER (%): NA
- UPPER (%): NA

SENSITIVITY TO MECHANICAL IMPACT(Y/N):

NO

SENSITIVITY TO STATIC DISCHARGE:

Sensitivity to static discharge is not expected.

SUITABLE EXTINGUISHING MEDIA:

Product is mostly water and will not burn.

FIRE FIGHTING PROCEDURES:

None.

6. ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES:

SMALL SPILLS:

Pick up with absorbant material. Flush residue with water.

LARGE SPILLS:

Dike to contain. Pick up with absorbant material. Put in suitable container for disposal. Flush remainder with water.

PERSONAL PRECAUTIONS:

Not applicable

ENVIRONMENTAL PRECAUTIONS:

Not applicable

METHODS FOR CLEANING UP:

Not applicable

7. HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN
IN HANDLING AND STORAGE:

Avoid contact with eyes, skin and clothing.
Use only with adequate ventilation. Keep from freezing. Use in a well ventilated area to prevent irritation by vapors.

OTHER PRECAUTIONS:

Keep out of reach of children.

SPECIFIC USE(S):

Not applicable.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

PROTECTIVE EQUIPMENT:



EXPOSURE CONTROLS:

None known.

RESPIRATORY PROTECTION:

None normally required.

PROTECTIVE GLOVES:

Rubber or plastic gloves recommended to minimize skin contact.

EYE PROTECTION:

Goggles. Safety Glasses.

OTHER PERSONAL PROTECTION
EQUIPMENT:

Appropriate protective clothing as needed to prevent skin contact.

VENTILATION:

None required.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR:

Opaque white liquid. Mild odor.

BOILING POINT (F):

212° F

(C) NA

VAPOR PRESSURE:

As water

VAPOR DENSITY (AIR=1):

As water

SOLUBILITY IN WATER:

NA

SPECIFIC GRAVITY:

1.015 - 1.025

VOC Content (%):

5.25 - 5.75 (EPA Method 24)

VOV Content (%):

NE

EVAPORATION RATE:

As water

PH:

8-9

ULTRA MARATHON®, Floor Finish

9. PHYSICAL AND CHEMICAL PROPERTIES

10. STABILITY AND REACTIVITY

STABILITY DATA: STABLE
POLYMERIZATION: Will Not Occur.
HAZARDOUS DECOMPOSITION: If evaporated to dryness, as in a fire, material may burn, releasing: Oxides of Carbon. Nitrogen oxides.
INCOMPATIBILITY (MATERIALS TO AVOID): Do not mix with salts. Product coagulates. Do not mix with acidic materials.
CONDITIONS/HAZARDS TO AVOID: None known.

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY: Not Established
EFFECTS OF CHRONIC EXPOSURE: Not established.
OTHER TOXIC EFFECTS: Not established.

12. ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL INFORMATION: No data at this time
CHEMICAL FATE INFORMATION: No data at this time.
MOBILITY: Not applicable.
PERSISTENCE/DEGRADABILITY: Not applicable
BIOACCUMULATIVE POTENTIAL: Not applicable
OTHER ADVERSE EFFECTS: Not applicable

13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHODS: Dispose in accordance with Federal, State and Local regulations.

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/Receiving documents for up to date shipping information.

15. REGULATORY INFORMATION

PRODUCT COMPOSITION CAS#	%	TSCA:	EINECS:	Canada DSL:	CA PROP 65:
Diethylene glycol ethyl ether 111-90-0	1 - 5	Listed	Listed	Listed	Not Listed
Dipropylene glycol methyl ether 34590-94-8	1 - 5	Listed	Listed	Listed	Not Listed
Tributoxy ethyl phosphate 78-51-3	1 - 5	Listed	Listed	Listed	Not Listed

PRODUCT COMPOSITION CAS#	%	CERCLA:	SARA 302:	SARA 313:
Diethylene glycol ethyl ether 111-90-0	1 - 5	Not Listed	Not Listed	Not Listed
Dipropylene glycol methyl ether 34590-94-8	1 - 5	Not Listed	Not Listed	Not Listed
Tributoxy ethyl phosphate 78-51-3	1 - 5	Not Listed	Not Listed	Not Listed

ULTRA MARATHON®, Floor Finish

PRODUCT COMPOSITION CAS#	%	Canada WHMIS:
Diethylene glycol ethyl ether 111-90-0	1 - 5	Listed
Dipropylene glycol methyl ether 34590-94-8	1 - 5	Listed
Tributoxy ethyl phosphate 78-51-3	1 - 5	Listed

The following components of this material are included in the Massachusetts Substance List and are present at or above reportable levels.

PRODUCT COMPOSITION CAS#	%	MARTK:
Dipropylene glycol methyl ether 34590-94-8	1 - 5	Listed

The following components of this material are included in the New Jersey Substance List and are present at or above reportable levels.

PRODUCT COMPOSITION CAS#	%	NJRTK:
Dipropylene glycol methyl ether 34590-94-8	1 - 5	Listed

The following components of this material are included in the Pennsylvania Substance List and are present at or above reportable levels.

PRODUCT COMPOSITION CAS#	%	PARTK:
Dipropylene glycol methyl ether 34590-94-8	1 - 5	Listed

16. OTHER INFORMATION

This information was compiled from current, reliable sources and is believed to be correct. As data, and/or regulations change, and conditions of use and handling are beyond our control, no warranty, express or implied, is made as to completeness or continuing accuracy of this information.

*** END OF MSDS ***