

MATERIAL SAFETY DATA SHEET

REVISION DATE: 09/06/2011 09/07/2011 DATE PRINTED:

REVISION NUMBER:

CHEMICAL PRODUCT

PRODUCT NAME:

THERMO-SEAL, Ultra High Gloss Sealer

PRODUCT CODE:

120220

NFPA/HMIS HAZARD CODES(minimal=0; slight=1; moderate=2; serious=3; severe=4)

Health:

1/1 0/0

0/0

Reactivity:

Special/Protective Equipment:

None/B

Emergency Phone:

INFOTRAC: 1-800-535-5053 OUTSIDE US: 1-352-323-3500

HAZARDS IDENTIFICATION

EFFECTS FROM ACUTE EXPOSURE:

INGESTION:

May cause irritation, nausea, vomiting, and kidney damage if swallowed in large amounts.

SKIN CONTACT:

Repeated or prolonged contact may irritate moderately.

INHALATION:

Causes mild respiratory irritation. Excessive inhalation causes headache, dizziness, nausea

and incoordination.

EYE CONTACT:

May cause mild eye irritation.

CHRONIC EFFECTS:

None expected in normal use. None listed under OSHA, IARC, or NTP.

EFFECTS/CARCINOGENICITY: ROUTES OF ENTRY:

Routes of entry for solids and liquids include eye and skin contact, ingestion and inhalation.

COMPOSITION/INFORMATION ON INGREDIENTS

PRODUCT COMPOSITION	%	ACGIH TLV	OSHA PELs
CAS# Diethylene glycol ethyl ether	1 - 5	Not applicable	Not applicable
111-90-0 Ammoniated acrylic acid polymer 28214-57-5 Tribuloxy ethyl phosphate	10 - 20	Not applicable	Not applicable
	1 - 5	Not applicable	Not applicable
Tributoxy etnyl pnospnate 78-51-3	. •	• •	

FIRST AID MEASURES

INGESTION:

Drink several glasses of water or milk. Contact physician if irritation persists. Never give

anything by mouth to an unconcious person.

SKIN:

Rinse thoroughly with water.

INHALATION:

Move person to fresh air. Aid breathing if necessary.

EYES:

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes and get

medical attention if irritation persists.

NOTES TO PHYSICIAN:

None.

FIRE AND EXPLOSION HAZARD DATA

THERMO-SEAL, Ultra High Gloss Sealer

5. FIRE AND EXPLOSION HAZARD DATA

FLASH POINT:

(C): None (F): None

METHOD:

None

FLAMMABLE LIMITS IN AIR

LOWER (%): UPPER (%):

No data No data

SENSITIVITY TO MECHANICAL IMPACT(Y/N):

SENSITIVITY TO STATIC DISCHARGE: SUITABLE EXTINGUISHING MEDIA:

Sensitivity to static discharge is not expected.

As appropriate for surrounding fire-product is mostly water and will

not burn.

FIRE FIGHTING PROCEDURES:

Fire-fighters should wear self-contained breathing apparatus and

full protective clothing when fighting chemical fires.

ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES:

SMALL SPILLS: LARGE SPILLS: Mop up all possible. Rinse down drain.

Dike to contain. Pick up with absorbant material. Put in suitable container for disposal. Flush

remainder with water.

PERSONAL PRECAUTIONS:

ENVIRONMENTAL PRECAUTIONS: METHODS FOR CLEANING UP:

Not applicable Not applicable

Not applicable

HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN

IN HANDLING AND STORAGE:

Caution: Avoid contact with eyes, skin and clothing. Do not breathe mist or vapors. Use only

with adequate ventilation. Keep from freezing.

OTHER PRECAUTIONS:

SPECIFIC USE(S):

Keep out of reach of children. Not applicable.

EXPOSURE CONTROLS/PERSONAL PROTECTION

PROTECTIVE EQUIPMENT:



EXPOSURE CONTROLS:

RESPIRATORY PROTECTION: PROTECTIVE GLOVES:

EYE PROTECTION:

OTHER PERSONAL PROTECTION

EQUIPMENT: VENTILATION: None known.

NIOSH approved respirator if spray mist in air causes irritation. Chemical resistant gloves are recommended to minimize skin contact.

Safety glasses are recommended to minimize eye contact. None required. It is the responsibility of the end user of this product to determine level of PPE

required that is consistent with safe use of this product.

General mechanical or local exhaust as needed to maintain exposure below TLV or PEL.

(C) Not determined

PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR: **BOILING POINT (F):**

VAPOR DENSITY (AIR=1):

White, Liquid, Mild odor,

Not determined

Not determined Not determined Not determined

SOLUBILITY IN WATER: SPECIFIC GRAVITY: VOC Content (%):

1.015 - 1.025 4.11 - 4.61 (Per EPA Method 24)

EVAPORATION RATE:

VAPOR PRESSURE:

Not determined

PH:

8 - 9

THERMO-SEAL, Ultra High Gloss Sealer

10. STABILITY AND REACTIVITY

STABILITY DATA:

STABLE

POLYMERIZATION:

Will Not Occur.

HAZARDOUS DECOMPOSITION:

If evaporated to dryness, as in a fire, may release: Oxides of Carbon. Oxides of Nitrogen.

INCOMPATIBILITY (MATERIALS TO

None

CONDITIONS/HAZARDS TO AVOID: Product coagulates when mixed with salt or acid solutions.

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY:

Not Established

EFFECTS OF CHRONIC EXPOSURE: Not established.

OTHER TOXIC EFFECTS:

Not established.

12. ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL

No data at this time

INFORMATION:

CHEMICAL FATE INFORMATION:

No data at this time.

MOBILITY:

Not applicable.

PERSISTENCE/DEGRADABILITY:

Not applicable

BIOACCUMULATIVE POTENTIAL: OTHER ADVERSE EFFECTS:

Not applicable

Not applicable

13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHODS:

Dispose in accordance with Federal, State and Local regulations.

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/Receiving documents for up to date shipping information.

15. REGULATORY INFORMATION

PRODUCT COMPOSITION	%	TSCA:	EINECS:	Canada DSL:	CA PROP 65:
CAS#	1 - 5	Puesta en lista	Puesto en lista	Puesto en lista	Not Listed
Diethylene glycol ethyl ether 111-90-0	1-5			Not Listed	Not Listed
Ammoniated acrylic acid polymer	10 - 20	Not Listed	Not Listed	Mot Fisten	1401 213100
28214-57-5 Tributoxy ethyl phosphate	1-5	Listed	Listed	Listed	Not Listed
78-51-3					L

	%	CERCLA:	SARA 302:	SARA 313:
PRODUCT COMPOSITION CAS#	/0	<u> </u>		
Diethylene glycol ethyl ether	1-5	Not Listed	Not Listed	Not Listed
111-90-0 Ammoniated acrylic acid polymer	10 - 20	Not Listed	Not Listed	Not Listed
28214-57-5 Tributoxy ethyl phosphate	1 - 5	Not Listed	Not Listed	Not Listed
78-51-3				

THERMO-SEAL, Ultra High Gloss Sealer

PRODUCT COMPOSITION	%	Canada WHMIS:
CAS#		Puesto en lista
Diethylene glycol ethyl ether	1-5	
111-90-0		Listed
Tributoxy ethyl phosphate	1-5	
78-51-3		

None of the components of this material are included in the Massachusetts Substance List nor are present at or above reportable

None of the components of this material are included in the New Jersey Substance List nor are present at or above reportable levels.

to the second district of the New Jersey Stinstance List for all present at or doors represent at or doors rep	
Name of the components of this material are included in the New dology dubotants	
None of the components of this material are included in the New Jersey Substance List not are present at or destroyable.	į.
PRODUCT COMPOSITION %	1
PRODUCT COMPOSITION %	
CAS# Puesto en lista	1
7 the last of that other 1-5	1
Diethylene glycol ethyl ether 1 - 5	
Dietryione gifter and	
111-90-0	
111000	

The following components of this material are included in the Pennsylvania Substance List and are present at or above reportable

tite toughing companies		
levels.		PARTK:
PRODUCT COMPOSITION	ļ %	
CAS#		Puesto en lista
Diethylene glycol ethyl ether	1-5	t bodie on west
111-90-0	<u> </u>	
111000		

16. OTHER INFORMATION

This information was compiled from current, reliable sources and is believed to be correct. As data, and/or regulations change, and conditions of use and handling are beyond our control, no warranty, express or implied, is made as to completeness or continuing accuracy of this information.

*** END OF MSDS ***