



## MATERIAL SAFETY DATA SHEET

REVISION DATE: 10/28/2008 REVISION NUMBER: 6  
DATE PRINTED: 11/11/2008 PREPARED BY: EH&S DEPARTMENT

### 1. CHEMICAL PRODUCT

PRODUCT NAME: **ULTRA RESTORE®, Floor Finish Restorer**  
PRODUCT CODE: 118091

NFPA/HMIS HAZARD CODES (minimal=0; slight=1; moderate=2; serious=3; severe=4)

Health: 1/1 Fire: 0/0  
Reactivity: 0/0 Special/Protective Equipment: None/B

NAME OF THE MANUFACTURER: Rochester Midland Corporation  
333 Hollenbeck Street  
Rochester, New York 14621  
Information: 585-336-2200  
Emergency Phone:  
INFOTRAC: 1-800-535-5053  
OUTSIDE US: 1-352-323-3500

### 2. HAZARDS IDENTIFICATION

#### EFFECTS FROM ACUTE EXPOSURE:

INGESTION: No adverse health effects are expected from swallowing.

SKIN CONTACT: Mild Skin Irritation (after prolonged or repeated contact): sign/symptoms can include redness, swelling, and itching.

INHALATION: Inhalation of vapors or mists may cause nose and respiratory irritation, sore throat, and coughing.

EYE CONTACT: May cause mild eye irritation.

CHRONIC EFFECTS: None expected in normal use.

EFFECTS/CARCINOGENICITY: None listed under OSHA, IARC, or NTP.

ROUTES OF ENTRY: Routes of entry for solids and liquids include eye and skin contact, ingestion and inhalation.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

PRODUCT COMPOSITION CAS#	%	ACGIH TLV	OSHA PELs
Acrylic polymer MIXTURE	< 15	NA	NA
Diethylene glycol methyl ether 111-77-3	1 - 5	NA	NA
Ethylene glycol 107-21-1	< 1	NA	NA

### 4. FIRST AID MEASURES

INGESTION: Drink one or two glasses of water. Get medical attention. Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately. DO NOT INDUCE VOMITING. Aspiration hazard.

## ULTRA RESTORE®, Floor Finish Restorer

### 4. FIRST AID MEASURES

<b>SKIN:</b>	Wash with soap and water. Remove contaminated clothing and launder before reuse. Remove contaminated shoes and discard. Get medical attention if irritation persists.
<b>INHALATION:</b>	If inhaled, remove to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. If breathing is difficult give oxygen. Get medical attention.
<b>EYES:</b>	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention if irritation persists.
<b>NOTES TO PHYSICIAN:</b>	None.

### 5. FIRE AND EXPLOSION HAZARD DATA

<b>FLASH POINT (F):</b>	None (C): NA
<b>METHOD:</b>	TCC

#### FLAMMABLE LIMITS IN AIR

- LOWER (%):	None
- UPPER (%):	None

**SENSITIVITY TO MECHANICAL IMPACT(Y/N):**

NO

**SENSITIVITY TO STATIC DISCHARGE:**

Sensitivity to static discharge is not expected.

**SUITABLE EXTINGUISHING MEDIA:**

Water fog, carbon dioxide, foam, dry chemical.

**FIRE FIGHTING PROCEDURES:**

Fire-fighters should wear self-contained breathing apparatus and full protective clothing when fighting chemical fires. Cool exposed containers with water spray.

### 6. ACCIDENTAL RELEASE MEASURES

#### SPILL PROCEDURES:

**SMALL SPILLS:**

Mop up all possible. Rinse down drain.

**LARGE SPILLS:**

Dike to contain. Pick up with absorbant material. Put in suitable container for disposal. Flush remainder with water.

**PERSONAL PRECAUTIONS:**

NA

**ENVIRONMENTAL PRECAUTIONS:**

NA

**METHODS FOR CLEANING UP:**

NA

### 7. HANDLING AND STORAGE

**PRECAUTIONS TO BE TAKEN**

**IN HANDLING AND STORAGE:**

**OTHER PRECAUTIONS:**

**SPECIFIC USE(S):**

Do not store near heat, sparks or flame. Store only in original container and keep closed. Do not breathe mist or vapors. Use only in a well ventilated area. Avoid prolonged contact.

Read and follow label instructions.

NA

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**PROTECTIVE EQUIPMENT:**



**EXPOSURE CONTROLS:**

Use in a well ventilated area.

**RESPIRATORY PROTECTION:**

None normally required.

**PROTECTIVE GLOVES:**

Rubber or plastic gloves recommended to minimize skin contact.

**EYE PROTECTION:**

Goggles. Safety Glasses.

**OTHER PERSONAL PROTECTION**

Appropriate protective clothing as needed to prevent skin contact.

**EQUIPMENT:**

**VENTILATION:**

General mechanical and/or local exhaust as needed to meet exposure limits if mist in air.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

## ULTRA RESTORE®, Floor Finish Restorer

### 9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR: Opaque white. Liquid. Mild acrylic odor.  
BOILING POINT (F): 212° F (C) NA  
VAPOR PRESSURE: 15.7 mm Hg @ 22.2° C  
VAPOR DENSITY (AIR=1): 0.625  
SOLUBILITY IN WATER: NA  
SPECIFIC GRAVITY: 1.009 - 1.029  
VOC Content (%): NE  
VOV Content (%): NE  
EVAPORATION RATE: (BuAc = 1): 1.26  
PH: 6.0 - 7.0

### 10. STABILITY AND REACTIVITY

STABILITY DATA: STABLE  
POLYMERIZATION: Will Not Occur.  
HAZARDOUS DECOMPOSITION: When heated to high temperatures, the following may be produced: Smoke. Carbon Dioxide. Carbon Monoxide.  
INCOMPATIBILITY (MATERIALS TO AVOID): Strong oxidents, such as nitric acid, or hypochlorites.  
CONDITIONS/HAZARDS TO AVOID: Keep away from heat, sparks and flame.

### 11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY: NE  
EFFECTS OF CHRONIC EXPOSURE: NE  
OTHER TOXIC EFFECTS: NE

### 12. ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL INFORMATION: No data at this time  
CHEMICAL FATE INFORMATION: No data at this time.  
MOBILITY: NA  
PERSISTENCE/DEGRADABILITY: NA  
BIOACCUMULATIVE POTENTIAL: NA  
OTHER ADVERSE EFFECTS: NA

### 13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHODS: Dispose in accordance with Federal, State and Local regulations.

### 14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/Receiving documents for up to date shipping information.

### 15. REGULATORY INFORMATION

PRODUCT COMPOSITION CAS#	%	TSCA:	EINECS:	Canada DSL:	CA PROP 65:
Acrylic polymer MIXTURE	< 15	Not Listed	Not Listed	Not Listed	Not Listed
Diethylene glycol methyl ether 111-77-3	1 - 5	Listed	Listed	Listed	Not Listed
Ethylene glycol 107-21-1	< 1	Listed	Listed	Listed	Not Listed

## ULTRA RESTORE®, Floor Finish Restorer

PRODUCT COMPOSITION CAS#	%	CERCLA:	SARA 302:	SARA 313:
Acrylic polymer MIXTURE	< 15	Not Listed	Not Listed	Not Listed
Diethylene glycol methyl ether 111-77-3	1 - 5	Not Listed	Not Listed	Listed
Ethylene glycol 107-21-1	< 1	2270 kg 5000 lb	Not Listed	Listed

PRODUCT COMPOSITION CAS#	%	Canada WHMIS:
Ethylene glycol 107-21-1	< 1	Listed

The following components of this material are included in the Massachusetts Substance List and are present at or above reportable levels.

PRODUCT COMPOSITION CAS#	%	MARTK:
Diethylene glycol methyl ether 111-77-3	1 - 5	Listed
Ethylene glycol 107-21-1	< 1	Listed

The following components of this material are included in the New Jersey Substance List and are present at or above reportable levels.

PRODUCT COMPOSITION CAS#	%	NJRTK:
Diethylene glycol methyl ether 111-77-3	1 - 5	Listed
Ethylene glycol 107-21-1	< 1	Listed

The following components of this material are included in the Pennsylvania Substance List and are present at or above reportable levels.

PRODUCT COMPOSITION CAS#	%	PARTK:
Diethylene glycol methyl ether 111-77-3	1 - 5	Listed
Ethylene glycol 107-21-1	< 1	Listed

### 16. OTHER INFORMATION

This information was compiled from current, reliable sources and is believed to be correct. As data, and/or regulations change, and conditions of use and handling are beyond our control, no warranty, express or implied, is made as to completeness or continuing accuracy of this information.

\*\*\* END OF MSDS \*\*\*