

MATERIAL SAFETY DATA SHEET

REVISION DATE: DATE PRINTED:

10/28/2008 11/11/2008 **REVISION NUMBER:** PREPARED BY:

EH&S DEPARTMENT

CHEMICAL PRODUCT

PRODUCT NAME:

MEGA STRIP

PRODUCT CODE:

118930

NFPA/HMIS HAZARD CODES(minimal=0; slight=1; moderate=2; serious=3; severe=4)

Health:

2/2

Fire:

0/0

Reactivity:

0/0

Special/Protective Equipment:

CORR/B

NAME OF THE

Rochester Midland Corporation

Information: 585-336-2200 Emergency Phone:

MANUFACTURER:

333 Hollenbeck Street

INFOTRAC: 1-800-535-5053

Rochester, New York 14621

OUTSIDE US: 1-352-323-3500

HAZARDS IDENTIFICATION

EFFECTS FROM ACUTE EXPOSURE:

INGESTION:

May be harmful if swallowed. Causes vomiting, nausea, and diarrhea.

SKIN CONTACT: INHALATION:

May cause severe skin irritation. May irritate mouth, nose, and throat. May cause severe eye irritation.

EYE CONTACT:

None known.

CHRONIC EFFECTS: EFFECTS/CARCINOGENICITY:

None listed under OSHA, IARC, or NTP.

ROUTES OF ENTRY:

Routes of entry for solids and liquids include eye and skin contact, ingestion and inhalation.

COMPOSITION/INFORMATION ON INGREDIENTS

PRODUCT COMPOSITION	%	ACGIH TLV	OSHA PELs
CAS# Ethanolamine 141-43-5	5.0 - 10.0	3 ppm	3 ppm 6 mg/m ³
Ethylene glycol butyl ether	20.0 - 25.0	20 ppm	240 mg/m ³ 50 ppm

4. FIRST AID MEASURES

INGESTION:

DO NOT INDUCE VOMITING. Drink several glasses of water or milk. Get immediate medical

attention. Never give anything by mouth to an unconcious person.

SKIN:

Flush with water for at least 15 minutes while removing all contaminated clothing and shoes. Continue rinsing until "slippery" feeling is gone. Get medical attention if irritation or burns

develop.

INHALATION:

If inhaled, remove to fresh air. If not breathing give artificial respiration, preferably mouth-to-

mouth. If breathing is difficult give oxygen. Get medical attention.

EYES:

In case of contact, or suspected contact, immediately flush eyes with plenty of water for at least

15 minutes and get medical attention immediately after flushing.

NOTES TO PHYSICIAN:

None.

FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (F):

None (C): NA

Page 1 of 4

MEGA STRIP

5. FIRE AND EXPLOSION HAZARD DATA

METHOD:

FLAMMABLE LIMITS IN AIR

- LOWER (%):

None

- UPPER (%):

None

SENSITIVITY TO MECHANICAL IMPACT(Y/N):

SENSITIVITY TO STATIC DISCHARGE: SUITABLE EXTINGUISHING MEDIA: FIRE FIGHTING PROCEDURES:

NO

Sensitivity to static discharge is not expected. Water fog, carbon dioxide, foam, dry chemical.

Cool exposed containers with water spray. Corrosive material. Avoid exposure to mist and splashes. Fire-fighters should wear selfcontained breathing apparatus and full protective clothing when

fighting chemical fires.

ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES:

SMALL SPILLS: LARGE SPILLS:

Dike to contain. Pick up with absorbant material. Put in suitable container for disposal. Flush

remainder with water.

PERSONAL PRECAUTIONS:

ENVIRONMENTAL PRECAUTIONS:

NA NA

METHODS FOR CLEANING UP:

NA

HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: Store in a cool, dry area. Store in a well ventilated area. Store only in original container and keep closed. Keep from freezing. Danger: Corrosive. Avoid contact with eyes, skin and

clothing. Do not breathe mist or vapors.

OTHER PRECAUTIONS:

Do not reuse container. Empty containers may retain product residue, follow MSDS/label

precautions even after container is emptied. Read and follow label instructions.

SPECIFIC USE(S):

EXPOSURE CONTROLS/PERSONAL PROTECTION

PROTECTIVE EQUIPMENT:



EXPOSURE CONTROLS:

RESPIRATORY PROTECTION:

Not normally required. If mist or vapors in air exceed exposure limit, use NIOSH approved

organic vapor respirator.

PROTECTIVE GLOVES:

EYE PROTECTION:

OTHER PERSONAL PROTECTION

Rubber or plastic gloves recommended to minimize skin contact. Rubber boots. Appropriate protective clothing as needed to prevent skin contact. Eyewash

EQUIPMENT: VENTILATION: fountains and safety showers must be easily accessible. General mechanical and/or local exhaust as needed to meet exposure limits if mist in air.

(C) NA

PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR:

Clear. Water white liquid. Mild odor.

BOILING POINT (F):

212 F

VAPOR PRESSURE:

15.7 mm Hg @ 22.2 C 0.625

VAPOR DENSITY (AIR=1): SOLUBILITY IN WATER:

NA 0.991 - 1.011

SPECIFIC GRAVITY: VOC Content (%):

29.93 - 31.46 (EPA Method 24)

Page 2 of 4

MEGA STRIP

PHYSICAL AND CHEMICAL PROPERTIES

VOV Content (%):

EVAPORATION RATE:

(BuAc = 1): 1.26

PH:

10.6 (10%)

10. STABILITY AND REACTIVITY

STABILITY DATA:

STABLE

POLYMERIZATION:

Will Not Occur.

HAZARDOUS DECOMPOSITION:

If evaporated to dryness, as in a fire, may release: Soot. Smoke. Carbon Monoxide. Oxides of

Sulfur. Oxides of Nitrogen.

INCOMPATIBILITY (MATERIALS TO

Do not mix with acidic materials. Reaction will generate hydrogen gas. This gas is flammable

and/or explosive in presence of ignition source.

AVOID): CONDITIONS/HAZARDS TO AVOID:

None.

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY:

EFFECTS OF CHRONIC EXPOSURE: NE

OTHER TOXIC EFFECTS:

12. ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL

No data at this time

INFORMATION:

CHEMICAL FATE INFORMATION:

No data at this time.

MOBILITY:

NA

PERSISTENCE/DEGRADABILITY:

NA NA

BIOACCUMULATIVE POTENTIAL: OTHER ADVERSE EFFECTS:

NA

13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHODS:

Dispose in accordance with Federal, State and Local regulations.

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/Receiving documents for up to date shipping information.

15. REGULATORY INFORMATION

CONTROL OF THE PROPERTY OF THE	%	TSCA:	EINECS:	Canada DSL:	CA PROP 65:
PRODUCT COMPOSITION CAS#	/6				No. China
Ethanolamine	5.0 - 10.0	Listed	Listed	Listed	Not Listed
141-43-5 Ethylene glycol butyl ether	20.0 - 25.0	Listed	Listed	Listed	Not Listed
111-76-2			<u> </u>		<u> </u>

PRODUCT COMPOSITION	%	CERCLA:	SARA 302:	SARA 313:
CAS# Ethanolamine	5.0 - 10.0	Not Listed	Not Listed	Not Listed
141-43-5 Ethylene glycol bulyl ether	20.0 - 25.0	Not Listed	Not Listed	Listed
111-76-2			1	<u> </u>

MEGA STRIP

PRODUCT COMPOSITION CAS# Ethanolamine 141-43-5 Ethylene glycol butyl ether	% 5.0 - 10.0 20.0 - 25.0	Canada WHMIS: Listed Listed
111-76-2		

The following components of this material are included in the Massachusetts Substance List and are present at or above reportable

The following components of this	Material are melace.	
levels.		MARTK:
PRODUCT COMPOSITION	%	
CAS#	<u> </u>	Listed
Ethanolamine	5.0 - 10.0	
141-43-5		Listed
Ethylene glycol butyl ether	20.0 - 25.0	
111-76-2		
		r v t. t

The following components of this material are included in the Pennsylvania Substance List and are present at or above reportable

The following components of this	material are include	d in the remissivation outstance
lovels	%	PARTK:
PRODUCT COMPOSITION	/*	
CAS#	10.0	Listed
Ethanolamine	5.0 - 10.0	
141-43-5		Listed
Ethylene glycol butyl ether	20.0 - 25.0	
111-76-2	_	
111-70-2		

16. OTHER INFORMATION

This information was compiled from current, reliable sources and is believed to be correct. As data, and/or regulations change, and conditions of use and handling are beyond our control, no warranty, express or implied, is made as to completeness or continuing accuracy of this information.

*** END OF MSDS ***