MATERIAL SAFETY DATA SHEET



	FASTRIP Flo	or Stripper			
HMIS	NFPA	Personal protective equipment			
Health 3	3	pm -			
Fire Hazard 0	0				
Reactivity 0	0				
Version Number: 4		Preparation date: 2007-06-22			
	1. PRODUCT AND COM	PANY IDENTIFICATION			
Product name:	FASTRIP Floor Stripper				
MSDS #:	MS0200002				
Product Code:	4122398, 4122401, 4362447				
Recommended use:	Industrial/Institutional. Floor stri	oper. This product is intended to be diluted prior to use.			
Manufacturer, importer, supplier: US Headquarters JohnsonDiversey, Inc. 8310 16th St. Sturtevant, Wisconsin 53177-0902 Phone: 1-888-352-2249 MSDS Internet Address: www.johnsondiversey.com	Canadian Headquarters JohnsonDiversey - Canada 2401 Bristol Circle Oakville, Ontario L6H 6P1 Phone: 1-800-668-3131	, Inc.			
Emergency telephone number:	1-800-851-7145 (Prosar); 1-651	-917-6133 (Int'l Prosar); 01-800-710-3400 (México)			
	2. HAZARDS IDI	ENTIFICATION			
EMERGENCY OVERVIEW					
DANGER. CORROSIVE. CAUSES SK	IN AND EYE BURNS. HARMFUL OR	FATAL IF SWALLOWED.			
Principle routes of exposure:	Eye contact. Skin contact. Inhal	ation.			
Eye contact:		ye damage, including blindness.			
Skin contact:	Corrosive. Causes permanent damage.				

Eye contact:	
Skin contact:	
Inhalation:	
Ingestion:	

May cause irritation and corrosive effects to nose, throat and respiratory tract. Corrosive. Causes burns to mouth, throat and stomach.

3. COMPOSITION/INFORMATION ON INGREDIENTS

HAZARDOUS COMPONENTS

Ingredient(s)	CAS #	Weight %	LD50 Oral - Rat	LD50 Dermal - Rabbit	LC50 Inhalation - Rat
Potassium hydroxide	1310-58-3	5 - 10%	=214 mg/kg	Not available	Not available
Monoethanolamine	141-43-5	10 - 20%	=1720 mg/kg	=1 mL/kg	Not available
Benzyl alcohol	100-51-6	20 - 30%	=1230 mg/kg	=2000 mg/kg	=8.8 mg/L (4 h)

4. FIRST AID MEASURES			
Eye contact:	Immediately flush eyes with running water for at least 15-20 minutes, keeping eyelids open. Get medical attention immediately.		
Skin contact:	Flush immediately with plenty of water for at least 15-20 minutes. Get medical attention immediately.		
Inhalation:	If breathing is affected, remove to fresh air. Get medical attention immediately.		
Ingestion:	If swallowed, give a cupful of water or milk. THEN IMMEDIATELY CONTACT A PHYSICIAN OR POISON CENTER. DO NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person.		
Aggravated Medical Conditions:	Individuals with chronic respiratory disorders such as asthma, chronic bronchitis, emphysema, etc., may be more susceptible to irritating effects.		
	5. FIRE-FIGHTING MEASURES		

Suitable extinguishing media:	The product is not flammable. Extinguish fire using agent suitable for surrounding fire.
Specific hazards:	None known.
Unusual hazards:	Corrosive material (See sections 8 and 10).
Specific methods:	No special methods required

5. FIRE-FIGHTING MEASURES

Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

Extinguishing media which must not be used for safety reasons: None.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions:
Environmental precautions
and clean-up methods:

Put on appropriate personal protective equipment (see Section 8.). Use appropriate containment to avoid environmental contamination. Soak up with inert absorbent material. Shovel into suitable container for disposal.

7. HANDLING AND STORAGE

Handling:

Avoid contact with skin, eyes and clothing. Do not taste or swallow. Avoid breathing vapors or mists. Use only with adequate ventilation. Remove and wash contaminated clothing and footwear before re-use. Wash thoroughly after handling. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. FOR COMMERCIAL AND INDUSTRIAL USE ONLY. **Storage:**

Protect from freezing. Keep tightly closed in a dry, cool and well-ventilated place. KEEP OUT OF REACH OF CHILDREN.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures to reduce exposure:

Good general ventilation should be sufficient to control airborne levels. Respiratory protection is not required if good ventilation is maintained.

Personal Protective Equipment Eye protection: Hand protection: Skin and body protection: Respiratory protection:

Hygiene measures:

Chemical-splash goggles. Chemical-resistant gloves Protective footwear. If major exposure is possible, wear suitable protective clothing and footwear. In case of insufficient ventilation wear suitable respiratory equipment. A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use. Keep away from food, drink and animal feeding stuffs . Handle in accordance with good industrial hygiene and safety practice.

Ingredient(s)	CAS #	ACGIH	OSHA	Mexico
Potassium hydroxide	1310-58-3	2 mg/m ³ (Ceiling)		
Monoethanolamine	141-43-5	6 ppm (STEL) 3 ppm (TWA)	3 ppm (TWA) 6 mg/m³ (TWA)	6 ppm (STEL) 15 mg/m ³ (STEL) 3 ppm (TWA) 8 mg/m ³ (TWA)

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Liquid	Bulk density:	No information available
pH:	14	Dilution pH:	No information available.
Appearance:	Aqueous solution	Vapor density:	No information available
Color:	Yellow	Evaporation Rate	No information available
Odor:	Slight Solvent	Boiling point/range:	Not determined
Specific gravity:	1.080	Melting point/range:	Not determined
Density:	9.01 lbs/gal	Decomposition temperature:	Not determined
VOC:	17.45% *	Autoignition temperature:	No information available
Flash point:	>200°F >99.3°C	Partition coefficient (n-octanol/v	vater): No information available
Solubility:	Soluble	Solubility in other solvents:	No information available
Viscosity:	No information available	Elemental Phosphorus:	0 %P

* - Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

10. STABILITY AND REACTIVITY			
Stability: Polymerization: Hazardous decomposition products: Materials to avoid:	The product is stable Hazardous polymerization does not occur None reasonably foreseeable. Strong oxidising agents. Strong exothermic reaction with acids .		
	11. TOXICOLOGICAL INFORMATION		

Acute toxicity:

Corrosive. Oral LD50 estimated to be >1000 and <5000 mg/kg . Dermal LD50 estimated to be > 2000 mg/kg

11. TOXICOLOGICAL INFORMATION See Section 3

Component Information:

Chronic toxicity:

None known

Specific effects

Carcinogenic effects: Mutagenic effects: **Reproductive toxicity:** Target organ effects:

None known None known None known None known

12. ECOLOGICAL INFORMATION

Environmental Information:

When used for its intended purpose this product should not cause adverse effects in the environment .

13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products:

Undiluted product is regulated under environmental and transportation laws as a corrosive waste. Dispose of according to all federal, state and local applicable regulations

14. TRANSPORT INFORMATION

DOT/TDG: Please refer to the Bill of Lading/receiving documents for up to date shipping information

15. REGULATORY INFORMATION

International Inventories

All components of this product are listed on the following inventories: U.S.A. (TSCA), Canada (DSL/NDSL).

U.S. Regulations

California Proposition 65: This product is not subject to the reporting requirements under California's Proposition 65

STATE RIGHT TO KNOW

Ingredient(s)	CAS #	MARTK:	NJRTK:	PARTK:	RIRTK:
Potassium hydroxide	1310-58-3	Х	Х	Х	Х
Monoethanolamine	141-43-5	Х	Х	Х	Х
Water	7732-18-5	-	-	-	-
Benzyl alcohol	100-51-6	Х	-	Х	-
Hexyloxyethanol	112-25-4	-	-	Х	-
Potassium tallate	61790-44-1	-	-	-	-

CERCLA/ SARA

Ingredient(s)	CAS #	Weight %	CERCLA/SARA RQ (lbs)	Section 302 TPQ (lbs)	Section 313
Potassium hydroxide	1310-58-3	5 - 10%	1000		
Hexyloxyethanol	112-25-4	10 - 20%			Х

Ingredient(s)	CAA HAP	CAA ODS	CWA Priority Pollutants
Hexyloxyethanol	Х		

SARA 311/312 Hazard Categories

Immediate:	Y
Delayed:	Ν
Fire:	Ν
Reactivity:	Ν
Sudden Release of Pressure:	Ν

Canada

WHMIS hazard class: E Corrosive material .



Ingredient(s)	CAS #	NPRI
Monoethanolamine	141-43-5	Х
Benzyl alcohol	100-51-6	Х

Reason for revision: Prepared by: Additional advice: Not applicable NAPRAC None

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.